

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 11 - Serravalle, Antonio (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.1556	3.7123	4.3911	3.9058	3.6018	4.7158	4.1426	3.7599	32.3849	47.4249
	S	139.625	116.811	118.628	145.762	158.254	140.100	141.874	153.595	138.954	84.377
2	T	3.6652	3.2757	4.0825	3.8375	3.5427	4.6613	4.2505	3.7878	31.1032	
	S	158.307	132.380	127.596	148.357	160.894	141.738	138.273	152.463	144.680	
3	T	3.6764	3.2689	4.0610	3.8223	3.5321	4.5224	4.0816	3.7097	30.6744	
	S	157.825	132.655	128.271	148.946	161.377	146.091	143.994	155.673	146.702	
4	T	3.5822	3.1334	3.9650	3.8017	3.5184	4.2588	3.9299	3.6794	29.8688	
	S	161.975	138.392	131.377	149.754	162.005	155.133	149.553	156.955	150.659	
5	T	3.5718	3.0271	3.9721	3.7984	3.5142	4.2626	3.9461	3.6698	29.7621	
	S	162.447	143.251	131.142	149.884	162.199	154.995	148.939	157.366	151.199	
6	T	3.5686	2.9928	3.9916	3.8359	3.5348	4.2392	3.8988	3.6447	29.7064	
	S	162.592	144.893	130.501	148.418	161.254	155.851	150.746	158.449	151.483	
7	T	3.5393	2.9707	4.0298	3.8385	3.5359	4.2101	3.9117	3.6530	29.6890	
	S	163.938	145.971	129.264	148.318	161.204	156.928	150.249	158.089	151.571	
8	T	3.5381	3.0048	3.9283	3.7880	3.5184	4.1537	3.8932	3.6332	29.4577	
	S	163.994	144.315	132.604	150.295	162.005	159.059	150.963	158.951	152.761	
9	T	3.5255	3.0097	3.9937	3.8004	3.5292	4.3530	4.0133	3.6933	29.9181	
	S	164.580	144.080	130.433	149.805	161.510	151.776	146.445	156.364	150.411	
10	T	3.5489	2.9839	3.9328	3.8015	3.5253	4.1783	3.8935	3.6199	29.4841	
	S	163.495	145.325	132.452	149.761	161.688	158.122	150.951	159.535	152.625	
11	T	3.5254	2.9653	3.9735	3.8207	3.5115	4.2093	3.9315	3.6329	29.5701	
	S	164.585	146.237	131.096	149.009	162.324	156.958	149.492	158.964	152.181	
12	T	3.5344	2.9639	4.0257	3.8365	3.5260	4.2006	3.9344	3.6321	29.6536	
	S	164.166	146.306	129.396	148.395	161.656	157.283	149.382	158.999	151.752	
13	T	3.5328	2.9972	4.0062	3.8269	3.5184	4.1923	3.9531	3.6594	29.6863	
	S	164.240	144.680	130.026	148.767	162.005	157.594	148.675	157.813	151.585	
14	T	3.5471	2.9980	3.9136	3.7848	3.4980	4.1914	3.9585	3.6559	29.5473	
	S	163.578	144.642	133.102	150.422	162.950	157.628	148.472	157.964	152.298	
15	T	3.5474	2.9779	4.0375	3.8357	3.5328	4.3893	4.0225	3.7349	30.0780	
	S	163.564	145.618	129.018	148.426	161.345	150.521	146.110	154.623	149.611	
16	T	3.6244	3.0372	3.8758	3.7952	3.5497	4.1430	3.8980	3.6679	29.5912	
	S	160.089	142.775	134.400	150.010	160.577	159.469	150.777	157.447	152.072	
17	T	3.5771	2.9858	3.8694	3.7949	3.5365	4.1188	3.8794	3.6564	29.4183	
	S	162.206	145.233	134.623	150.022	161.176	160.406	151.500	157.942	152.966	
18	T	3.5709	2.9545	3.8390	3.7754	3.5381	4.1219	3.8933	3.6662	29.3593	
	S	162.488	146.771	135.689	150.797	161.103	160.286	150.959	157.520	153.273	
19	T	3.5792	2.9535	3.8361	3.7805	3.5270	4.0821	3.8703	3.6465	29.2752	
	S	162.111	146.821	135.791	150.593	161.610	161.849	151.856	158.371	153.714	

Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 11 - Serravalle, Antonio (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
20	T	3.5767	2.9372	3.8536	3.7834	3.5309	4.1066	3.8770	3.6446	29.3100	
	S	162.224	147.636	135.175	150.478	161.432	160.883	151.593	158.454	153.531	
21	T	3.5790	2.9260	3.8940	3.7933	3.5317	4.1322	3.8892	3.6474	29.3928	
	S	162.120	148.201	133.772	150.085	161.395	159.886	151.118	158.332	153.099	
22	T	3.5781	2.9741	3.8475	3.7821	3.5357	4.1356	3.9246	3.6880	29.4657	
	S	162.161	145.804	135.389	150.530	161.213	159.755	149.755	156.589	152.720	
23	T	3.6031	3.0343	3.9210	3.8112	3.5569	4.8513	6.1969	9.6109	38.5856	
	S	161.036	142.911	132.851	149.380	160.252	136.187	94.842	60.088	116.624	
24	T				4.5100	3.8670	5.3356	4.4967	4.4417	428.5610	35.4647
	S				126.235	147.401	123.825	130.702	130.018	10.500	112.833
25	T	4.3693	3.7533	4.5724	6.1744	5.3781	7.5382	9.7689	9.6703	51.2249	
	S	132.796	115.535	113.925	92.206	105.985	87.645	60.163	59.719	87.848	
26	T	7.8888	4.5794	6.5263	7.7924	8.1913	8.3047	5.9515	4.0922	53.3266	
	S	73.551	94.693	79.817	73.061	69.586	79.555	98.753	141.122	84.386	
27	T	3.8660	3.6253	4.4238	4.0600	3.5941	4.6771	4.0978	3.7283	32.0724	
	S	150.085	119.614	117.752	140.226	158.593	141.259	143.425	154.896	140.308	
28	T	3.6102	3.2512	3.9884	3.8254	3.5365	4.4109	4.0237	3.7416	30.3879	
	S	160.719	133.377	130.606	148.826	161.176	149.784	146.066	154.346	148.085	
29	T	3.6251	3.1450	3.9634	3.8213	3.5394	4.3598	3.9745	3.6982	30.1267	
	S	160.058	137.881	131.430	148.985	161.044	151.539	147.875	156.157	149.369	
30	T	3.5965	3.0756	3.9013	3.8003	3.5460	4.2198	3.9394	3.6707	29.7496	
	S	161.331	140.992	133.522	149.809	160.745	156.567	149.192	157.327	151.263	
31	T	3.5690	2.9868	3.8907	3.7905	3.5355	4.1582	3.8956	3.6496	29.4759	
	S	162.574	145.184	133.886	150.196	161.222	158.886	150.870	158.237	152.667	
32	T	3.5599	3.0214	3.8800	3.7837	3.5179	4.1211	3.8995	3.6503	29.4338	
	S	162.990	143.522	134.255	150.466	162.028	160.317	150.719	158.206	152.885	
33	T	3.5619	2.9675	3.8814	3.7792	3.5113	4.1067	3.8786	3.6376	29.3242	
	S	162.898	146.129	134.206	150.645	162.333	160.879	151.531	158.759	153.457	
34	T	3.5608	2.9655	3.8538	3.7786	3.5239	4.1258	3.8890	3.6465	29.3439	
	S	162.949	146.227	135.168	150.669	161.753	160.134	151.126	158.371	153.354	
35	T	3.5574	2.9350	3.8814	3.7908	3.5397	4.0878	3.8649	3.6394	29.2964	
	S	163.104	147.747	134.206	150.184	161.031	161.623	152.068	158.680	153.602	
36	T	3.5562	2.9216	3.8529	3.7748	3.5217	4.0914	3.8673	3.6355	29.2214	
	S	163.159	148.424	135.199	150.821	161.854	161.481	151.974	158.850	153.997	
37	T	3.5523	2.9193	3.8482	3.7736	3.5293	4.0894	3.8689	3.6194	29.2004	
	S	163.338	148.541	135.364	150.869	161.505	161.560	151.911	159.557	154.107	
38	T	3.5448	2.9202	3.9013	3.7853	3.5373	4.1119	3.8603	3.6451	29.3062	
	S	163.684	148.495	133.522	150.402	161.140	160.676	152.249	158.432	153.551	

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 11 - Serravalle, Antonio (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.5529	2.9373	3.8862	3.7856	3.5252	4.1238	3.8896	3.6612	29.3618
	S	163.311	147.631	134.041	150.390	161.693	160.212	151.102	157.735	153.260
40	T	3.5620	2.9346	3.8744	3.7746	3.5279	4.1062	3.8614	3.6234	29.2645
	S	162.894	147.767	134.449	150.829	161.569	160.899	152.206	159.381	153.770
41	T	3.5428	2.9301	3.8744	3.7817	3.5248	4.1336	3.8599	3.6147	29.2620
	S	163.776	147.994	134.449	150.546	161.711	159.832	152.265	159.764	153.783
42	T	3.5459	2.9457	3.8947	3.7931	3.5308	4.1710	3.8922	3.6432	29.4166
	S	163.633	147.210	133.748	150.093	161.437	158.399	151.001	158.514	152.975
43	T	3.5505	2.9255	3.8983	3.7862	3.5140	4.1354	3.9257	3.6353	29.3709
	S	163.421	148.226	133.625	150.367	162.208	159.762	149.713	158.859	153.213
44	T	3.5375	2.9341	3.9070	3.7868	3.5204	4.1242	3.8780	3.6289	29.3169
	S	164.022	147.792	133.327	150.343	161.913	160.196	151.554	159.139	153.495
45	T	3.5302	2.9324	3.8950	3.7818	3.5153	4.1174	3.9353	3.6416	29.3490
	S	164.361	147.878	133.738	150.542	162.148	160.461	149.348	158.584	153.327
46	T	3.5283	2.9904	3.9200	3.7953	3.5151	4.1338	3.8978	3.6297	29.4104
	S	164.450	145.009	132.885	150.006	162.158	159.824	150.784	159.104	153.007
47	T	3.5281	2.9562	3.9341	3.7920	3.5014	4.4905	4.0979	3.7540	30.0542
	S	164.459	146.687	132.409	150.137	162.792	147.129	143.422	153.836	149.729
48	T	3.6070	3.0108	3.9605	3.8199	3.5347	4.2294	4.0407	3.7198	29.9228
	S	160.861	144.027	131.526	149.040	161.258	156.212	145.452	155.250	150.387
49	T	3.5983	2.9966	3.9141	3.7937	3.5337	4.1326	3.9318	3.6446	29.5454
	S	161.250	144.709	133.085	150.069	161.304	159.871	149.480	158.454	152.308
50	T	3.5577	3.1343	4.3243	4.3723	4.2039	5.6429	5.1860	4.8664	35.2878
	S	163.091	138.352	120.461	130.210	135.588	117.082	113.330	118.671	127.523
51	T	4.6996	3.7333	4.5554	4.3859	4.0656	6.3533	8.3043	10.8601	46.9575
	S	123.463	116.154	114.350	129.806	140.201	103.990	70.774	53.176	95.831
52	T	8.6193	5.4240	6.9110	7.5860	7.9112	10.5773	10.9552	9.9942	67.9782
	S	67.317	79.948	75.374	75.049	72.050	62.462	53.648	57.784	66.198
53	T	7.7048	6.1987	7.0688	8.4205	8.0577	10.7946	10.6945	7.8437	66.7833
	S	75.307	69.956	73.691	67.611	70.740	61.205	54.956	73.626	67.382
54	T	7.7094	5.1626	6.6564	7.1165	6.3184	8.6745	8.5271	8.1777	58.3426
	S	75.262	83.996	78.257	80.000	90.213	76.164	68.925	70.619	77.131
55	T	7.1234	5.6181	7.4271	7.9705	7.6345	7.5570	8.7275	9.4814	61.5395
	S	81.454	77.186	70.136	71.428	74.661	87.426	67.342	60.909	73.124
56	T	8.0321	5.3015	6.2646	7.9409	6.1930	8.3832	9.5256	9.2706	60.9115
	S	72.239	81.795	83.151	71.694	92.039	78.810	61.700	62.294	73.878
57	T	7.0083	5.4820	6.6922	7.3999	6.6404	8.2821	7.7220	7.6917	56.9186
	S	82.791	79.102	77.838	76.936	85.838	79.772	76.111	75.081	79.060

**Event:** Cooper Tires Indy Lights of St. Louis  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Race 1

**Round 13 / 14**  
**1.25 mile(s)**  
**Indy Lights**  
**August 20, 2021**



**Section Data for Car 11 - Serravalle, Antonio (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	8.3669								
	S	69.348								

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 17 - DeFrancesco, Devlin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.1948	3.5628	4.2011	3.7824	3.4836	4.5115	4.7930	3.8924	32.4216	57.5551
	S	138.321	121.712	123.993	150.518	163.624	146.444	122.622	148.366	138.796	69.526
2	T	3.6525	3.1769	4.1820	3.8279	3.5221	4.1963	3.8838	3.6296	30.0711	
	S	158.858	136.497	124.560	148.729	161.835	157.444	151.328	159.108	149.645	
3	T	3.5666	3.1794	4.2802	3.8406	3.4774	4.2962	3.9427	3.6286	30.2117	
	S	162.684	136.389	121.702	148.237	163.916	153.783	149.067	159.152	148.949	
4	T	3.5319	2.9888	3.8662	3.7491	3.4859	4.1388	3.8846	3.6332	29.2785	
	S	164.282	145.087	134.734	151.855	163.516	159.631	151.297	158.951	153.696	
5	T	3.5203	2.9786	3.8787	3.7496	3.4742	4.1032	3.8317	3.6012	29.1375	
	S	164.823	145.584	134.300	151.834	164.067	161.016	153.386	160.363	154.440	
6	T	3.4920	2.9918	3.9688	3.7876	3.4920	4.2390	3.9180	3.6632	29.5524	
	S	166.159	144.942	131.251	150.311	163.230	155.858	150.007	157.649	152.272	
7	T	3.5201	2.9930	3.9050	3.7747	3.4901	4.1552	3.8630	3.6231	29.3242	
	S	164.833	144.884	133.395	150.825	163.319	159.001	152.143	159.394	153.457	
8	T	3.4973	3.0242	3.8385	3.7433	3.4889	4.1474	3.8564	3.6204	29.2164	
	S	165.907	143.389	135.706	152.090	163.375	159.300	152.403	159.513	154.023	
9	T	3.5005	3.0035	3.8341	3.7308	3.4742	4.2084	3.8600	3.6004	29.2119	
	S	165.756	144.377	135.862	152.599	164.067	156.991	152.261	160.399	154.047	
10	T	3.4775	3.0658	3.8135	3.7164	3.4596	4.2362	3.8774	3.5916	29.2380	
	S	166.852	141.443	136.596	153.191	164.759	155.961	151.578	160.792	153.909	
11	T	3.4539	3.0396	3.9263	3.7558	3.4592	4.1738	3.9175	3.6041	29.3302	
	S	167.992	142.662	132.672	151.584	164.778	158.293	150.026	160.234	153.425	
12	T	3.4919	3.0502	3.8457	3.7282	3.4524	4.1173	3.9559	3.6056	29.2472	
	S	166.164	142.167	135.452	152.706	165.103	160.465	148.570	160.168	153.861	
13	T	3.4863	3.0605	3.8265	3.7291	3.4580	4.2629	3.9219	3.6162	29.3614	
	S	166.431	141.688	136.132	152.669	164.835	154.984	149.858	159.698	153.262	
14	T	3.5134	3.0359	3.8079	3.7204	3.4564	4.0956	3.8491	3.5739	29.0526	
	S	165.147	142.836	136.797	153.026	164.911	161.315	152.692	161.588	154.891	
15	T	3.4789	3.0049	3.8114	3.7183	3.4487	4.1650	3.9052	3.6076	29.1400	
	S	166.785	144.310	136.671	153.112	165.280	158.627	150.499	160.079	154.427	
16	T	3.4963	3.0203	3.9637	3.7936	3.4887	4.1213	3.8357	3.5970	29.3166	
	S	165.955	143.574	131.420	150.073	163.385	160.309	153.226	160.550	153.497	
17	T	3.4879	2.9690	3.8437	3.7237	3.4484	4.1378	3.9174	3.6073	29.1352	
	S	166.354	146.055	135.523	152.890	165.294	159.670	150.030	160.092	154.452	
18	T	3.4892	3.0178	3.8222	3.7260	3.4678	4.1287	3.8833	3.6154	29.1504	
	S	166.292	143.693	136.285	152.796	164.369	160.022	151.347	159.733	154.372	
19	T	3.4924	2.9836	3.9480	3.7969	3.4918	4.0632	3.8591	3.5849	29.2199	
	S	166.140	145.340	131.943	149.943	163.240	162.601	152.296	161.092	154.005	

**Event:** Cooper Tires Indy Lights of St. Louis  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Race 1

**Round 13 / 14**  
**1.25 mile(s)**  
**Indy Lights**  
**August 20, 2021**



**Section Data for Car 17 - DeFrancesco, Devlin (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.4908	3.0083	3.8364	3.7324	3.4631	4.0675	3.8909	3.5871	29.0765
	S	166.216	144.147	135.781	152.534	164.592	162.429	151.052	160.994	154.764
21	T	3.4951	2.9592	3.8477	3.7222	3.4541	4.0958	3.8698	3.5813	29.0252
	S	166.012	146.538	135.382	152.952	165.021	161.307	151.875	161.254	155.038
22	T	3.4796	2.9405	3.8927	3.7620	3.4765	4.0814	3.8820	3.5944	29.1091
	S	166.751	147.470	133.817	151.334	163.958	161.876	151.398	160.667	154.591
23	T	3.4893	2.9727	3.8296	3.7338	3.4696	4.0988	3.9162	3.6102	29.1202
	S	166.288	145.873	136.022	152.477	164.284	161.189	150.076	159.963	154.532
24	T	3.4893	2.9858	3.8873	3.7307	3.4495	4.1756	3.9966	3.6561	29.3709
	S	166.288	145.233	134.003	152.604	165.241	158.224	147.057	157.955	153.213
25	T	3.5178	2.9870	3.8684	3.7469	3.4638	4.2407	3.9194	3.6447	29.3887
	S	164.940	145.175	134.658	151.944	164.559	155.795	149.953	158.449	153.120
26	T	3.5242	3.0069	3.8673	3.7469	3.4736	4.1025	3.9256	3.6257	29.2727
	S	164.641	144.214	134.696	151.944	164.095	161.044	149.717	159.280	153.727
27	T	3.5128	2.9765	3.9511	3.8475	3.5479	4.0636	3.7908	3.6096	29.2998
	S	165.175	145.687	131.839	147.971	160.658	162.585	155.040	159.990	153.585
28	T	3.5354	2.9416	3.8090	3.7509	3.5100	4.2971	3.9835	3.7201	29.5476
	S	164.119	147.415	136.757	151.782	162.393	153.751	147.540	155.238	152.297
29	T	3.6070	3.2576	4.2235	4.0265	3.6690	4.8972	4.7743	4.5856	33.0407
	S	160.861	133.115	123.336	141.393	155.356	134.910	123.102	125.938	136.196
30	T	5.1652	4.5526	5.6208	6.5736	7.4970	10.5462	8.8610	9.2308	58.0472
	S	112.334	95.250	92.675	86.607	76.030	62.646	66.327	62.562	77.523
31	T	8.1568	6.4087	7.4043	8.0046	8.6356	8.7349	9.6887	10.2713	67.3049
	S	71.134	67.664	70.352	71.124	66.006	75.637	60.661	56.225	66.860
32	T	8.9301	4.4572	6.6667	9.7218	7.8878	7.1101	7.8603	9.0660	61.7000
	S	64.974	97.289	78.136	58.561	72.263	92.922	74.772	63.700	72.934
33	T	8.9108	6.1937	7.7853	8.2861	7.7799	8.5669	8.7622	10.3437	66.6286
	S	65.115	70.012	66.909	68.708	73.266	77.120	67.075	55.831	67.539
34	T	10.6517	4.8724	4.5258	8.8731	5.9173	8.8973	9.5477	9.1324	62.4177
	S	54.473	88.999	115.098	64.162	96.328	74.256	61.557	63.236	72.095
35	T	7.9790	4.7948	6.9217	8.0620	7.9005	8.8048	6.2391	4.0984	54.8003
	S	72.719	90.439	75.257	70.617	72.147	75.037	94.201	140.909	82.116
36	T	3.8156	3.4365	4.4291	3.8804	3.5410	4.2493	3.9534	3.6436	30.9489
	S	152.067	126.185	117.611	146.716	160.971	155.480	148.664	158.497	145.401
37	T	3.5411	3.0208	3.8964	3.7690	3.4933	4.1256	3.8714	3.6309	29.3485
	S	163.855	143.550	133.690	151.053	163.169	160.142	151.813	159.051	153.330
38	T	3.5351	2.9792	3.8517	3.7472	3.4826	4.0484	3.7990	3.5796	29.0228
	S	164.133	145.555	135.241	151.932	163.671	163.196	154.706	161.331	155.051

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 17 - DeFrancesco, Devlin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
39	T	3.5027	2.9439	3.8413	3.7389	3.4942	4.0523	3.7884	3.5742	28.9359	
	S	165.651	147.300	135.608	152.269	163.127	163.039	155.139	161.575	155.516	
40	T	3.4989	2.9354	3.8211	3.7335	3.4715	4.0404	3.7722	3.5779	28.8509	
	S	165.831	147.726	136.324	152.489	164.194	163.519	155.805	161.408	155.974	
41	T	3.4940	2.9240	3.8680	3.7526	3.4837	4.0487	3.7666	3.5680	28.9056	
	S	166.064	148.302	134.671	151.713	163.619	163.184	156.037	161.855	155.679	
42	T	3.4907	2.9227	3.8210	3.7252	3.4616	4.0352	3.7738	3.5659	28.7961	
	S	166.221	148.368	136.328	152.829	164.664	163.730	155.739	161.951	156.271	
43	T	3.4977	3.0075	3.7795	3.7219	3.4653	4.0224	3.7833	3.5430	28.8206	
	S	165.888	144.185	137.825	152.964	164.488	164.251	155.348	162.997	156.138	
44	T	3.4726	2.9633	3.8206	3.7398	3.4741	4.0390	3.7869	3.5846	28.8809	
	S	167.087	146.336	136.342	152.232	164.071	163.576	155.200	161.106	155.812	
45	T	3.4977	2.9260	3.8161	3.7360	3.4724	4.0340	3.7816	3.5705	28.8343	
	S	165.888	148.201	136.503	152.387	164.152	163.778	155.418	161.742	156.064	
46	T	3.4886	2.9347	3.8068	3.7285	3.4758	4.0316	3.7802	3.5786	28.8248	
	S	166.321	147.762	136.836	152.694	163.991	163.876	155.475	161.376	156.116	
47	T	3.4923	2.9355	3.8098	3.7265	3.4668	4.0303	3.7925	3.5682	28.8219	
	S	166.145	147.721	136.729	152.776	164.417	163.929	154.971	161.846	156.131	
48	T	3.4797	2.9008	3.8586	3.7391	3.4816	4.0430	3.7752	3.5774	28.8554	
	S	166.746	149.489	135.000	152.261	163.718	163.414	155.681	161.430	155.950	
49	T	3.4876	2.9311	3.8102	3.7233	3.4643	4.0388	3.8224	3.5857	28.8634	
	S	166.369	147.943	136.714	152.907	164.535	163.584	153.759	161.056	155.907	
50	T	3.4992	2.9212	3.8237	3.7442	3.4877	4.0436	3.7825	3.5704	28.8725	
	S	165.817	148.445	136.232	152.053	163.431	163.390	155.381	161.747	155.858	
51	T	3.4926	2.9153	3.7958	3.7177	3.4733	4.0357	3.7952	3.5672	28.7928	
	S	166.130	148.745	137.233	153.137	164.109	163.709	154.861	161.892	156.289	
52	T	3.4813	2.8967	3.8337	3.7322	3.4732	4.0440	3.7744	3.5635	28.7990	
	S	166.670	149.700	135.876	152.542	164.114	163.373	155.714	162.060	156.255	
53	T	3.4819	2.8660	3.9217	3.7730	3.4881	4.0464	3.8254	3.5865	28.9890	
	S	166.641	151.304	132.827	150.893	163.413	163.276	153.638	161.020	155.231	
54	T	3.4967	2.9691	3.8005	3.7313	3.4711	4.0602	3.8135	3.5805	28.9229	
	S	165.936	146.050	137.063	152.579	164.213	162.721	154.118	161.290	155.586	
55	T	3.4845	2.9226	3.7722	3.7038	3.4597	4.0426	3.7787	3.5663	28.7304	
	S	166.517	148.373	138.092	153.712	164.754	163.430	155.537	161.933	156.629	
56	T	3.4808	2.9048	3.7998	3.7301	3.4591	4.0366	3.7963	3.5764	28.7839	
	S	166.694	149.283	137.089	152.628	164.783	163.673	154.816	161.475	156.337	
57	T	3.4947	2.8871	3.8220	3.7286	3.4693	4.0392	3.7837	3.5783	28.8029	
	S	166.031	150.198	136.292	152.690	164.298	163.567	155.331	161.389	156.234	

**Event:** Cooper Tires Indy Lights of St. Louis  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Race 1

**Round 13 / 14**  
**1.25 mile(s)**  
**Indy Lights**  
**August 20, 2021**



**Section Data for Car 17 - DeFrancesco, Devlin (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.4891	2.9033	3.7968	3.7258	3.4653	4.1059	3.8789	3.6206	28.9857
	S	166.297	149.360	137.197	152.804	164.488	160.910	151.519	159.504	155.249
59	T	3.5146	2.9697	3.7827	3.7175	3.4746	4.9561	4.7152	4.4056	31.5360
	S	165.091	146.020	137.708	153.145	164.048	133.307	124.645	131.083	142.694
60	T	6.0049	5.3646	6.6880	6.8580	6.9523	10.8339	9.9349	10.2256	62.8622
	S	96.626	80.833	77.887	83.015	81.987	60.983	59.158	56.476	71.585
61	T	8.0722	5.8419	7.4221	7.8661	8.2161	11.0001	10.6713	9.1359	68.2257
	S	71.880	74.229	70.184	72.376	69.376	60.061	55.076	63.212	65.958
62	T	8.0986	6.3242	7.2167	8.2924	7.7730	11.6976	9.9057	7.7568	67.0650
	S	71.645	68.568	72.181	68.655	73.331	56.480	59.332	74.451	67.099
63	T	7.1478	5.5169	7.9433	6.8787	6.5154	8.9792	8.2052	7.3559	58.5424
	S	81.176	78.601	65.578	82.765	87.485	73.579	71.629	78.508	76.867
64	T	7.9160	5.5912	7.4398	7.9537	6.5393	8.9969	8.6967	8.3588	61.4924
	S	73.298	77.557	70.017	71.579	87.165	73.434	67.580	69.089	73.180
65	T	7.5480	5.5182	6.2174	7.9378	6.9826	9.0776	9.1014	8.2426	60.6256
	S	76.872	78.583	83.782	71.722	81.631	72.782	64.575	70.063	74.226
66	T	7.0664	5.7020	7.3757	6.9486	6.7070	8.8250	7.6810	7.5698	57.8755
	S	82.111	76.050	70.625	81.933	84.986	74.865	76.517	76.290	77.753
67	T	7.9923	5.7409							
	S	72.598	75.535							



Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 2 - Robb, Sting Ray (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	SF to PI	
1	T	4.2184	3.6055	4.3005	3.9040	3.5653	4.6669	4.1103	3.8116	32.1825	50.7616	
	S	137.547	120.271	121.128	145.829	159.874	141.568	142.989	151.511	139.828	78.831	
2	T	3.6102	3.2837	4.1732	3.9226	3.5423	4.6540	4.1691	3.7158	31.0709		
	S	160.719	132.057	124.822	145.138	160.912	141.960	140.972	155.417	144.830		
3	T	3.5659	3.2662	4.1370	3.8474	3.5084	4.5081	4.1187	3.7266	30.6783		
	S	162.716	132.765	125.915	147.975	162.467	146.554	142.697	154.967	146.683		
4	T	3.5699	3.0094	4.0066	3.7974	3.5075	4.1877	3.9809	3.6514	29.7108		
	S	162.533	144.094	130.013	149.923	162.509	157.767	147.637	158.159	151.460		
5	T	3.5352	3.0636	4.0051	3.8020	3.5103	4.1730	3.9105	3.6367	29.6364		
	S	164.129	141.545	130.061	149.742	162.379	158.323	150.295	158.798	151.840		
6	T	3.5278	2.9809	4.1150	3.8401	3.5284	4.2627	3.9697	3.6642	29.8888		
	S	164.473	145.472	126.588	148.256	161.546	154.991	148.053	157.606	150.558		
7	T	3.5348	2.9967	3.9973	3.8042	3.5123	4.1851	3.9039	3.6291	29.5634		
	S	164.147	144.705	130.315	149.655	162.287	157.865	150.549	159.130	152.215		
8	T	3.5174	2.9383	4.0067	3.8018	3.5141	4.2110	3.9998	3.6904	29.6795		
	S	164.959	147.581	130.010	149.750	162.204	156.894	146.939	156.487	151.620		
9	T	3.5475	2.9738	4.0975	3.8369	3.5507	4.1553	3.9097	3.6245	29.6959		
	S	163.559	145.819	127.129	148.380	160.532	158.997	150.325	159.332	151.536		
10	T	3.5147	3.0128	3.9631	3.8062	3.5147	4.1260	3.9101	3.6221	29.4697		
	S	165.086	143.931	131.440	149.577	162.176	160.126	150.310	159.438	152.699		
11	T	3.5346	3.0271	4.0547	3.8423	3.5254	4.1313	3.8815	3.6141	29.6110		
	S	164.156	143.251	128.470	148.171	161.684	159.921	151.418	159.791	151.971		
12	T	3.5291	3.0171	4.0395	3.8306	3.5355	4.1521	3.9189	3.6402	29.6630		
	S	164.412	143.726	128.954	148.624	161.222	159.120	149.973	158.645	151.704		
13	T	3.5404	3.0336	4.0086	3.8245	3.5278	4.1397	3.9095	3.6538	29.6379		
	S	163.887	142.944	129.948	148.861	161.574	159.597	150.333	158.055	151.833		
14	T	3.5537	3.0148	3.9501	3.8038	3.5234	4.1719	3.9437	3.6606	29.6220		
	S	163.274	143.836	131.872	149.671	161.776	158.365	149.029	157.761	151.914		
15	T	3.5606	3.0324	4.0318	3.8815	3.8971	4.9535	4.3001	3.9587	31.6157		
	S	162.958	143.001	129.200	146.675	146.263	133.377	136.678	145.881	142.334		
16	T	3.9512	3.3222	4.2110	3.9319	3.9605	4.5988	4.0036	3.9727	31.9519		
	S	146.848	130.527	123.702	144.795	143.921	143.664	146.800	145.367	140.837		
17	T	3.9581	3.2665	4.1081	3.9170	4.5540				53.1113	33.0578	
	S	146.592	132.753	126.800	145.345	125.165				84.728	118.656	

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 24 - Pedersen, Benjamin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.2237	3.4875	3.9605	3.8213	3.5195	4.2669	3.9722	3.7251	30.9767	59.0413
	S	137.374	124.340	131.526	148.985	161.955	154.839	147.960	155.029	145.270	67.776
2	T	3.6306	3.2446	3.9276	3.7619	3.5368	4.3812	4.0245	3.6661	30.1733	
	S	159.816	133.649	132.628	151.338	161.163	150.799	146.037	157.524	149.138	
3	T	3.5845	3.1292	3.8754	3.7291	3.4732	4.1580	3.9393	3.6330	29.5217	
	S	161.871	138.577	134.414	152.669	164.114	158.894	149.196	158.960	152.430	
4	T	3.5224	2.9459	3.9268	3.7611	3.4801	4.0841	3.8606	3.6099	29.1909	
	S	164.725	147.200	132.655	151.370	163.788	161.769	152.237	159.977	154.158	
5	T	3.5090	2.9494	3.9215	3.7561	3.4735	4.0389	3.7793	3.5562	28.9839	
	S	165.354	147.025	132.834	151.572	164.100	163.580	155.512	162.392	155.259	
6	T	3.4764	2.9696	3.8845	3.7396	3.4613	4.0737	3.8430	3.5879	29.0360	
	S	166.905	146.025	134.099	152.240	164.678	162.182	152.934	160.958	154.980	
7	T	3.4892	3.0026	3.8330	3.7248	3.4610	4.0231	3.8061	3.5514	28.8912	
	S	166.292	144.420	135.901	152.845	164.692	164.222	154.417	162.612	155.757	
8	T	3.4757	2.9775	3.8837	3.7378	3.4682	4.0598	3.8062	3.5657	28.9746	
	S	166.938	145.638	134.127	152.314	164.350	162.738	154.413	161.960	155.308	
9	T	3.4795	2.9372	3.9493	3.7894	3.4987	4.0527	3.7868	3.5651	29.0587	
	S	166.756	147.636	131.899	150.240	162.918	163.023	155.204	161.987	154.859	
10	T	3.4785	2.9544	3.8150	3.7281	3.4637	4.0384	3.7830	3.5605	28.8216	
	S	166.804	146.776	136.542	152.710	164.564	163.600	155.360	162.196	156.133	
11	T	3.4810	2.9544	3.8595	3.7385	3.4629	4.0559	3.7885	3.5536	28.8943	
	S	166.684	146.776	134.968	152.285	164.602	162.894	155.135	162.511	155.740	
12	T	3.4834	2.9494	3.9480	3.7722	3.4782	4.0516	3.7904	3.5596	29.0328	
	S	166.569	147.025	131.943	150.925	163.878	163.067	155.057	162.237	154.997	
13	T	3.4871	3.0030	3.8495	3.7419	3.4687	4.0336	3.8094	3.5563	28.9495	
	S	166.392	144.401	135.319	152.147	164.327	163.795	154.283	162.388	155.443	
14	T	3.4848	2.9526	3.8159	3.7328	3.4670	4.0584	3.8132	3.5648	28.8895	
	S	166.502	146.866	136.510	152.518	164.407	162.794	154.130	162.001	155.766	
15	T	3.4900	2.9595	3.8714	3.7535	3.4784	4.0555	3.8215	3.5628	28.9926	
	S	166.254	146.524	134.553	151.677	163.868	162.910	153.795	162.092	155.212	
16	T	3.4926	2.9845	3.8410	3.7415	3.4822	4.0708	3.8041	3.5709	28.9876	
	S	166.130	145.296	135.618	152.163	163.690	162.298	154.498	161.724	155.239	
17	T	3.4886	2.9377	3.7946	3.7194	3.4701	4.0562	3.8143	3.5789	28.8598	
	S	166.321	147.611	137.276	153.067	164.260	162.882	154.085	161.362	155.926	
18	T	3.4883	2.9316	3.8571	3.7558	3.4923	4.0779	3.8178	3.5701	28.9909	
	S	166.335	147.918	135.052	151.584	163.216	162.015	153.944	161.760	155.221	
19	T	3.4834	2.9454	3.8574	3.7446	3.4772	4.0421	3.8183	3.5760	28.9444	
	S	166.569	147.225	135.042	152.037	163.925	163.450	153.924	161.493	155.470	

Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 24 - Pedersen, Benjamin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
20	T	3.4923	2.9521	3.7826	3.7203	3.4637	4.0507	3.7974	3.5630	28.8221	
	S	166.145	146.891	137.712	153.030	164.564	163.103	154.771	162.083	156.130	
21	T	3.4900	2.9164	3.8993	3.7627	3.4787	4.0450	3.7989	3.5630	28.9540	
	S	166.254	148.689	133.590	151.306	163.854	163.333	154.710	162.083	155.419	
22	T	3.4907	2.9521	3.8266	3.7297	3.4676	4.0591	3.7989	3.5744	28.8991	
	S	166.221	146.891	136.128	152.644	164.379	162.766	154.710	161.566	155.714	
23	T	3.4906	2.9617	3.8360	3.7799	3.4917	4.0502	3.8263	3.5867	29.0231	
	S	166.226	146.415	135.795	150.617	163.244	163.123	153.602	161.012	155.049	
24	T	3.5046	3.0046	3.8178	3.7325	3.4727	4.0488	3.8298	3.5707	28.9815	
	S	165.562	144.324	136.442	152.530	164.137	163.180	153.462	161.733	155.271	
25	T	3.4945	2.9435	3.8857	3.7669	3.4928	4.0608	3.8256	3.5753	29.0451	
	S	166.040	147.320	134.058	151.137	163.193	162.697	153.630	161.525	154.931	
26	T	3.4953	2.9612	3.8764	3.7648	3.4890	4.0599	3.8237	3.5802	29.0505	
	S	166.002	146.439	134.380	151.221	163.371	162.734	153.706	161.304	154.903	
27	T	3.5019	2.9686	3.8505	3.7456	3.4864	4.0550	3.8254	3.5949	29.0283	
	S	165.689	146.074	135.283	151.997	163.492	162.930	153.638	160.644	155.021	
28	T	3.5064	2.9624	3.8051	3.7329	3.4766	4.0378	3.8982	4.4100	29.8294	
	S	165.477	146.380	136.898	152.514	163.953	163.624	150.769	130.952	150.858	
29	T	5.0143	4.7151	5.3353	4.4339	4.2573	5.0020	4.5992	4.7000	38.0571	
	S	115.715	91.968	97.634	128.401	133.888	132.084	127.789	122.872	118.243	
30	T	6.0054	4.8494	5.7954	6.7251	8.3031	10.5859	8.7447	9.0899	60.0989	
	S	96.618	89.421	89.883	84.656	68.649	62.411	67.210	63.532	74.877	
31	T	8.2312	6.3856	7.4762	7.9659	8.3958	8.9464	9.5070	9.8217	66.7298	
	S	70.491	67.908	69.676	71.469	67.891	73.849	61.820	58.798	67.436	
32	T	7.8885	5.0708	6.7295	10.1896	8.2923	7.3791	7.7796	8.6670	61.9964	
	S	73.554	85.516	77.407	55.872	68.738	89.534	75.547	66.632	72.585	
33	T	9.1989	6.0824	7.5765	8.4775	7.9681	8.7411	8.4361	10.2507	66.7313	
	S	63.076	71.294	68.753	67.156	71.535	75.583	69.668	56.338	67.435	
34	T	10.1012	4.1092	5.3326	9.1639	6.6069	9.1863	9.0618	8.7152	62.2771	
	S	57.441	105.528	97.684	62.126	86.273	71.920	64.858	66.264	72.258	
35	T	8.1623	4.9419	7.2604	8.3748	7.9352	8.9994	6.2491	4.1805	56.1036	
	S	71.086	87.747	71.747	67.980	71.832	73.414	94.050	138.141	80.209	
36	T	3.8158	3.3573	3.9233	3.7528	3.4746	4.3499	3.9699	3.6381	30.2817	
	S	152.059	129.162	132.773	151.705	164.048	151.884	148.046	158.737	148.605	
37	T	3.5911	3.1173	3.8807	3.7408	3.4632	4.1302	3.8977	3.5921	29.4131	
	S	161.574	139.106	134.231	152.192	164.588	159.964	150.788	160.769	152.993	
38	T	3.4970	3.0167	3.8510	3.7324	3.4685	4.0283	3.7821	3.5399	28.9159	
	S	165.921	143.745	135.266	152.534	164.336	164.010	155.397	163.140	155.624	

Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 24 - Pedersen, Benjamin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.4771	2.9997	3.8263	3.7231	3.4626	4.0169	3.7988	3.5319	28.8364
	S	166.871	144.560	136.139	152.915	164.616	164.476	154.714	163.510	156.053
40	T	3.4734	2.9605	3.8111	3.7125	3.4480	4.0226	3.7807	3.5329	28.7417
	S	167.049	146.474	136.682	153.352	165.313	164.242	155.455	163.463	156.567
41	T	3.4682	2.9432	3.8590	3.7306	3.4508	4.0242	3.7821	3.5470	28.8051
	S	167.299	147.335	134.986	152.608	165.179	164.177	155.397	162.814	156.222
42	T	3.4730	2.9347	3.8921	3.7333	3.4499	4.0262	3.7945	3.5356	28.8393
	S	167.068	147.762	133.838	152.497	165.222	164.096	154.889	163.339	156.037
43	T	3.4753	2.9381	3.9193	3.7492	3.4614	4.0188	3.7814	3.5358	28.8793
	S	166.957	147.591	132.909	151.851	164.673	164.398	155.426	163.329	155.821
44	T	3.4724	2.9737	3.8530	3.7419	3.4663	4.0236	3.7878	3.5536	28.8723
	S	167.097	145.824	135.196	152.147	164.440	164.202	155.163	162.511	155.859
45	T	3.4794	2.9849	3.8434	3.7375	3.4657	4.0243	3.7896	3.5548	28.8796
	S	166.761	145.277	135.533	152.326	164.469	164.173	155.090	162.456	155.819
46	T	3.4793	2.9763	3.7780	3.7147	3.4595	4.0215	3.8067	3.5502	28.7862
	S	166.766	145.696	137.880	153.261	164.764	164.287	154.393	162.667	156.325
47	T	3.4766	2.9382	3.8233	3.7368	3.4700	4.0318	3.7903	3.5525	28.8195
	S	166.895	147.586	136.246	152.354	164.265	163.868	155.061	162.562	156.144
48	T	3.4736	2.9454	3.8019	3.7162	3.4573	4.0329	3.8050	3.5722	28.8045
	S	167.039	147.225	137.013	153.199	164.869	163.823	154.462	161.665	156.226
49	T	3.4826	2.9558	3.8005	3.7164	3.4613	4.0298	3.7943	3.5659	28.8066
	S	166.607	146.707	137.063	153.191	164.678	163.949	154.897	161.951	156.214
50	T	3.4840	2.9727	3.7954	3.7241	3.4638	4.0334	3.8002	3.5581	28.8317
	S	166.541	145.873	137.247	152.874	164.559	163.803	154.657	162.306	156.078
51	T	3.4834	2.9482	3.7919	3.7145	3.4626	4.0321	3.7967	3.5466	28.7760
	S	166.569	147.085	137.374	153.269	164.616	163.856	154.800	162.832	156.380
52	T	3.4777	2.9662	3.8085	3.7246	3.4619	4.0279	3.7964	3.5417	28.8049
	S	166.842	146.193	136.775	152.854	164.649	164.026	154.812	163.057	156.223
53	T	3.4758	2.9561	3.8075	3.7282	3.4616	4.0397	3.8002	3.5478	28.8169
	S	166.933	146.692	136.811	152.706	164.664	163.547	154.657	162.777	156.158
54	T	3.4741	2.9264	3.8012	3.7212	3.4561	4.0347	3.8103	3.5548	28.7788
	S	167.015	148.181	137.038	152.993	164.926	163.750	154.247	162.456	156.365
55	T	3.4730	2.9359	3.8090	3.7120	3.4507	4.0253	3.8025	3.5556	28.7640
	S	167.068	147.701	136.757	153.372	165.184	164.132	154.563	162.420	156.446
56	T	3.4754	2.9434	3.7664	3.7034	3.4387	4.0247	3.8151	3.5547	28.7218
	S	166.953	147.325	138.304	153.729	165.760	164.157	154.053	162.461	156.675
57	T	3.4814	2.9165	3.8011	3.7109	3.4469	4.0266	3.8077	3.5479	28.7390
	S	166.665	148.684	137.042	153.418	165.366	164.079	154.352	162.772	156.582

**Event:** Cooper Tires Indy Lights of St. Louis  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



**Section Data for Car 24 - Pedersen, Benjamin (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.4746	2.9560	3.8200	3.7300	3.4552	4.0306	3.8205	3.5554	28.8423
	S	166.991	146.697	136.364	152.632	164.969	163.916	153.835	162.429	156.021
59	T	3.4721	2.9374	3.8334	3.7278	3.4566	4.1367	4.7361	6.1018	32.4019
	S	167.111	147.626	135.887	152.722	164.902	159.712	124.095	94.644	138.881
60	T	6.7360	5.3375	6.6220	6.7262	7.0619	10.4819	10.2905	10.2593	63.5153
	S	86.138	81.243	78.663	84.642	80.715	63.031	57.114	56.290	70.849
61	T	8.1067	5.7175	7.2791	8.0568	8.3039	10.8385	10.8260	9.1173	68.2458
	S	71.574	75.844	71.562	70.663	68.642	60.957	54.288	63.341	65.938
62	T	8.1745	6.2634	7.2193	8.3459	7.8395	11.3102	10.0633	7.8429	67.0590
	S	70.980	69.233	72.155	68.215	72.709	58.415	58.403	73.633	67.105
63	T	7.1553	5.4479	8.0373	6.8393	6.5706	8.9600	8.1409	7.2848	58.4361
	S	81.091	79.597	64.811	83.242	86.750	73.737	72.194	79.275	77.007
64	T	7.7410	5.8033	7.4208	7.8746	6.6843	9.0687	8.6898	8.2879	61.5704
	S	74.955	74.722	70.196	72.298	85.274	72.853	67.634	69.680	73.087
65	T	7.5333	5.5021	6.2881	7.8769	7.0460	8.9838	9.0058	8.2215	60.4575
	S	77.022	78.813	82.840	72.277	80.897	73.541	65.261	70.243	74.432
66	T	7.1171	5.8297	7.2820	7.0174	6.7787	8.8589	7.5114	7.5062	57.9014
	S	81.526	74.384	71.534	81.130	84.087	74.578	78.245	76.936	77.718
67	T	7.9003	5.9382							
	S	73.444	73.025							

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 26 - Lundqvist, Linus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	4.1672	3.4904	3.9790	3.7620	3.5396	4.2911	3.9566	30.8524	58.8432
	S	139.237	124.237	130.915	151.334	161.035	153.966	148.544	145.856	68.004
2	T	3.5613	3.0032	3.9423	3.7646	3.5150	4.1160	3.8484	29.3694	
	S	162.926	144.391	132.133	151.229	162.162	160.516	152.720	159.592	153.221
3	T	3.5235	2.9492	3.9102	3.7884	3.5107	4.1224	3.8496	29.2585	
	S	164.674	147.035	133.218	150.279	162.361	160.266	152.672	160.216	153.801
4	T	3.5217	2.9612	3.8197	3.7309	3.4892	4.0685	3.8484	29.0333	
	S	164.758	146.439	136.374	152.595	163.361	162.390	152.720	160.698	154.994
5	T	3.5138	2.9224	3.8064	3.7191	3.4778	4.0403	3.7961	28.8652	
	S	165.128	148.384	136.851	153.080	163.897	163.523	154.824	160.895	155.897
6	T	3.5020	2.8724	3.8138	3.7229	3.4706	4.0474	3.8028	28.8127	
	S	165.685	150.967	136.585	152.923	164.237	163.236	154.551	161.277	156.181
7	T	3.5032	2.8967	3.7501	3.7017	3.4739	4.0500	3.8023	28.7542	
	S	165.628	149.700	138.905	153.799	164.081	163.131	154.572	161.480	156.499
8	T	3.4989	2.9087	3.7878	3.7136	3.4775	4.0474	3.8042	28.8154	
	S	165.831	149.083	137.523	153.306	163.911	163.236	154.494	161.435	156.166
9	T	3.4935	2.8818	3.7550	3.7026	3.4763	4.0470	3.7941	28.7160	
	S	166.088	150.474	138.724	153.762	163.967	163.252	154.906	161.960	156.707
10	T	3.4884	2.8733	3.7953	3.7050	3.4702	4.0342	3.7916	28.7072	
	S	166.330	150.919	137.251	153.662	164.256	163.770	155.008	162.713	156.755
11	T	3.4835	2.8620	3.7549	3.6992	3.4636	4.0425	3.7967	28.6493	
	S	166.564	151.515	138.728	153.903	164.569	163.434	154.800	162.818	157.072
12	T	3.4867	2.8835	3.7939	3.7067	3.4598	4.0421	3.7721	28.6914	
	S	166.412	150.385	137.302	153.592	164.749	163.450	155.809	162.832	156.841
13	T	3.4877	2.8904	3.7755	3.7103	3.4662	4.0303	3.7890	28.6976	
	S	166.364	150.026	137.971	153.443	164.445	163.929	155.114	162.759	156.808
14	T	3.4874	2.9015	3.8442	3.7245	3.4702	4.0553	3.7865	28.8262	
	S	166.378	149.452	135.505	152.858	164.256	162.918	155.216	162.374	156.108
15	T	3.4938	2.8699	3.7870	3.7173	3.4685	4.0423	3.7913	28.7231	
	S	166.073	151.098	137.552	153.154	164.336	163.442	155.020	162.539	156.668
16	T	3.4932	2.8884	3.7551	3.7042	3.4659	4.0407	3.7830	28.6946	
	S	166.102	150.130	138.720	153.695	164.459	163.507	155.360	162.032	156.824
17	T	3.4919	2.8820	3.7368	3.6892	3.4619	4.0376	3.8012	28.6741	
	S	166.164	150.464	139.400	154.320	164.649	163.632	154.616	161.606	156.936
18	T	3.4942	2.8616	3.7657	3.7021	3.4721	4.0406	3.8054	28.7056	
	S	166.054	151.536	138.330	153.782	164.166	163.511	154.446	162.042	156.764
19	T	3.4881	2.9186	3.7450	3.6905	3.4621	4.0453	3.7920	28.7156	
	S	166.345	148.577	139.095	154.266	164.640	163.321	154.991	161.584	156.709

**Event:** Cooper Tires Indy Lights of St. Louis  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Race 1

**Round 13 / 14**  
**1.25 mile(s)**  
**Indy Lights**  
**August 20, 2021**



**Section Data for Car 26 - Lundqvist, Linus (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.4942	2.8829	3.7497	3.6977	3.4557	4.0394	3.8024	3.5525	28.6745
	S	166.054	150.417	138.920	153.965	164.945	163.559	154.567	162.562	156.934
21	T	3.4912	2.8666	3.7272	3.6940	3.4555	4.0368	3.7943	3.5569	28.6225
	S	166.197	151.272	139.759	154.120	164.954	163.665	154.897	162.360	157.219
22	T	3.4916	2.9009	3.7558	3.6853	3.4470	4.0301	3.7873	3.5524	28.6504
	S	166.178	149.483	138.695	154.484	165.361	163.937	155.184	162.566	157.066
23	T	3.4877	2.8695	3.7820	3.7192	3.4664	4.0286	3.8036	3.5696	28.7266
	S	166.364	151.119	137.734	153.075	164.436	163.998	154.519	161.783	156.649
24	T	3.4973	2.8944	3.7640	3.6997	3.4547	4.0324	3.7924	3.5602	28.6951
	S	165.907	149.819	138.392	153.882	164.993	163.843	154.975	162.210	156.821
25	T	3.4883	2.8563	3.8253	3.7190	3.4692	4.0374	3.7875	3.5676	28.7506
	S	166.335	151.818	136.175	153.084	164.303	163.640	155.176	161.874	156.518
26	T	3.4845	2.8893	3.8358	3.6970	3.4176	4.1664	3.9117	3.6266	29.0289
	S	166.517	150.084	135.802	153.995	166.784	158.574	150.249	159.240	155.018
27	T	3.5202	2.8551	3.7566	3.7043	3.4614	4.0264	3.7893	3.5814	28.6947
	S	164.828	151.881	138.665	153.691	164.673	164.087	155.102	161.250	156.823
28	T	3.5006	2.8631	3.7543	3.7045	3.4644	4.0433	3.7905	3.5772	28.6979
	S	165.751	151.457	138.750	153.683	164.531	163.402	155.053	161.439	156.806
29	T	3.6297	3.3591	5.0875	5.2751	4.8122	5.9816	6.0131	6.9303	41.0886
	S	159.855	129.093	102.390	107.926	118.449	110.452	97.741	83.330	109.519
30	T	7.4453	4.9019	5.6480	7.0751	8.5636	10.7782	8.1350	8.9865	61.5336
	S	77.932	88.463	92.229	80.468	66.561	61.298	72.247	64.263	73.131
31	T	8.8935	6.7669	6.5466	8.6336	7.7597	9.2345	9.4306	9.1504	66.4158
	S	65.242	64.082	79.569	65.942	73.456	71.545	62.321	63.112	67.755
32	T	7.6185	5.4826	7.9857	9.2955	7.2664	8.1587	8.4982	8.7158	63.0214
	S	76.160	79.093	65.230	61.247	78.443	80.979	69.159	66.259	71.404
33	T	9.1120	6.1213	7.7336	7.8960	8.3913	8.9371	8.7941	9.2547	66.2401
	S	63.677	70.841	67.357	72.102	67.927	73.926	66.832	62.401	67.935
34	T	7.2506	5.7556	7.4506	8.5170	6.9289	10.1450	8.5819	8.0867	62.7163
	S	80.025	75.342	69.915	66.845	82.264	65.124	68.485	71.414	71.752
35	T	7.9743	5.4142	7.9030	8.3797	8.1118	9.7098	6.2698	4.1289	57.8915
	S	72.762	80.092	65.913	67.940	70.268	68.043	93.739	139.868	77.732
36	T	3.8174	3.0761	3.9916	3.7854	3.5223	4.1378	3.8579	3.5709	29.7594
	S	151.995	140.970	130.501	150.398	161.826	159.670	152.344	161.724	151.213
37	T	3.4982	3.0098	3.8615	3.7298	3.4670	4.1075	3.8402	3.5617	29.0757
	S	165.865	144.075	134.898	152.640	164.407	160.848	153.046	162.142	154.768
38	T	3.4877	2.9997	3.8155	3.7070	3.4582	4.0431	3.8233	3.5481	28.8826
	S	166.364	144.560	136.524	153.579	164.826	163.410	153.723	162.763	155.803

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 26 - Lundqvist, Linus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.4821	2.9340	3.7938	3.7016	3.4546	4.0407	3.7956	3.5348	28.7372
	S	166.631	147.797	137.305	153.803	164.997	163.507	154.844	163.376	156.591
40	T	3.4769	2.9543	3.7818	3.6970	3.4501	4.0317	3.7816	3.5425	28.7159
	S	166.881	146.781	137.741	153.995	165.213	163.872	155.418	163.020	156.708
41	T	3.4775	2.9212	3.7622	3.6865	3.4410	4.0270	3.7992	3.5402	28.6548
	S	166.852	148.445	138.459	154.433	165.650	164.063	154.698	163.126	157.042
42	T	3.4783	2.8915	3.7724	3.6821	3.4354	4.0354	3.7834	3.5320	28.6105
	S	166.813	149.969	138.084	154.618	165.920	163.722	155.344	163.505	157.285
43	T	3.4768	2.8720	3.7963	3.6999	3.4507	4.0274	3.7742	3.5292	28.6265
	S	166.885	150.988	137.215	153.874	165.184	164.047	155.722	163.635	157.197
44	T	3.4751	2.9023	3.7877	3.6963	3.4499	4.0295	3.7812	3.5423	28.6643
	S	166.967	149.411	137.526	154.024	165.222	163.961	155.434	163.030	156.990
45	T	3.4767	2.8619	3.7989	3.6980	3.4519	4.0335	3.7907	3.5500	28.6616
	S	166.890	151.520	137.121	153.953	165.126	163.799	155.045	162.676	157.004
46	T	3.4796	2.9030	3.7493	3.6891	3.4487	4.0353	3.7921	3.5470	28.6441
	S	166.751	149.375	138.935	154.324	165.280	163.726	154.987	162.814	157.100
47	T	3.4794	2.8843	3.7615	3.6905	3.4484	4.0233	3.7860	3.5450	28.6184
	S	166.761	150.344	138.484	154.266	165.294	164.214	155.237	162.906	157.241
48	T	3.4745	2.8932	3.7777	3.6712	3.4423	4.0343	3.7859	3.5500	28.6291
	S	166.996	149.881	137.891	155.077	165.587	163.766	155.241	162.676	157.183
49	T	3.4769	2.8768	3.8002	3.6850	3.4484	4.0288	3.7908	3.5536	28.6605
	S	166.881	150.736	137.074	154.496	165.294	163.990	155.040	162.511	157.011
50	T	3.4795	2.8804	3.7737	3.7033	3.4526	4.0300	3.7819	3.5426	28.6440
	S	166.756	150.547	138.037	153.733	165.093	163.941	155.405	163.016	157.101
51	T	3.4809	2.8606	3.7817	3.6900	3.4498	4.0232	3.7925	3.5371	28.6158
	S	166.689	151.589	137.745	154.287	165.227	164.218	154.971	163.269	157.256
52	T	3.4760	2.8802	3.7964	3.7004	3.4526	4.0272	3.7869	3.5331	28.6528
	S	166.924	150.558	137.211	153.853	165.093	164.055	155.200	163.454	157.053
53	T	3.4733	2.9018	3.7796	3.6906	3.4463	4.0483	3.7823	3.5261	28.6483
	S	167.054	149.437	137.821	154.262	165.395	163.200	155.389	163.779	157.077
54	T	3.4672	2.8939	3.7654	3.6810	3.4412	4.0315	3.7885	3.5302	28.5989
	S	167.348	149.845	138.341	154.664	165.640	163.880	155.135	163.588	157.349
55	T	3.4667	2.8314	3.8862	3.7296	3.4597	4.0285	3.7953	3.5266	28.7240
	S	167.372	153.153	134.041	152.649	164.754	164.002	154.857	163.755	156.663
56	T	3.4673	2.9113	3.7974	3.6847	3.4328	4.0250	3.8017	3.5445	28.6647
	S	167.343	148.949	137.175	154.509	166.045	164.145	154.596	162.928	156.988
57	T	3.4770	2.8865	3.8000	3.7024	3.4431	4.0419	3.7927	3.5368	28.6804
	S	166.876	150.229	137.081	153.770	165.548	163.458	154.963	163.283	156.902



**Event:** Cooper Tires Indy Lights of St. Louis  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Race 1

**Round 13 / 14**  
**1.25 mile(s)**  
**Indy Lights**  
**August 20, 2021**



**Section Data for Car 26 - Lundqvist, Linus (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.4706	2.9116	3.8966	3.7310	3.4545	4.2137	3.9054	3.5706	29.1540
	S	167.184	148.934	133.683	152.591	165.002	156.794	150.491	161.738	154.353
59	T	3.4929	2.9159	3.8901	3.7258	3.4718	5.3790			
	S	166.116	148.714	133.906	152.804	164.180	122.826			

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 27 - Megennis, Robert

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.1799	3.5210	4.1004	3.7987	3.5004	4.3163	4.0828	3.7067	31.2062		58.6225
	S	138.814	123.157	127.039	149.872	162.839	153.067	143.952	155.799	144.202		68.260
2	T	3.5587	3.1876	3.9157	3.7722	3.4629	4.2959	3.9919	3.6345	29.8194		
	S	163.045	136.039	133.031	150.925	164.602	153.794	147.230	158.894	150.908		
3	T	3.5894	3.2087	4.0440	3.8217	3.5022	4.2438	3.9573	3.6691	30.0362		
	S	161.650	135.144	128.810	148.970	162.755	155.682	148.517	157.396	149.819		
4	T	3.5364	3.1190	3.9304	3.8234	3.5184	4.1453	3.9109	3.6533	29.6371		
	S	164.073	139.031	132.533	148.904	162.005	159.381	150.279	158.076	151.837		
5	T	3.5575	2.9933	3.9134	3.7761	3.5059	4.1330	3.9212	3.6626	29.4630		
	S	163.100	144.869	133.109	150.769	162.583	159.855	149.885	157.675	152.734		
6	T	3.5562	2.9431	4.0515	3.8438	3.5413	4.0908	3.8791	3.6294	29.5352		
	S	163.159	147.340	128.572	148.113	160.958	161.504	151.511	159.117	152.361		
7	T	3.5429	2.9366	3.8458	3.7661	3.5197	4.0851	3.8460	3.6203	29.1625		
	S	163.772	147.666	135.449	151.169	161.946	161.730	152.815	159.517	154.308		
8	T	3.5345	2.9371	3.8599	3.7783	3.5229	4.0714	3.8695	3.6295	29.2031		
	S	164.161	147.641	134.954	150.681	161.799	162.274	151.887	159.113	154.093		
9	T	3.5315	2.8948	3.8937	3.7875	3.5312	4.1124	3.8857	3.6298	29.2666		
	S	164.301	149.798	133.783	150.315	161.418	160.656	151.254	159.100	153.759		
10	T	3.5360	2.9002	3.9641	3.8095	3.5344	4.0550	3.8343	3.5895	29.2230		
	S	164.091	149.519	131.407	149.447	161.272	162.930	153.282	160.886	153.988		
11	T	3.5206	2.8835	3.8939	3.7821	3.5137	4.0796	3.8311	3.5920	29.0965		
	S	164.809	150.385	133.776	150.530	162.222	161.948	153.410	160.774	154.658		
12	T	3.5254	2.8928	3.9051	3.7788	3.5041	4.0266	3.8019	3.5724	29.0071		
	S	164.585	149.902	133.392	150.661	162.667	164.079	154.588	161.656	155.134		
13	T	3.5135	2.9001	3.9066	3.7835	3.5169	4.0238	3.8167	3.5786	29.0397		
	S	165.142	149.525	133.341	150.474	162.075	164.194	153.988	161.376	154.960		
14	T	3.5231	2.8896	3.9016	3.7782	3.5148	4.0546	3.8108	3.5843	29.0570		
	S	164.692	150.068	133.512	150.685	162.171	162.946	154.227	161.119	154.868		
15	T	3.5257	2.9174	3.8548	3.7656	3.5021	4.0333	3.7990	3.5815	28.9794		
	S	164.571	148.638	135.133	151.189	162.759	163.807	154.706	161.245	155.283		
16	T	3.5291	2.9091	3.8523	3.7696	3.5142	4.0438	3.8259	3.5896	29.0336		
	S	164.412	149.062	135.220	151.029	162.199	163.381	153.618	160.881	154.993		
17	T	3.5188	2.8784	3.8973	3.7728	3.5098	4.0353	3.8056	3.5943	29.0123		
	S	164.894	150.652	133.659	150.901	162.402	163.726	154.437	160.671	155.107		
18	T	3.5240	2.8624	3.8528	3.7580	3.5064	4.0423	3.7889	3.5981	28.9329		
	S	164.650	151.494	135.203	151.495	162.560	163.442	155.118	160.501	155.532		
19	T	3.5248	2.8903	3.8429	3.7600	3.5002	4.0390	3.8102	3.5919	28.9593		
	S	164.613	150.032	135.551	151.414	162.848	163.576	154.251	160.778	155.390		

Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 27 - Megennis, Robert

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.5278	2.8714	3.8316	3.7669	3.5028	4.0376	3.8570	3.6105	29.0056		
	S	164.473	151.019	135.951	151.137	162.727	163.632	152.379	159.950	155.142		
21	T	3.5411	2.8617	3.9107	3.7840	3.5084	4.0397	3.8421	3.5954	29.0831		
	S	163.855	151.531	133.201	150.454	162.467	163.547	152.970	160.622	154.729		
22	T	3.5309	2.8709	3.9046	3.7796	3.5104	4.0704	3.8303	3.6057	29.1028		
	S	164.328	151.045	133.409	150.629	162.375	162.314	153.442	160.163	154.624		
23	T	3.5385	2.8765	3.8906	3.7715	3.5111	4.0755	3.8464	3.6307	29.1408		
	S	163.975	150.751	133.889	150.953	162.342	162.111	152.799	159.060	154.423		
24	T	3.5532	2.9070	3.9023	3.7796	3.5169	4.0851	3.8379	3.6081	29.1901		
	S	163.297	149.170	133.488	150.629	162.075	161.730	153.138	160.057	154.162		
25	T	3.5434	2.8845	3.8901	3.7794	3.5146	4.0698	3.8377	3.6233	29.1428		
	S	163.749	150.333	133.906	150.637	162.181	162.338	153.146	159.385	154.412		
26	T	3.5543	2.8924	3.8823	3.7930	3.5241	4.0611	3.8284	3.6236	29.1592		
	S	163.247	149.923	134.175	150.097	161.743	162.685	153.518	159.372	154.325		
27	T	3.5612	2.9000	3.8816	3.7876	3.5285	4.0892	3.8672	3.6461	29.2614		
	S	162.930	149.530	134.200	150.311	161.542	161.567	151.977	158.388	153.786		
28	T	3.5670	2.9438	3.8857	3.7823	3.5216	4.3505	4.5982	4.0887	30.7378		
	S	162.665	147.305	134.058	150.522	161.858	151.863	127.817	141.243	146.400		
29	T	4.0320	3.7591	4.8639	4.3400	3.7493	4.9829	4.8003	4.6143	35.1418		
	S	143.906	115.356	107.097	131.179	152.028	132.590	122.436	125.154	128.053		
30	T	4.9904	4.4624	5.5445	6.7607	7.6651	10.5511	8.6882	9.1393	57.8017		
	S	116.269	97.176	93.951	84.210	74.363	62.617	67.647	63.189	77.852		
31	T	8.2492	6.5277	7.4385	7.8281	8.5807	8.9731	9.4450	10.3034	67.3457		
	S	70.337	66.430	70.029	72.728	66.428	73.629	62.226	56.049	66.819		
32	T	8.6398	4.5801	6.8202	9.4534	8.1613	7.3820	7.7190	8.9089	61.6647		
	S	67.157	94.678	76.377	60.224	69.842	89.499	76.140	64.823	72.975		
33	T	9.1436	6.0233	7.6847	8.3210	7.9006	8.6269	8.8356	10.1088	66.6445		
	S	63.457	71.993	67.785	68.419	72.146	76.584	66.518	57.128	67.522		
34	T	10.5407	4.6349	4.8080	9.1044	6.0806	8.9009	9.4438	8.9973	62.5106		
	S	55.046	93.559	108.342	62.532	93.741	74.226	62.234	64.186	71.988		
35	T	7.8456	4.8235	7.1567	8.1678	7.9418	8.8225	6.2798	4.1647	55.2024		
	S	73.956	89.901	72.786	69.703	71.772	74.886	93.590	138.665	81.518		
36	T	3.7962	3.5111	4.3501	3.9299	3.5819	4.3209	4.0003	3.6910	31.1814		
	S	152.844	123.504	119.746	144.868	159.133	152.904	146.921	156.462	144.317		
37	T	3.5019	3.1614	4.1889	3.8723	3.5338	4.1384	3.8914	3.6102	29.8983		
	S	165.689	137.166	124.355	147.023	161.299	159.647	151.032	159.963	150.510		
38	T	3.5093	3.0381	3.9671	3.7755	3.5009	4.1132	3.8704	3.6318	29.4063		
	S	165.340	142.733	131.307	150.793	162.815	160.625	151.852	159.012	153.028		

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 27 - Megennis, Robert

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.5301	2.8970	3.9484	3.7893	3.5112	4.0733	3.8514	3.6004	29.2011		
	S	164.366	149.685	131.929	150.244	162.338	162.198	152.601	160.399	154.104		
40	T	3.5207	2.8630	3.9538	3.8009	3.5068	4.0644	3.8769	3.6117	29.1982		
	S	164.805	151.462	131.749	149.785	162.541	162.553	151.597	159.897	154.119		
41	T	3.5230	2.8719	3.9683	3.8144	3.5055	4.1243	3.8716	3.6153	29.2943		
	S	164.697	150.993	131.268	149.255	162.602	160.192	151.805	159.738	153.614		
42	T	3.5237	2.9054	3.9594	3.7951	3.4958	4.0967	3.8901	3.6137	29.2799		
	S	164.664	149.252	131.563	150.014	163.053	161.272	151.083	159.809	153.689		
43	T	3.5349	2.9132	3.9336	3.7947	3.5087	4.0691	3.8480	3.5942	29.1964		
	S	164.142	148.852	132.426	150.030	162.453	162.366	152.736	160.676	154.129		
44	T	3.5214	2.8843	3.9561	3.7988	3.5193	4.1624	3.9091	3.6472	29.3986		
	S	164.772	150.344	131.672	149.868	161.964	158.726	150.348	158.341	153.069		
45	T	3.5484	2.9044	3.9513	3.8071	3.5122	4.1099	3.8775	3.6261	29.3369		
	S	163.518	149.303	131.832	149.541	162.291	160.754	151.574	159.262	153.390		
46	T	3.5347	2.9236	3.9291	3.7897	3.5154	4.1056	3.8875	3.6349	29.3205		
	S	164.152	148.323	132.577	150.228	162.144	160.922	151.184	158.876	153.476		
47	T	3.5396	2.9286	3.9544	3.8041	3.5291	4.1125	3.9006	3.6383	29.4072		
	S	163.925	148.070	131.729	149.659	161.514	160.652	150.676	158.728	153.024		
48	T	3.5494	2.8854	4.0524	3.8353	3.5380	4.1651	3.9341	3.6587	29.6184		
	S	163.472	150.286	128.543	148.442	161.108	158.623	149.393	157.843	151.933		
49	T	3.5617	2.9199	3.9667	3.8052	3.5253	4.1733	3.9033	3.6514	29.5068		
	S	162.907	148.511	131.321	149.616	161.688	158.312	150.572	158.159	152.507		
50	T	3.5651	2.9099	3.9714	3.8107	3.5206	4.1449	3.9099	3.6419	29.4744		
	S	162.752	149.021	131.165	149.400	161.904	159.396	150.318	158.571	152.675		
51	T	3.5607	2.9196	3.9560	3.8106	3.5261	4.1617	3.9533	3.6598	29.5478		
	S	162.953	148.526	131.676	149.404	161.652	158.753	148.668	157.796	152.296		
52	T	3.5628	2.9067	3.9788	3.8134	3.5232	4.1528	3.8836	3.6294	29.4507		
	S	162.857	149.185	130.921	149.294	161.785	159.093	151.336	159.117	152.798		
53	T	3.5409	2.9449	3.9764	3.8029	3.5178	4.1701	3.9675	3.6758	29.5963		
	S	163.864	147.250	131.000	149.706	162.033	158.433	148.135	157.109	152.046		
54	T	3.5694	2.9258	3.9776	3.8111	3.5252	4.2042	3.9449	3.6592	29.6174		
	S	162.556	148.211	130.961	149.384	161.693	157.148	148.984	157.821	151.938		
55	T	3.5460	2.9364	3.9761	3.8176	3.5196	4.1615	4.0106	3.6875	29.6553		
	S	163.629	147.676	131.010	149.130	161.950	158.760	146.543	156.610	151.744		
56	T	3.5660	2.9648	4.1934	3.9202	3.7821	5.9381	5.3508	4.6667	34.3821		
	S	162.711	146.262	124.221	145.227	150.710	111.261	109.839	123.749	130.882		
57	T	4.7739	4.1408	4.7300	4.5907	4.8034				54.9911	56.0008	38.3337
	S	121.542	104.723	110.129	124.016	118.666				81.831	19.127	102.325

Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 27 - Megennis, Robert

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T			4.7100	3.9601	6.1856	8.1887	10.5712	85.4563		46.1129	
	S			120.874	143.936	106.810	71.773	54.630	52.658		86.778	
59	T	10.2260	5.1879	6.3185	7.1321	7.5023	10.5823	10.9337	10.6778	68.5606		
	S	56.740	83.586	82.442	79.825	75.977	62.433	53.754	54.084	65.635		
60	T	10.7054	4.8234	7.7464	5.4181	8.9927	10.5679	11.3836	7.3660	67.0035		
	S	54.199	89.903	67.245	105.077	63.385	62.518	51.629	78.401	67.161		
61	T	6.6619	5.1287	6.7731	7.1444	6.3880	9.0071	12.2187	5.5298	58.8517		
	S	87.096	84.551	76.909	79.687	89.230	73.351	48.101	104.434	76.463		
62	T	6.0507	5.9193	6.7543	7.8934	7.6017	7.6751	10.5614	7.8598	60.3157		
	S	95.894	73.258	77.123	72.126	74.983	86.081	55.649	73.475	74.607		
63	T	7.7572	5.1368	7.5956	6.6010	6.3208	8.6408	9.3684	10.3234	61.7440		
	S	74.799	84.418	68.580	86.247	90.178	76.461	62.735	55.941	72.882		
64	T	6.8947	5.1942	6.3957	7.4422	6.1852	7.6451	8.2426	7.8158	55.8155		
	S	84.156	83.485	81.447	76.499	92.155	86.419	71.304	73.889	80.623		
65	T	8.3731										
	S	69.297										

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.1815	3.2666	3.9168	3.7386	3.4486	4.2237	3.9405	3.6277	30.3440	61.3787
	S	138.761	132.749	132.994	152.281	165.284	156.423	149.150	159.192	148.299	65.195
2	T	3.4941	2.9664	4.3437	4.0797	3.6612	4.2868	4.0263	3.6784	30.5366	
	S	166.059	146.183	119.923	139.549	155.687	154.120	145.972	156.998	147.364	
3	T	3.5423	2.9883	3.8927	3.7660	3.4858	4.0964	3.8703	3.6063	29.2481	
	S	163.800	145.111	133.817	151.173	163.521	161.284	151.856	160.136	153.856	
4	T	3.5039	2.9745	3.8896	3.7625	3.4923	4.0799	3.8216	3.5831	29.1074	
	S	165.595	145.785	133.924	151.314	163.216	161.936	153.791	161.173	154.600	
5	T	3.4955	2.9202	3.9020	3.7513	3.4865	4.0976	3.8046	3.5978	29.0555	
	S	165.993	148.495	133.498	151.766	163.488	161.236	154.478	160.515	154.876	
6	T	3.4947	2.9304	3.8282	3.7439	3.4770	4.0642	3.8084	3.5926	28.9394	
	S	166.031	147.979	136.072	152.066	163.934	162.561	154.324	160.747	155.497	
7	T	3.5000	2.9254	3.8188	3.7390	3.4912	4.0483	3.7982	3.5818	28.9027	
	S	165.779	148.231	136.406	152.265	163.268	163.200	154.738	161.232	155.695	
8	T	3.4931	2.8822	3.8266	3.7314	3.4848	4.0512	3.7853	3.5798	28.8344	
	S	166.107	150.453	136.128	152.575	163.567	163.083	155.266	161.322	156.064	
9	T	3.4810	2.9129	3.8171	3.7317	3.4926	4.0501	3.7796	3.5703	28.8353	
	S	166.684	148.868	136.467	152.563	163.202	163.127	155.500	161.751	156.059	
10	T	3.4737	2.8477	3.8229	3.7240	3.4795	4.0430	3.7916	3.5588	28.7412	
	S	167.034	152.276	136.260	152.878	163.817	163.414	155.008	162.274	156.570	
11	T	3.4785	2.8711	3.8657	3.7407	3.4846	4.0610	3.7888	3.5655	28.8559	
	S	166.804	151.035	134.752	152.196	163.577	162.689	155.122	161.969	155.947	
12	T	3.4902	2.9202	3.8096	3.7262	3.4714	4.0335	3.7779	3.5646	28.7936	
	S	166.245	148.495	136.736	152.788	164.199	163.799	155.570	162.010	156.285	
13	T	3.4899	2.8553	3.7960	3.7252	3.4741	4.0446	3.7685	3.5571	28.7107	
	S	166.259	151.871	137.226	152.829	164.071	163.349	155.958	162.351	156.736	
14	T	3.4849	2.9069	3.7840	3.7224	3.4730	4.0596	3.7787	3.5669	28.7764	
	S	166.498	149.175	137.661	152.944	164.123	162.746	155.537	161.905	156.378	
15	T	3.4983	2.9354	3.7835	3.7254	3.4712	4.0464	3.7799	3.5695	28.8096	
	S	165.860	147.726	137.679	152.821	164.208	163.276	155.488	161.787	156.198	
16	T	3.4967	2.9047	3.7697	3.7185	3.4735	4.0509	3.7849	3.5780	28.7769	
	S	165.936	149.288	138.183	153.104	164.100	163.095	155.282	161.403	156.375	
17	T	3.4967	2.8857	3.7977	3.7223	3.4756	4.0422	3.7924	3.5855	28.7981	
	S	165.936	150.271	137.164	152.948	164.000	163.446	154.975	161.065	156.260	
18	T	3.4973	2.8759	3.7922	3.7245	3.4808	4.0570	3.7817	3.5835	28.7929	
	S	165.907	150.783	137.363	152.858	163.755	162.850	155.414	161.155	156.289	
19	T	3.4948	2.8944	3.8416	3.7486	3.4853	4.0540	3.7867	3.5805	28.8859	
	S	166.026	149.819	135.597	151.875	163.544	162.970	155.208	161.290	155.785	

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
20	T	3.4994	2.9499	3.7560	3.7054	3.4665	4.0454	3.7991	3.5720	28.7937	
	S	165.808	147.000	138.687	153.646	164.431	163.317	154.702	161.674	156.284	
21	T	3.5023	2.8873	3.7632	3.7157	3.4696	4.0452	3.7881	3.5709	28.7423	
	S	165.670	150.187	138.422	153.220	164.284	163.325	155.151	161.724	156.564	
22	T	3.5025	2.9313	3.8001	3.7216	3.4730	4.0439	3.7920	3.5687	28.8331	
	S	165.661	147.933	137.078	152.977	164.123	163.377	154.991	161.824	156.071	
23	T	3.5009	2.9155	3.7973	3.7352	3.4832	4.0606	3.7923	3.5855	28.8705	
	S	165.737	148.735	137.179	152.420	163.643	162.705	154.979	161.065	155.868	
24	T	3.5174	2.9249	3.8012	3.7275	3.4747	4.0447	3.7856	3.5769	28.8529	
	S	164.959	148.257	137.038	152.735	164.043	163.345	155.253	161.453	155.964	
25	T	3.5075	2.9320	3.7821	3.7230	3.4866	4.0493	3.7911	3.5882	28.8598	
	S	165.425	147.898	137.730	152.919	163.483	163.160	155.028	160.944	155.926	
26	T	3.5153	2.9181	3.7970	3.7332	3.4832	4.0649	3.7923	3.5841	28.8881	
	S	165.058	148.602	137.190	152.501	163.643	162.533	154.979	161.128	155.773	
27	T	3.5126	2.9381	3.7955	3.7158	3.4752	4.0496	3.8048	3.5808	28.8724	
	S	165.185	147.591	137.244	153.216	164.019	163.147	154.470	161.277	155.858	
28	T	3.4952	3.0585	3.8542	3.7340	3.4944	4.2902	4.0123	3.7036	29.6424	
	S	166.007	141.781	135.154	152.469	163.118	153.998	146.481	155.929	151.810	
29	T	4.1442	3.7883	4.8297	5.1360	4.4288	5.6689	5.1499	6.0702	39.2160	
	S	140.009	114.467	107.855	110.849	128.703	116.545	114.124	95.137	114.749	
30	T	6.4318	5.2034	5.5534	6.8559	8.5611	10.4392	8.6004	9.2884	60.9336	
	S	90.212	83.337	93.800	83.041	66.580	63.289	68.337	62.174	73.851	
31	T	8.3783	6.7292	6.6801	8.4407	8.8513	8.4594	9.1467	8.8553	65.5410	
	S	69.254	64.441	77.979	67.449	64.397	78.100	64.256	65.215	68.659	
32	T	7.8401	5.2033	7.9833	9.8457	7.0777	7.9465	8.5938	8.4926	62.9830	
	S	74.008	83.339	65.250	57.824	80.535	83.141	68.390	68.000	71.448	
33	T	9.1739	6.2346	7.6729	8.1809	8.2520	8.9549	8.5431	9.3938	66.4061	
	S	63.248	69.553	67.889	69.591	69.074	73.779	68.796	61.477	67.765	
34	T	7.1883	6.2450	6.8332	8.7581	6.8792	9.9105	8.3911	8.5452	62.7506	
	S	80.718	69.437	76.232	65.005	82.858	66.665	70.042	67.582	71.712	
35	T	8.0639	5.1812	7.7153	8.3329	8.0743	9.6327	6.2026	4.0768	57.2797	
	S	71.954	83.694	67.516	68.322	70.594	68.587	94.755	141.655	78.562	
36	T	3.7731	3.1685	3.9468	3.8325	3.5804	4.4500	4.0226	3.7138	30.4877	
	S	153.780	136.859	131.983	148.550	159.200	148.468	146.106	155.501	147.601	
37	T	3.5950	3.0866	3.8481	3.7459	3.4877	4.0755	3.7995	3.5826	29.2209	
	S	161.398	140.490	135.368	151.984	163.431	162.111	154.685	161.196	153.999	
38	T	3.5100	2.9090	3.7653	3.7018	3.4664	4.0564	3.7780	3.5653	28.7522	
	S	165.307	149.067	138.345	153.795	164.436	162.874	155.566	161.978	156.510	

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.4888	2.8764	3.8383	3.7274	3.4766	4.0428	3.7742	3.5609	28.7854
	S	166.311	150.757	135.713	152.739	163.953	163.422	155.722	162.178	156.329
40	T	3.4859	2.9122	3.8053	3.7150	3.4643	4.0426	3.7679	3.5576	28.7508
	S	166.450	148.903	136.890	153.249	164.535	163.430	155.983	162.329	156.517
41	T	3.4750	2.9388	3.8187	3.7099	3.4571	4.0371	3.7784	3.5626	28.7776
	S	166.972	147.556	136.410	153.459	164.878	163.653	155.549	162.101	156.372
42	T	3.4778	2.9286	3.8395	3.7254	3.4573	4.0319	3.7697	3.5543	28.7845
	S	166.837	148.070	135.671	152.821	164.869	163.864	155.908	162.479	156.334
43	T	3.4830	2.9094	3.7954	3.7076	3.4573	4.0303	3.7759	3.5482	28.7071
	S	166.588	149.047	137.247	153.554	164.869	163.929	155.652	162.759	156.756
44	T	3.4805	2.9190	3.7653	3.7049	3.4575	4.0222	3.7691	3.5610	28.6795
	S	166.708	148.556	138.345	153.666	164.859	164.259	155.933	162.174	156.907
45	T	3.4874	2.8861	3.7535	3.6961	3.4545	4.0398	3.7832	3.5706	28.6712
	S	166.378	150.250	138.780	154.032	165.002	163.543	155.352	161.738	156.952
46	T	3.4866	2.9085	3.7868	3.7251	3.4705	4.0352	3.7815	3.5680	28.7622
	S	166.416	149.093	137.559	152.833	164.241	163.730	155.422	161.855	156.455
47	T	3.4855	2.8808	3.8005	3.7171	3.4694	4.0314	3.7708	3.5643	28.7198
	S	166.469	150.526	137.063	153.162	164.294	163.884	155.863	162.023	156.686
48	T	3.4790	2.9065	3.7876	3.7059	3.4650	4.0249	3.7851	3.5640	28.7180
	S	166.780	149.195	137.530	153.625	164.502	164.149	155.274	162.037	156.696
49	T	3.4832	2.8806	3.7572	3.6983	3.4638	4.0383	3.7835	3.5681	28.6730
	S	166.579	150.537	138.643	153.941	164.559	163.604	155.340	161.851	156.942
50	T	3.4879	2.9078	3.7493	3.7057	3.4618	4.0406	3.7793	3.5633	28.6957
	S	166.354	149.129	138.935	153.633	164.654	163.511	155.512	162.069	156.818
51	T	3.4917	2.8914	3.7999	3.7200	3.4735	4.0638	3.7796	3.5680	28.7879
	S	166.173	149.975	137.085	153.043	164.100	162.577	155.500	161.855	156.316
52	T	3.4910	2.9491	3.7909	3.7167	3.4659	4.0398	3.7768	3.5533	28.7835
	S	166.207	147.040	137.410	153.178	164.459	163.543	155.615	162.525	156.340
53	T	3.4834	2.9118	3.8032	3.7232	3.4702	4.0361	3.7811	3.5636	28.7726
	S	166.569	148.924	136.966	152.911	164.256	163.693	155.438	162.055	156.399
54	T	3.4791	2.9287	3.8107	3.7222	3.4671	4.0313	3.7890	3.5623	28.7904
	S	166.775	148.064	136.696	152.952	164.403	163.888	155.114	162.114	156.302
55	T	3.4799	2.9353	3.8085	3.7153	3.4633	4.0411	3.7873	3.5613	28.7920
	S	166.737	147.732	136.775	153.236	164.583	163.491	155.184	162.160	156.293
56	T	3.4799	2.9339	3.8153	3.7262	3.4609	4.0381	3.7979	3.5701	28.8223
	S	166.737	147.802	136.532	152.788	164.697	163.612	154.751	161.760	156.129
57	T	3.5000	2.9648	3.8097	3.7266	3.4731	4.0772	3.8100	3.5911	28.9525
	S	165.779	146.262	136.732	152.771	164.119	162.043	154.259	160.814	155.427



**Event:** Cooper Tires Indy Lights of St. Louis  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



**Section Data for Car 28 - Kirkwood, Kyle (R)**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.5084	2.9348	3.7819	3.7146	3.4672	4.0713	3.7858	3.5637	28.8277
	S	165.382	147.757	137.737	153.265	164.398	162.278	155.245	162.051	156.100
59	T	3.4763	2.9212	3.8016	3.7105	3.4616	4.3245	5.0759	5.8423	32.6139
	S	166.909	148.445	137.024	153.434	164.664	152.776	115.788	98.848	137.978
60	T	5.8789	5.1950	7.3138	7.1187	6.9175	10.9888	10.2033	9.8171	63.4331
	S	98.697	83.472	71.223	79.975	82.400	60.123	57.602	58.826	70.941
61	T	8.1285	6.2771	7.2879	8.2621	8.3522	10.6960	10.5550	8.8428	68.4016
	S	71.382	69.082	71.476	68.907	68.245	61.769	55.682	65.307	65.788
62	T	8.7358	6.2627	7.2195	8.4865	8.0476	11.0954	10.1184	7.3385	67.3044
	S	66.419	69.241	72.153	67.085	70.829	59.546	58.085	78.695	66.860
63	T	7.6955	5.3134	7.6434	7.0921	6.8384	9.2407	8.0888	7.2035	59.1158
	S	75.398	81.612	68.151	80.275	83.353	71.497	72.659	80.169	76.122
64	T	7.6300	5.9456	7.3577	7.4026	6.8282	8.9838	9.1419	8.1273	61.4171
	S	76.046	72.934	70.798	76.908	83.477	73.541	64.289	71.057	73.269
65	T	7.5959	5.4881	6.4858	7.6202	7.0687	9.1561	8.9515	7.8829	60.2492
	S	76.387	79.014	80.315	74.712	80.637	72.158	65.657	73.260	74.690
66	T	7.2567	5.9812	7.0457	6.8960	7.1170	8.8062	7.5687	7.6885	58.3600
	S	79.957	72.500	73.933	82.558	80.090	75.025	77.652	75.112	77.108
67	T	7.3674	6.2026							
	S	78.756	69.912							

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 5 - Peroni, Alex (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.2014	3.7210	4.2234	3.8906	3.5406	4.5278	4.0288	3.7090	31.8426	51.6050
	S	138.103	116.538	123.339	146.332	160.990	145.917	145.881	155.702	141.320	77.543
2	T	3.5558	3.1139	4.0871	3.8582	3.5705	4.3175	3.9898	3.7786	30.2714	
	S	163.178	139.258	127.452	147.561	159.642	153.024	147.307	152.834	148.655	
3	T	3.6808	3.2201	4.1644	3.8891	3.5559	4.2760	3.9672	3.7018	30.4553	
	S	157.636	134.665	125.086	146.388	160.297	154.509	148.147	156.005	147.758	
4	T	3.6615	3.2485	4.0041	3.8156	3.5382	4.1687	3.8694	3.6373	29.9433	
	S	158.467	133.488	130.094	149.208	161.099	158.486	151.891	158.772	150.284	
5	T	3.5347	2.9031	4.0188	3.8155	3.5314	4.1166	3.8443	3.6259	29.3903	
	S	164.152	149.370	129.618	149.212	161.409	160.492	152.883	159.271	153.112	
6	T	3.5326	2.9128	4.0485	3.8706	3.5582	4.0748	3.8169	3.6094	29.4238	
	S	164.249	148.873	128.667	147.088	160.193	162.138	153.980	159.999	152.937	
7	T	3.5145	2.8947	4.0094	3.8235	3.5492	4.0685	3.8419	3.6066	29.3083	
	S	165.095	149.804	129.922	148.900	160.600	162.390	152.978	160.123	153.540	
8	T	3.5118	2.9294	3.9814	3.8226	3.5562	4.0840	3.8240	3.6059	29.3153	
	S	165.222	148.029	130.836	148.935	160.283	161.773	153.694	160.154	153.503	
9	T	3.5046	2.9234	3.9501	3.7995	3.5466	4.0833	3.7992	3.5809	29.1876	
	S	165.562	148.333	131.872	149.840	160.717	161.801	154.698	161.272	154.175	
10	T	3.4931	2.8819	4.0799	3.8372	3.5379	4.0784	3.8038	3.5849	29.2971	
	S	166.107	150.469	127.677	148.368	161.113	161.995	154.511	161.092	153.599	
11	T	3.4972	2.9141	3.9069	3.7893	3.5095	4.1120	3.8587	3.5945	29.1822	
	S	165.912	148.806	133.331	150.244	162.416	160.672	152.312	160.662	154.204	
12	T	3.5093	2.9950	3.9606	3.7983	3.5073	4.1192	3.8396	3.6068	29.3361	
	S	165.340	144.787	131.523	149.888	162.518	160.391	153.070	160.114	153.395	
13	T	3.5075	2.9112	3.9481	3.7912	3.5197	4.0868	3.8402	3.6111	29.2158	
	S	165.425	148.955	131.939	150.168	161.946	161.662	153.046	159.924	154.026	
14	T	3.5079	2.9689	3.9356	3.7898	3.5152	4.1085	3.9051	3.6368	29.3678	
	S	165.406	146.060	132.358	150.224	162.153	160.809	150.502	158.793	153.229	
15	T	3.5275	2.9229	3.9041	3.7883	3.5102	4.0906	3.8387	3.6210	29.2033	
	S	164.487	148.358	133.426	150.283	162.384	161.512	153.106	159.486	154.092	
16	T	3.5272	2.9022	3.9389	3.7925	3.5227	4.1014	3.8410	3.5986	29.2245	
	S	164.501	149.416	132.247	150.117	161.808	161.087	153.014	160.479	153.980	
17	T	3.5052	2.9162	3.8987	3.7877	3.5144	4.0673	3.8419	3.6116	29.1430	
	S	165.533	148.699	133.611	150.307	162.190	162.437	152.978	159.901	154.411	
18	T	3.5105	2.9112	3.8839	3.7783	3.5141	4.0590	3.8250	3.6083	29.0903	
	S	165.283	148.955	134.120	150.681	162.204	162.770	153.654	160.048	154.691	
19	T	3.5053	2.8996	3.9875	3.8183	3.5139	4.0843	3.8602	3.6233	29.2924	
	S	165.529	149.550	130.636	149.103	162.213	161.761	152.253	159.385	153.623	

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 5 - Peroni, Alex (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.5239	2.9157	3.9378	3.8107	3.5188	4.1408	3.8640	3.6332	29.3449
	S	164.655	148.725	132.284	149.400	161.987	159.554	152.103	158.951	153.349
21	T	3.5309	2.9002	3.9143	3.7814	3.5170	4.0671	3.8456	3.6089	29.1654
	S	164.328	149.519	133.078	150.558	162.070	162.445	152.831	160.021	154.292
22	T	3.5170	2.9035	3.9400	3.8015	3.5154	4.0927	3.8744	3.6422	29.2867
	S	164.978	149.350	132.210	149.761	162.144	161.429	151.695	158.558	153.653
23	T	3.5435	2.9018	3.8953	3.7889	3.5192	4.0830	3.8782	3.6451	29.2550
	S	163.744	149.437	133.728	150.259	161.969	161.813	151.546	158.432	153.820
24	T	3.5422	2.9206	3.8797	3.7831	3.5199	4.0987	3.8482	3.6261	29.2185
	S	163.804	148.475	134.265	150.490	161.936	161.193	152.728	159.262	154.012
25	T	3.5341	2.9244	3.8805	3.7781	3.5184	4.1059	3.8703	3.6460	29.2577
	S	164.180	148.282	134.238	150.689	162.005	160.910	151.856	158.393	153.806
26	T	3.5508	2.9130	3.8555	3.7701	3.5163	4.1382	3.8920	3.6661	29.3020
	S	163.407	148.862	135.108	151.009	162.102	159.654	151.009	157.524	153.573
27	T	3.5644	2.8943	3.8999	3.7975	3.5298	4.0940	3.8497	3.6375	29.2671
	S	162.784	149.824	133.570	149.919	161.482	161.378	152.668	158.763	153.756
28	T	3.5410	2.9248	3.8305	3.7690	3.8370	5.1755	4.8878	4.2510	32.2166
	S	163.860	148.262	135.990	151.053	148.554	127.656	120.244	135.850	139.680
29	T	3.9020	3.3892	4.1499	3.9235	3.6106	4.6123	4.2079	4.1528	31.9482
	S	148.700	127.947	125.523	145.105	157.868	143.243	139.672	139.063	140.853
30	T	4.6076	4.0749	4.9128	5.8068	7.5465	10.5088	8.9335	9.2007	55.5916
	S	125.928	106.416	106.031	98.043	75.532	62.869	65.789	62.767	80.947
31	T	8.1691	6.1720	7.7275	7.7532	9.0116	8.4141	9.7871	10.3953	67.4299
	S	71.027	70.259	67.410	73.430	63.252	78.521	60.051	55.554	66.736
32	T	9.5792	4.1457	6.0949	10.2025	7.5656	7.1508	7.6389	9.2640	61.6416
	S	60.572	104.599	85.466	55.802	75.341	92.393	76.939	62.338	73.003
33	T	8.7313	6.3213	7.8554	8.7606	7.3419	8.7848	8.3961	10.5901	66.7815
	S	66.454	68.599	66.312	64.986	77.637	75.207	70.000	54.532	67.384
34	T	10.3933	5.4441	4.6199	8.2894	6.2521	8.5375	9.6262	9.3527	62.5152
	S	55.827	79.653	112.753	68.680	91.169	77.386	61.055	61.747	71.982
35	T	7.7203	4.7051	6.7617	7.9613	7.9637	8.6937	6.4882	4.1970	54.4910
	S	75.156	92.163	77.038	71.511	71.575	75.995	90.584	137.598	82.582
36	T	3.8393	3.4552	4.3507	3.9512	3.5740	4.2217	3.9342	3.6594	30.9857
	S	151.128	125.503	119.730	144.087	159.485	156.497	149.389	157.813	145.228
37	T	3.5498	3.0702	4.1006	3.8090	3.5037	4.2593	4.0006	3.6718	29.9650
	S	163.454	141.240	127.032	149.467	162.685	155.115	146.910	157.280	150.175
38	T	3.5467	2.9909	3.8652	3.7357	3.4747	4.1393	3.9112	3.6086	29.2723
	S	163.596	144.985	134.769	152.399	164.043	159.612	150.268	160.034	153.729

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 5 - Peroni, Alex (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
39	T	3.5047	3.0305	3.8990	3.7659	3.4967	4.1572	3.9128	3.6236	29.3904	
	S	165.557	143.091	133.601	151.177	163.011	158.925	150.206	159.372	153.111	
40	T	3.5096	2.9242	3.9500	3.7914	3.5011	4.0443	3.8216	3.5725	29.1147	
	S	165.326	148.292	131.876	150.160	162.806	163.361	153.791	161.652	154.561	
41	T	3.4861	2.9611	3.9948	3.7937	3.4982	4.1147	3.9113	3.6136	29.3735	
	S	166.440	146.444	130.397	150.069	162.941	160.566	150.264	159.813	153.199	
42	T	3.5065	2.9704	3.8916	3.7552	3.4788	4.0585	4.0145	3.6598	29.3353	
	S	165.472	145.986	133.855	151.608	163.850	162.790	146.401	157.796	153.399	
43	T	3.5331	2.9488	3.9067	3.7813	3.5041	4.1307	3.8802	3.6112	29.2961	
	S	164.226	147.055	133.337	150.561	162.667	159.944	151.468	159.919	153.604	
44	T	3.5064	2.8848	3.9603	3.7974	3.5120	4.0868	3.8505	3.5913	29.1895	
	S	165.477	150.318	131.533	149.923	162.301	161.662	152.637	160.805	154.165	
45	T	3.4881	2.9210	3.9707	3.8003	3.4986	4.1415	3.9010	3.6193	29.3405	
	S	166.345	148.455	131.188	149.809	162.922	159.527	150.661	159.561	153.372	
46	T	3.5018	2.9579	3.9449	3.8019	3.5162	4.0873	3.8648	3.6260	29.3008	
	S	165.694	146.603	132.046	149.746	162.107	161.643	152.072	159.266	153.579	
47	T	3.5027	2.9493	4.0119	3.8202	3.5218	4.1050	3.8707	3.6116	29.3932	
	S	165.651	147.030	129.841	149.028	161.849	160.946	151.840	159.901	153.097	
48	T	3.4958	2.9330	3.8913	3.7620	3.4790	4.2852	3.9463	3.6253	29.4179	
	S	165.978	147.847	133.865	151.334	163.840	154.178	148.931	159.297	152.968	
49	T	3.5073	3.0392	3.9066	3.7571	3.4676	4.3261	3.9574	3.6633	29.6246	
	S	165.434	142.681	133.341	151.531	164.379	152.720	148.513	157.645	151.901	
50	T	3.5195	2.9415	3.8708	3.7437	3.4499	4.3661	4.0758	3.7187	29.6860	
	S	164.861	147.420	134.574	152.074	165.222	151.321	144.199	155.296	151.587	
51	T	3.5624	2.8749	4.0177	3.8291	3.5251	4.0885	3.8375	3.5865	29.3217	
	S	162.875	150.835	129.654	148.682	161.698	161.595	153.154	161.020	153.470	
52	T	3.4867	2.9724	4.0096	3.8038	3.4971	4.1287	3.8791	3.5888	29.3662	
	S	166.412	145.888	129.915	149.671	162.992	160.022	151.511	160.917	153.237	
53	T	3.4855	2.9695	3.9542	3.7867	3.4754	4.3134	4.0238	3.6656	29.6741	
	S	166.469	146.030	131.736	150.347	164.010	153.170	146.063	157.546	151.647	
54	T	3.5110	2.9200	4.0118	3.8050	3.4972	4.1850	3.9814	3.6361	29.5475	
	S	165.260	148.506	129.844	149.624	162.988	157.869	147.618	158.824	152.297	
55	T	3.4913	2.9964	4.0517	3.8212	3.5042	4.1328	3.9534	3.6228	29.5738	
	S	166.192	144.719	128.566	148.989	162.662	159.863	148.664	159.407	152.162	
56	T	3.5030	3.0437	4.0186	3.8758	3.5497	4.1844	3.9423	3.6876	29.8051	
	S	165.637	142.470	129.625	146.890	160.577	157.892	149.082	156.606	150.981	
57	T	3.5890	2.9615	3.8294	3.7624	3.5157	4.0778	3.8296	3.6293	29.1947	
	S	161.668	146.425	136.029	151.318	162.130	162.019	153.470	159.122	154.138	

Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 5 - Peroni, Alex (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
58	T	3.5512	2.8617	3.8164	3.7418	3.5002	4.0583	3.8219	3.6163	28.9678	
	S	163.389	151.531	136.492	152.151	162.848	162.798	153.779	159.694	155.345	
59	T	3.5385	2.8822	3.7836	3.9830	4.1036	5.3725	5.4650	4.6437	33.7721	
	S	163.975	150.453	137.676	142.937	138.902	122.975	107.544	124.362	133.246	
60	T	4.1562	3.4299	4.1771	4.4213	4.6055	7.9412	10.3048	10.2146	49.2506	
	S	139.605	126.428	124.706	128.767	123.765	83.197	57.034	56.537	91.369	
61	T	7.8099	5.6723	7.5690	7.7535	8.2849	11.1401	10.9914	9.1414	68.3625	
	S	74.294	76.448	68.821	73.427	68.800	59.307	53.472	63.174	65.826	
62	T	7.6556	6.3872	7.2800	8.1124	7.5989	12.1261	9.5603	7.8016	66.5221	
	S	75.791	67.891	71.553	70.179	75.011	54.484	61.476	74.023	67.647	
63	T	7.2308	5.5177	7.8333	6.8227	6.6394	8.7383	8.5143	7.4916	58.7881	
	S	80.244	78.590	66.499	83.445	85.851	75.608	69.028	77.086	76.546	
64	T	7.6511	5.4970	7.5736	7.8562	6.8229	8.6961	8.7386	8.5515	61.3870	
	S	75.836	78.886	68.780	72.467	83.542	75.974	67.256	67.532	73.305	
65	T	7.6784	5.2382	6.2197	8.2206	6.5487	9.2005	9.4110	8.4425	60.9596	
	S	75.566	82.783	83.751	69.255	87.040	71.809	62.451	68.404	73.819	
66	T	6.9636	5.3781	7.3635	6.8676	6.6017	8.9268	7.9763	7.2183	57.2959	
	S	83.323	80.630	70.742	82.899	86.341	74.011	73.684	80.005	78.540	
67	T	8.6053	5.5344								
	S	67.427	78.353								

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 51 - Sowery, Toby

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.1888	3.6049	4.3027	3.7810	3.4373	4.6156	4.1571	3.7882	31.8756	57.6028
	S	138.519	120.291	121.066	150.573	165.828	143.141	141.379	152.447	141.174	69.469
2	T	3.6330	3.2294	4.0860	3.8720	3.5005	4.3445	4.0108	3.7090	30.3852	
	S	159.710	134.278	127.486	147.035	162.834	152.073	146.536	155.702	148.098	
3	T	3.6012	3.1239	3.9903	3.8080	3.5280	4.1928	3.8647	3.6379	29.7468	
	S	161.121	138.812	130.544	149.506	161.565	157.575	152.076	158.745	151.277	
4	T	3.5178	2.9923	3.9015	3.7532	3.4881	4.1697	3.8860	3.6219	29.3305	
	S	164.940	144.917	133.515	151.689	163.413	158.448	151.242	159.447	153.424	
5	T	3.5070	2.9254	3.9640	3.7661	3.4764	4.1778	3.9005	3.6383	29.3555	
	S	165.448	148.231	131.410	151.169	163.963	158.141	150.680	158.728	153.293	
6	T	3.5015	2.9918	3.9322	3.7649	3.4687	4.2237	3.9053	3.6256	29.4137	
	S	165.708	144.942	132.473	151.217	164.327	156.423	150.495	159.284	152.990	
7	T	3.4975	3.1093	3.8971	3.7507	3.4849	4.1418	3.8849	3.6084	29.3746	
	S	165.898	139.464	133.666	151.790	163.563	159.516	151.285	160.043	153.194	
8	T	3.4907	2.9501	3.9331	3.7647	3.4947	4.1231	3.8772	3.5958	29.2294	
	S	166.221	146.990	132.442	151.225	163.104	160.239	151.585	160.604	153.955	
9	T	3.4854	2.9298	4.0060	3.7844	3.5112	4.1539	3.8532	3.5983	29.3222	
	S	166.474	148.009	130.032	150.438	162.338	159.051	152.530	160.492	153.467	
10	T	3.4851	2.9135	4.0021	3.7740	3.4876	4.1816	3.8708	3.6047	29.3194	
	S	166.488	148.837	130.159	150.853	163.436	157.997	151.836	160.208	153.482	
11	T	3.4927	2.9359	3.9443	3.7667	3.4817	4.1354	3.8639	3.5789	29.1995	
	S	166.126	147.701	132.066	151.145	163.713	159.762	152.107	161.362	154.112	
12	T	3.4922	2.9674	3.9557	3.7704	3.4873	4.1344	3.8507	3.5850	29.2431	
	S	166.149	146.133	131.686	150.997	163.450	159.801	152.629	161.088	153.882	
13	T	3.4905	2.9405	3.8996	3.7605	3.4857	4.1783	3.8734	3.6020	29.2305	
	S	166.230	147.470	133.580	151.394	163.525	158.122	151.734	160.328	153.949	
14	T	3.5040	2.9345	3.9223	3.7676	3.4908	4.1312	3.8510	3.5902	29.1916	
	S	165.590	147.772	132.807	151.109	163.286	159.925	152.617	160.855	154.154	
15	T	3.4982	2.9153	3.9195	3.7661	3.4871	4.1646	3.8638	3.6120	29.2266	
	S	165.865	148.745	132.902	151.169	163.460	158.642	152.111	159.884	153.969	
16	T	3.5146	2.9358	3.9221	3.7697	3.4982	4.1362	3.8762	3.6140	29.2668	
	S	165.091	147.706	132.814	151.025	162.941	159.732	151.625	159.795	153.758	
17	T	3.5064	2.8854	3.9033	3.7538	3.4878	4.1015	3.8421	3.5975	29.0778	
	S	165.477	150.286	133.454	151.664	163.427	161.083	152.970	160.528	154.757	
18	T	3.4987	2.9038	3.9009	3.7541	3.4956	4.1080	3.8465	3.6142	29.1218	
	S	165.841	149.334	133.536	151.652	163.062	160.828	152.795	159.786	154.523	
19	T	3.5055	2.9111	3.9177	3.7685	3.4889	4.0808	3.8549	3.5894	29.1168	
	S	165.519	148.960	132.963	151.073	163.375	161.900	152.462	160.890	154.550	

**Event:** Cooper Tires Indy Lights of St. Louis  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



**Section Data for Car 51 - Sowery, Toby**

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.5023	2.9214	3.8857	3.7413	3.4760	4.0988	3.8514	3.5910	29.0679
	S	165.670	148.434	134.058	152.171	163.982	161.189	152.601	160.819	154.810
21	T	3.5026	2.9037	3.8914	3.7402	3.4746	4.1066	3.8488	3.5925	29.0604
	S	165.656	149.339	133.862	152.216	164.048	160.883	152.704	160.752	154.850
22	T	3.4995	2.9270	3.8889	3.7478	3.4832	4.1106	3.8634	3.6006	29.1210
	S	165.803	148.150	133.948	151.907	163.643	160.726	152.127	160.390	154.528
23	T	3.5044	2.9081	3.9329	3.7595	3.4916	4.1664	3.8956	3.6331	29.2916
	S	165.571	149.113	132.449	151.435	163.249	158.574	150.870	158.955	153.628
24	T	3.5244	2.9417	3.9456	3.7601	3.4887	4.1354	3.8813	3.6143	29.2915
	S	164.632	147.410	132.023	151.410	163.385	159.762	151.425	159.782	153.628
25	T	3.5150	2.9252	3.9803	3.7855	3.5047	4.1509	3.8798	3.6263	29.3677
	S	165.072	148.242	130.872	150.394	162.639	159.166	151.484	159.253	153.230
26	T	3.5212	2.9332	3.9246	3.7763	3.5003	4.1573	3.8716	3.6373	29.3218
	S	164.781	147.837	132.729	150.761	162.843	158.921	151.805	158.772	153.469
27	T	3.5350	2.9784	4.7508						
	S	164.138	145.594	109.647						

Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.2877	3.6464	4.1261	3.8247	3.4520	4.5213	4.7906	3.9153	32.5641	59.3522
	S	135.324	118.922	126.247	148.853	165.122	146.127	122.683	147.498	138.189	67.421
2	T	3.6526	3.2345	4.2340	3.9135	3.5798	4.5485	4.0972	3.7306	30.9907	
	S	158.853	134.066	123.030	145.475	159.227	145.253	143.446	154.801	145.205	
3	T	3.5835	3.1469	4.1252	3.8423	3.5301	4.3299	3.9663	3.6837	30.2079	
	S	161.916	137.798	126.275	148.171	161.469	152.586	148.180	156.772	148.968	
4	T	3.5449	3.1004	3.9731	3.7856	3.4967	4.2626	3.9676	3.6989	29.8298	
	S	163.679	139.865	131.109	150.390	163.011	154.995	148.132	156.127	150.856	
5	T	3.5600	3.0248	3.9226	3.7717	3.4856	4.1424	3.8588	3.6361	29.4020	
	S	162.985	143.360	132.797	150.945	163.530	159.493	152.308	158.824	153.051	
6	T	3.5296	2.9714	4.1356	3.9134	3.5590	4.1187	3.8816	3.6237	29.7330	
	S	164.389	145.937	125.957	145.479	160.157	160.410	151.414	159.367	151.347	
7	T	3.5292	2.9965	3.9214	3.7819	3.5023	4.0977	3.8533	3.6176	29.2999	
	S	164.408	144.714	132.838	150.538	162.750	161.232	152.526	159.636	153.584	
8	T	3.5097	2.9285	3.9000	3.7715	3.4939	4.0584	3.8036	3.5754	29.0410	
	S	165.321	148.075	133.566	150.953	163.141	162.794	154.519	161.520	154.953	
9	T	3.4828	2.9609	3.9501	3.7930	3.5095	4.0899	3.8364	3.6111	29.2337	
	S	166.598	146.454	131.872	150.097	162.416	161.540	153.198	159.924	153.932	
10	T	3.4958	2.9487	3.9007	3.7656	3.4782	4.0729	3.8575	3.5800	29.0994	
	S	165.978	147.060	133.542	151.189	163.878	162.214	152.360	161.313	154.642	
11	T	3.4823	2.9637	3.9030	3.7685	3.4727	4.0691	3.8410	3.5778	29.0781	
	S	166.622	146.316	133.464	151.073	164.137	162.366	153.014	161.412	154.756	
12	T	3.4776	2.9635	4.0421	3.8028	3.4859	4.0939	3.8483	3.5880	29.3021	
	S	166.847	146.326	128.871	149.710	163.516	161.382	152.724	160.953	153.573	
13	T	3.4864	2.9840	4.0494	3.8017	3.4896	4.0626	3.8838	3.6049	29.3624	
	S	166.426	145.320	128.639	149.754	163.343	162.625	151.328	160.199	153.257	
14	T	3.5048	2.9346	4.0048	3.8022	3.4935	4.0755	3.8211	3.5797	29.2162	
	S	165.552	147.767	130.071	149.734	163.160	162.111	153.811	161.326	154.024	
15	T	3.4825	2.9577	3.9523	3.7835	3.4759	4.1398	3.8708	3.6066	29.2691	
	S	166.612	146.613	131.799	150.474	163.986	159.593	151.836	160.123	153.746	
16	T	3.5041	2.9415	4.0200	3.8091	3.5095	4.1021	3.8712	3.6140	29.3715	
	S	165.585	147.420	129.579	149.463	162.416	161.059	151.820	159.795	153.210	
17	T	3.5065	3.0098	3.9001	3.7662	3.4821	4.0498	3.8414	3.5911	29.1470	
	S	165.472	144.075	133.563	151.165	163.694	163.139	152.998	160.814	154.390	
18	T	3.4926	2.9929	3.9389	3.7839	3.5034	4.0883	3.8865	3.6438	29.3303	
	S	166.130	144.888	132.247	150.458	162.699	161.603	151.223	158.488	153.425	
19	T	3.5275	2.9999	3.9172	3.7867	3.4889	4.0763	3.8352	3.6071	29.2388	
	S	164.487	144.550	132.980	150.347	163.375	162.079	153.246	160.101	153.905	



Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
20	T	3.5147	2.9350	3.9664	3.7917	3.4878	4.0729	3.8285	3.5833	29.1803	
	S	165.086	147.747	131.330	150.149	163.427	162.214	153.514	161.164	154.214	
21	T	3.4935	2.9197	3.9692	3.7943	3.4896	4.1907	3.9229	3.6410	29.4209	
	S	166.088	148.521	131.238	150.046	163.343	157.654	149.820	158.610	152.952	
22	T	3.5294	2.9553	3.9806	3.8016	3.4981	4.0694	3.8520	3.6103	29.2967	
	S	164.398	146.732	130.862	149.758	162.946	162.354	152.577	159.959	153.601	
23	T	3.5151	2.9521	4.0028	3.8453	3.5185	4.1214	3.8983	3.6563	29.5098	
	S	165.067	146.891	130.136	148.056	162.001	160.305	150.765	157.947	152.492	
24	T	3.5402	3.0300	3.9083	3.8023	3.5029	4.0846	3.8937	3.6279	29.3899	
	S	163.897	143.114	133.283	149.730	162.722	161.749	150.943	159.183	153.114	
25	T	3.5333	2.9841	3.9390	3.7960	3.4999	4.0932	3.8762	3.6313	29.3530	
	S	164.217	145.316	132.244	149.978	162.862	161.410	151.625	159.034	153.306	
26	T	3.5368	2.9851	3.9205	3.7729	3.4897	4.0905	3.8536	3.6286	29.2777	
	S	164.054	145.267	132.868	150.897	163.338	161.516	152.514	159.152	153.701	
27	T	3.5392	2.9856	3.9780	3.8085	3.5181	4.1276	3.9045	3.6640	29.5255	
	S	163.943	145.243	130.947	149.486	162.019	160.064	150.526	157.615	152.411	
28	T	3.5558	2.9868	3.9454	3.8120	3.9660	5.4479	4.7958	4.0337	32.5434	
	S	163.178	145.184	132.029	149.349	143.722	121.273	122.550	143.169	138.277	
29	T	3.7467	3.1965	4.0291	3.8333	3.5384	4.3999	4.0608	3.8363	30.6410	
	S	154.864	135.660	129.287	148.519	161.090	150.158	144.732	150.536	146.862	
30	T	4.5402	4.0962	4.8936	6.0533	7.6062	10.3423	8.9623	8.9411	55.4352	
	S	127.798	105.863	106.447	94.051	74.939	63.882	65.578	64.589	81.176	
31	T	8.5412	5.7549	7.9163	7.3411	9.3597	8.4003	9.5675	11.0019	67.8829	
	S	67.933	75.351	65.802	77.552	60.899	78.650	61.430	52.491	66.291	
32	T	9.7153	4.1821	5.8236	9.9776	8.2271	6.8074	6.9482	10.0760	61.7573	
	S	59.723	103.689	89.448	57.060	69.283	97.053	84.587	57.314	72.866	
33	T	8.4525	6.5716	7.5843	8.9909	7.3483	8.5613	8.2067	11.0031	66.7187	
	S	68.646	65.986	68.683	63.322	77.569	77.171	71.616	52.485	67.447	
34	T	9.8193	5.4569	4.8841	8.2476	6.2770	8.0534	9.7284	9.5481	62.0148	
	S	59.090	79.466	106.654	69.028	90.808	82.038	60.414	60.483	72.563	
35	T	8.0943	4.6165	6.2793	8.0425	8.1561	8.4135	6.0735	4.2649	53.9406	
	S	71.683	93.932	82.957	70.789	69.886	78.526	96.769	135.408	83.425	
36	T	3.7993	3.4749	4.6026	4.0316	3.5650	4.4391	4.0464	3.7248	31.6837	
	S	152.720	124.791	113.177	141.214	159.888	148.832	145.247	155.042	142.029	
37	T	3.5818	3.1024	3.9839	3.7989	3.4988	4.1210	3.8772	3.6309	29.5949	
	S	161.993	139.774	130.754	149.864	162.913	160.321	151.585	159.051	152.053	
38	T	3.5211	3.0993	3.9619	3.7780	3.4851	4.0940	3.8754	3.6096	29.4244	
	S	164.786	139.914	131.480	150.693	163.553	161.378	151.656	159.990	152.934	

Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	3.5049	3.0186	3.8818	3.7400	3.4607	4.0993	3.9055	3.6075	29.2183
	S	165.547	143.655	134.193	152.224	164.707	161.169	150.487	160.083	154.013
40	T	3.4850	3.0636	3.9379	3.7562	3.4581	4.2118	3.9215	3.6795	29.5136
	S	166.493	141.545	132.281	151.568	164.830	156.864	149.873	156.951	152.472
41	T	3.5474	2.9798	4.0168	3.8064	3.4885	4.0693	3.8348	3.5928	29.3358
	S	163.564	145.525	129.683	149.569	163.394	162.358	153.262	160.738	153.396
42	T	3.5010	2.9419	3.9054	3.7435	3.4576	4.0313	3.8264	3.5596	28.9667
	S	165.732	147.400	133.382	152.082	164.854	163.888	153.598	162.237	155.351
43	T	3.4597	3.0089	3.9932	3.7654	3.4655	4.1395	3.9173	3.5891	29.3386
	S	167.710	144.118	130.449	151.197	164.478	159.604	150.034	160.904	153.382
44	T	3.4755	3.0041	4.0184	3.7895	3.4839	4.0666	3.9292	3.6000	29.3672
	S	166.948	144.348	129.631	150.236	163.610	162.465	149.579	160.417	153.232
45	T	3.4921	2.9525	4.0057	3.7956	3.4861	4.1044	3.9080	3.6057	29.3501
	S	166.154	146.871	130.042	149.994	163.506	160.969	150.391	160.163	153.321
46	T	3.4969	2.9830	3.9891	3.7914	3.4926	4.0834	3.8516	3.6149	29.3029
	S	165.926	145.369	130.583	150.160	163.202	161.797	152.593	159.755	153.568
47	T	3.5023	2.9792	3.9436	3.7765	3.4904	4.2006	3.9171	3.6371	29.4468
	S	165.670	145.555	132.090	150.753	163.305	157.283	150.041	158.780	152.818
48	T	3.5149	2.9987	3.9793	3.7861	3.4963	4.0943	4.0482	3.6764	29.5942
	S	165.076	144.608	130.905	150.371	163.029	161.366	145.182	157.083	152.057
49	T	3.5364	2.9608	3.9823	3.8018	3.5072	4.1175	3.9168	3.6257	29.4485
	S	164.073	146.459	130.806	149.750	162.523	160.457	150.053	159.280	152.809
50	T	3.5099	2.9748	3.9823	3.7967	3.4986	4.1497	3.8912	3.6230	29.4262
	S	165.312	145.770	130.806	149.951	162.922	159.212	151.040	159.398	152.925
51	T	3.4964	3.0793	3.9344	3.7749	3.4761	4.2436	4.0319	3.6560	29.6926
	S	165.950	140.823	132.399	150.817	163.977	155.689	145.769	157.960	151.553
52	T	3.5335	3.0246	3.9083	3.7709	3.4878	4.0861	3.9544	3.6198	29.3854
	S	164.208	143.370	133.283	150.977	163.427	161.690	148.626	159.539	153.137
53	T	3.5079	2.9879	3.9290	3.7706	3.4828	4.1495	4.0450	3.6667	29.5394
	S	165.406	145.131	132.581	150.989	163.661	159.220	145.297	157.499	152.339
54	T	3.5224	2.9665	4.0278	3.7966	3.4959	4.1682	3.9226	3.6452	29.5452
	S	164.725	146.178	129.328	149.955	163.048	158.505	149.831	158.428	152.309
55	T	3.5068	2.9744	4.0857	3.8251	3.4969	4.1344	3.9560	3.6500	29.6293
	S	165.458	145.790	127.496	148.837	163.002	159.801	148.566	158.219	151.877
56	T	3.5257	3.0364	3.9208	3.7601	3.4781	4.6894	4.0899	3.7260	30.2264
	S	164.571	142.813	132.858	151.410	163.883	140.888	143.702	154.992	148.876
57	T	3.5862	3.0575	3.9413	3.7850	3.5001	4.1169	3.8935	3.6351	29.5156
	S	161.794	141.827	132.167	150.414	162.852	160.480	150.951	158.868	152.462

Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
58	T	3.5436	2.9917	3.9103	3.7662	3.4976	4.1173	3.9173	3.6371	29.3811	
	S	163.739	144.946	133.215	151.165	162.969	160.465	150.034	158.780	153.160	
59	T	3.5405	3.0164	4.1245	4.0044	4.2882	6.0979	5.1064	4.0854	34.2637	
	S	163.883	143.760	126.296	142.173	132.923	108.346	115.096	141.357	131.334	
60	T	3.7987	3.2148	4.0280	3.8824	4.8241	8.0036	9.5090	10.2905	47.5511	
	S	152.744	134.888	129.322	146.641	118.157	82.548	61.807	56.120	94.635	
61	T	8.2705	5.4788	7.4594	7.9872	8.1886	10.7813	11.0010	9.4090	68.5758	
	S	70.156	79.148	69.833	71.279	69.609	61.280	53.425	61.377	65.621	
62	T	7.4045	6.7426	7.1008	8.5620	7.7217	10.6829	10.6470	7.6537	66.5152	
	S	78.361	64.313	73.359	66.494	73.818	61.845	55.201	75.454	67.654	
63	T	7.3563	5.4020	7.5207	7.0356	6.5030	8.7371	8.5623	7.6836	58.8006	
	S	78.875	80.273	69.263	80.920	87.652	75.618	68.641	75.160	76.530	
64	T	7.4345	5.6546	7.5243	7.9584	7.4746	7.8087	8.8469	8.7847	61.4867	
	S	78.045	76.687	69.230	71.537	76.258	84.608	66.433	65.739	73.187	
65	T	7.3356	5.5037	6.1256	8.6190	6.2699	8.8626	9.4092	8.7332	60.8588	
	S	79.097	78.790	85.038	66.054	90.911	74.547	62.463	66.127	73.942	
66	T	7.2800	5.5055	7.0270	7.1549	6.7010	8.3441	7.8640	7.1940	57.0705	
	S	79.702	78.764	74.130	79.570	85.062	79.180	74.736	80.275	78.850	
67	T	8.6042	5.6532								
	S	67.435	76.706								

Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 7 - Bogle, Christian (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.1928	3.7531	4.4824	4.0460	3.6232	4.8591	4.2339	3.7777	32.9682		48.9039
	S	138.387	115.541	116.212	140.711	157.319	135.968	138.815	152.871	136.495		81.826
2	T	3.6477	3.2021	4.1901	3.8991	3.5902	4.5544	4.1979	3.8025	31.0840		
	S	159.067	135.422	124.319	146.013	158.766	145.065	140.005	151.874	144.769		
3	T	3.6455	3.1005	4.3641	3.9728	3.6042	4.4387	4.0661	3.7323	30.9242		
	S	159.163	139.860	119.362	143.304	158.149	148.846	144.543	154.730	145.517		
4	T	3.5884	3.0519	4.0227	3.8353	3.5374	4.3245	3.9994	3.7317	30.0913		
	S	161.695	142.087	129.492	148.442	161.135	152.776	146.954	154.755	149.545		
5	T	3.5998	3.0431	4.0819	3.8544	3.5421	4.2351	3.9179	3.6868	29.9611		
	S	161.183	142.498	127.614	147.706	160.921	156.001	150.011	156.640	150.195		
6	T	3.5734	2.9972	3.9991	3.8345	3.5405	4.2113	3.9193	3.6815	29.7568		
	S	162.374	144.680	130.257	148.473	160.994	156.883	149.957	156.865	151.226		
7	T	3.5585	2.9848	3.9948	3.8350	3.5432	4.2231	3.9631	3.6961	29.7986		
	S	163.054	145.282	130.397	148.453	160.872	156.445	148.300	156.246	151.014		
8	T	3.5574	2.9819	3.9893	3.8297	3.5497	4.1886	3.9037	3.6579	29.6582		
	S	163.104	145.423	130.577	148.659	160.577	157.733	150.556	157.877	151.729		
9	T	3.5367	2.9758	3.9132	3.8030	3.5337	4.1522	3.9043	3.6212	29.4401		
	S	164.059	145.721	133.116	149.702	161.304	159.116	150.533	159.478	152.853		
10	T	3.5175	3.0056	3.9671	3.8114	3.5126	4.1839	3.8900	3.6341	29.5222		
	S	164.954	144.276	131.307	149.372	162.273	157.911	151.087	158.911	152.428		
11	T	3.5261	2.9751	4.0180	3.8257	3.5120	4.2452	3.9701	3.6721	29.7443		
	S	164.552	145.755	129.644	148.814	162.301	155.630	148.038	157.267	151.289		
12	T	3.5569	2.9709	4.0062	3.8432	3.5417	4.2228	3.9257	3.6424	29.7098		
	S	163.127	145.961	130.026	148.136	160.940	156.456	149.713	158.549	151.465		
13	T	3.5445	2.9300	4.0689	3.8733	3.5465	4.1755	3.8941	3.6335	29.6663		
	S	163.698	147.999	128.022	146.985	160.722	158.228	150.928	158.938	151.687		
14	T	3.5396	3.0192	3.9138	3.7953	3.5154	4.1483	3.8977	3.6254	29.4547		
	S	163.925	143.626	133.095	150.006	162.144	159.266	150.788	159.293	152.777		
15	T	3.5393	3.0287	3.9148	3.7964	3.5147	4.3553	4.0415	3.6863	29.8770		
	S	163.938	143.176	133.061	149.963	162.176	151.696	145.423	156.661	150.618		
16	T	3.5565	2.9896	3.9898	3.8279	3.5476	4.2457	3.9608	3.6840	29.8019		
	S	163.146	145.048	130.560	148.729	160.672	155.612	148.386	156.759	150.997		
17	T	3.5606	2.9985	3.8982	3.7941	3.5243	4.2342	3.9721	3.6976	29.6796		
	S	162.958	144.618	133.628	150.054	161.734	156.035	147.964	156.182	151.619		
18	T	3.5626	2.9392	3.9835	3.8294	3.5594	4.2266	3.9278	3.6811	29.7096		
	S	162.866	147.536	130.767	148.670	160.139	156.315	149.633	156.882	151.466		
19	T	3.5618	2.9665	3.9415	3.8158	3.5309	4.1468	3.9122	3.6473	29.5228		
	S	162.903	146.178	132.160	149.200	161.432	159.323	150.229	158.336	152.425		

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 7 - Bogle, Christian (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.5561	2.9590	3.8799	3.7900	3.5210	4.1290	3.8733	3.6351	29.3434		
	S	163.164	146.548	134.258	150.216	161.886	160.010	151.738	158.868	153.356		
21	T	3.5478	3.0226	3.8919	3.7877	3.5151	4.1359	3.8705	3.6329	29.4044		
	S	163.546	143.465	133.844	150.307	162.158	159.743	151.848	158.964	153.038		
22	T	3.5440	2.9837	3.8774	3.7940	3.5240	4.2114	3.9243	3.6835	29.5423		
	S	163.721	145.335	134.345	150.058	161.748	156.879	149.766	156.780	152.324		
23	T	3.5739	2.9970	3.9111	3.8085	3.5307	4.1914	4.3092	3.9860	30.3078		
	S	162.351	144.690	133.187	149.486	161.441	157.628	136.389	144.882	148.477		
24	T	3.7503	3.1460	3.9964	3.8506	3.5650	4.2294	3.9849	3.7176	30.2402		
	S	154.715	137.837	130.345	147.852	159.888	156.212	147.489	155.342	148.809		
25	T	3.6313	3.3370	4.4227	3.9922	3.6044	4.7620	4.2689	3.8334	31.8519		
	S	159.785	129.948	117.781	142.608	158.140	138.740	137.677	150.650	141.279		
26	T	3.6512	3.0664	3.9642	3.8254	3.5450	4.2142	3.9712	3.7209	29.9585		
	S	158.914	141.415	131.403	148.826	160.790	156.775	147.997	155.204	150.208		
27	T	3.6018	2.9900	3.9338	3.8251	3.5546	4.4884	4.2190	3.9804	30.5931		
	S	161.094	145.029	132.419	148.837	160.356	147.198	139.305	145.086	147.092		
28	T	4.5013	4.0852	5.2369	5.2640	5.0049	5.7650	5.1235	5.6470	40.6278		
	S	128.902	106.148	99.469	108.153	113.888	114.602	114.712	102.267	110.762		
29	T	6.2138	4.7468	5.8464	6.8761	8.2135	10.6474	8.6861	8.8384	60.0685		
	S	93.377	91.353	89.099	82.797	69.398	62.051	67.663	65.340	74.914		
30	T	8.3705	6.5711	7.1071	8.2585	8.4817	8.7673	9.0487	9.3097	65.9146		
	S	69.318	65.991	73.294	68.937	67.204	75.358	64.952	62.032	68.270		
31	T	7.8855	5.0213	7.6656	10.1480	7.7138	7.3289	8.2691	8.5645	62.5967		
	S	73.582	86.359	67.954	56.102	73.894	90.147	71.075	67.430	71.889		
32	T	9.1406	6.5654	7.5603	8.1736	8.2787	8.6538	8.5650	9.7082	66.6456		
	S	63.478	66.049	68.901	69.653	68.851	76.346	68.620	59.486	67.521		
33	T	7.2502	5.7705	6.9472	9.1357	6.6027	9.5668	8.8417	8.3975	62.5123		
	S	80.029	75.147	74.981	62.318	86.328	69.060	66.472	68.770	71.986		
34	T	8.1920	5.3520	7.3623	8.4356	8.0176	8.9552	6.6635	4.3450	57.3232		
	S	70.829	81.023	70.754	67.490	71.094	73.776	88.201	132.911	78.502		
35	T	4.0064	3.7104	4.9639	4.2461	3.7438	5.0162	4.3605	3.8693	33.9166		
	S	144.825	116.871	104.939	134.080	152.252	131.710	134.784	149.252	132.678		
36	T	3.7254	3.3241	4.1402	3.9009	3.5724	4.4878	4.0407	3.7261	30.9176		
	S	155.749	130.452	125.817	145.945	159.557	147.217	145.452	154.988	145.548		
37	T	3.5908	3.0906	4.0206	3.8362	3.5393	4.3485	4.0329	3.7104	30.1693		
	S	161.587	140.308	129.560	148.407	161.049	151.933	145.733	155.644	149.158		
38	T	3.5835	3.0964	4.0316	3.8532	3.5471	4.2690	4.0197	3.6964	30.0969		
	S	161.916	140.045	129.207	147.752	160.695	154.763	146.212	156.233	149.517		

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 7 - Bogle, Christian (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.5743	3.0521	4.0360	3.8492	3.5403	4.2433	3.9834	3.6948	29.9734		
	S	162.333	142.078	129.066	147.906	161.003	155.700	147.544	156.301	150.133		
40	T	3.5740	3.0416	3.9751	3.8280	3.5336	4.2576	3.9810	3.6866	29.8775		
	S	162.347	142.569	131.043	148.725	161.309	155.177	147.633	156.648	150.615		
41	T	3.5737	3.0383	3.9785	3.8253	3.5194	4.2255	3.9650	3.6758	29.8015		
	S	162.360	142.723	130.931	148.830	161.959	156.356	148.229	157.109	150.999		
42	T	3.5745	3.0423	3.9475	3.8200	3.5232	4.1807	3.9309	3.6613	29.6804		
	S	162.324	142.536	131.959	149.036	161.785	158.031	149.515	157.731	151.615		
43	T	3.5612	3.0323	3.9536	3.8245	3.5319	4.2163	3.9412	3.6847	29.7457		
	S	162.930	143.006	131.756	148.861	161.386	156.697	149.124	156.729	151.282		
44	T	3.5709	3.0383	3.9317	3.8088	3.5296	4.1966	3.9263	3.6655	29.6677		
	S	162.488	142.723	132.490	149.474	161.491	157.433	149.690	157.550	151.680		
45	T	3.5527	2.9714	3.9130	3.8012	3.5345	4.1848	3.9259	3.6718	29.5553		
	S	163.320	145.937	133.123	149.773	161.268	157.877	149.705	157.280	152.257		
46	T	3.5533	2.9762	3.8926	3.7925	3.5362	4.1728	3.8845	3.6537	29.4618		
	S	163.293	145.701	133.820	150.117	161.190	158.331	151.301	158.059	152.740		
47	T	3.5457	2.9680	3.9088	3.8025	3.5283	4.1627	3.9077	3.6609	29.4846		
	S	163.643	146.104	133.266	149.722	161.551	158.715	150.402	157.748	152.622		
48	T	3.5508	2.9856	3.9107	3.8073	3.5278	4.1444	3.9306	3.6565	29.5137		
	S	163.407	145.243	133.201	149.533	161.574	159.416	149.526	157.938	152.472		
49	T	3.5556	2.9956	3.9186	3.8148	3.5390	4.2395	3.9713	3.6848	29.7192		
	S	163.187	144.758	132.932	149.239	161.062	155.840	147.994	156.725	151.417		
50	T	3.5737	2.9996	3.9198	3.8079	3.5414	4.2140	3.9396	3.6692	29.6652		
	S	162.360	144.565	132.892	149.510	160.953	156.783	149.185	157.391	151.693		
51	T	3.5556	2.9735	3.9326	3.8169	3.5332	4.2164	3.9725	3.6788	29.6795		
	S	163.187	145.834	132.459	149.157	161.327	156.693	147.949	156.981	151.620		
52	T	3.5575	2.9831	3.9383	3.8116	3.5353	4.2216	3.9419	3.6707	29.6600		
	S	163.100	145.364	132.267	149.365	161.231	156.500	149.097	157.327	151.719		
53	T	3.5541	2.9964	3.8897	3.7884	3.5245	4.1881	3.9549	3.6646	29.5607		
	S	163.256	144.719	133.920	150.279	161.725	157.752	148.607	157.589	152.229		
54	T	3.5503	3.0150	3.9088	3.8115	3.5228	4.2120	3.9364	3.6781	29.6349		
	S	163.430	143.826	133.266	149.369	161.803	156.857	149.306	157.010	151.848		
55	T	3.5658	2.9717	3.9010	3.7957	3.5171	4.2856	3.9601	3.6934	29.6904		
	S	162.720	145.922	133.532	149.990	162.065	154.163	148.412	156.360	151.564		
56	T	3.6004	3.0842	4.0174	3.8463	3.5725	4.6664	4.2012	3.7996	30.7880		
	S	161.156	140.599	129.663	148.017	159.552	141.583	139.895	151.990	146.161		
57	T	3.6475	3.1873	4.1051	3.8460	3.5228	4.5089	4.3992	4.2864	31.5032		
	S	159.075	136.051	126.893	148.029	161.803	146.528	133.599	134.728	142.843		

Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 7 - Bogle, Christian (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	4.7173	4.3362	5.8439	8.1344	8.9285	12.7844	11.0922	9.5534	65.3903		
	S	123.000	100.004	89.137	69.989	63.841	51.679	52.986	60.450	68.818		
59	T	8.7755	6.3409	7.5613	8.1937	8.3169	10.7709	10.4399	8.7930	69.1921		
	S	66.119	68.387	68.891	69.482	68.535	61.340	56.296	65.677	65.036		
60	T	8.5035	6.5614	7.4871	8.4248	8.0515	11.0222	9.9953	7.3299	67.3757		
	S	68.234	66.089	69.574	67.576	70.794	59.941	58.800	78.787	66.790		
61	T	6.8737	6.2193	7.9926	6.7754	7.5240				71.6823	41.9166	54.1640
	S	84.413	69.724	65.174	84.027	75.758				62.777	25.554	72.419
62	T				5.2526	4.8846	6.9547	6.5506	4.7377	66.6993		42.3010
	S				108.388	116.693	94.998	89.721	121.895	67.467		94.598
63	T	4.3261	3.8817	4.7672	4.9764	5.8516	7.5167	8.6110	10.8431	50.7738		
	S	134.122	111.713	109.269	114.404	97.409	87.895	68.253	53.260	88.628		
64	T	7.4016	5.4363	6.1749	7.4510	6.0405	7.5333	7.6220	7.8260	55.4856		
	S	78.392	79.767	84.359	76.408	94.363	87.702	77.109	73.792	81.102		
65	T	8.6329										
	S	67.211										

Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 79 - Malukas, David

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
1	T	4.1911	3.2397	3.9051	3.7732	3.5172	4.2232	3.9085	3.6304	30.3884	65.4550
	S	138.443	133.851	133.392	150.885	162.061	156.441	150.372	159.073	148.083	61.135
2	T	3.5437	2.9639	3.8429	3.7617	3.5062	4.1231	3.8555	3.6111	29.2081	
	S	163.735	146.306	135.551	151.346	162.569	160.239	152.439	159.924	154.067	
3	T	3.5350	2.9080	3.8527	3.7226	3.4840	4.0442	3.7817	3.5721	28.9003	
	S	164.138	149.118	135.206	152.936	163.605	163.365	155.414	161.670	155.708	
4	T	3.5185	2.9155	3.7581	3.7026	3.4776	4.0257	3.7939	3.5718	28.7637	
	S	164.908	148.735	138.610	153.762	163.906	164.116	154.914	161.683	156.447	
5	T	3.5097	2.9374	3.7826	3.7000	3.4684	4.0531	3.7847	3.5728	28.8087	
	S	165.321	147.626	137.712	153.870	164.341	163.007	155.290	161.638	156.203	
6	T	3.4982	2.8919	3.7839	3.7122	3.4672	4.0502	3.7742	3.5677	28.7455	
	S	165.865	149.949	137.665	153.364	164.398	163.123	155.722	161.869	156.546	
7	T	3.5039	2.8818	3.7878	3.6966	3.4673	4.0531	3.7723	3.5578	28.7206	
	S	165.595	150.474	137.523	154.011	164.393	163.007	155.801	162.319	156.682	
8	T	3.4955	2.8750	3.7635	3.6906	3.4653	4.0403	3.7777	3.5624	28.6703	
	S	165.993	150.830	138.411	154.262	164.488	163.523	155.578	162.110	156.957	
9	T	3.4907	2.8745	3.7471	3.6922	3.4677	4.0380	3.7820	3.5500	28.6422	
	S	166.221	150.856	139.017	154.195	164.374	163.616	155.401	162.676	157.111	
10	T	3.4835	2.8496	3.7810	3.6989	3.4660	4.0382	3.7819	3.5387	28.6378	
	S	166.564	152.174	137.770	153.916	164.455	163.608	155.405	163.196	157.135	
11	T	3.4788	2.8594	3.7860	3.6974	3.4603	4.0365	3.7726	3.5352	28.6262	
	S	166.789	151.653	137.588	153.978	164.726	163.677	155.788	163.357	157.199	
12	T	3.4799	2.8873	3.7939	3.6970	3.4533	4.0334	3.7724	3.5370	28.6542	
	S	166.737	150.187	137.302	153.995	165.060	163.803	155.797	163.274	157.045	
13	T	3.4833	2.8899	3.7702	3.6941	3.4554	4.0305	3.7728	3.5373	28.6335	
	S	166.574	150.052	138.165	154.116	164.959	163.921	155.780	163.260	157.159	
14	T	3.4838	2.8635	3.7970	3.7026	3.4595	4.0292	3.7810	3.5459	28.6625	
	S	166.550	151.436	137.190	153.762	164.764	163.973	155.442	162.864	157.000	
15	T	3.4889	2.8545	3.8166	3.7086	3.4598	4.0389	3.7819	3.5451	28.6943	
	S	166.307	151.913	136.485	153.513	164.749	163.580	155.405	162.901	156.826	
16	T	3.4885	2.8393	3.8086	3.7037	3.4569	4.0471	3.7827	3.5470	28.6738	
	S	166.326	152.727	136.772	153.716	164.888	163.248	155.372	162.814	156.938	
17	T	3.4866	2.8697	3.8063	3.6984	3.4571	4.0373	3.7855	3.5521	28.6930	
	S	166.416	151.109	136.854	153.936	164.878	163.644	155.258	162.580	156.833	
18	T	3.4810	2.8393	3.8194	3.7003	3.4576	4.0357	3.7808	3.5554	28.6695	
	S	166.684	152.727	136.385	153.857	164.854	163.709	155.451	162.429	156.961	
19	T	3.4820	2.8380	3.8087	3.7003	3.4585	4.0464	3.7879	3.5523	28.6741	
	S	166.636	152.796	136.768	153.857	164.811	163.276	155.159	162.571	156.936	



Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 79 - Malukas, David

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
20	T	3.4816	2.8662	3.7901	3.6966	3.4482	4.0473	3.7829	3.5390	28.6519	
	S	166.655	151.293	137.439	154.011	165.304	163.240	155.364	163.182	157.058	
21	T	3.4822	2.8687	3.7802	3.6841	3.4437	4.0418	3.7695	3.5391	28.6093	
	S	166.627	151.161	137.799	154.534	165.520	163.462	155.917	163.177	157.292	
22	T	3.4816	2.8436	3.9184	3.7452	3.4673	4.0368	3.7737	3.5301	28.7967	
	S	166.655	152.496	132.939	152.013	164.393	163.665	155.743	163.593	156.268	
23	T	3.4759	2.8714	3.7793	3.6955	3.4467	4.2030	3.8797	3.5956	28.9471	
	S	166.929	151.019	137.832	154.057	165.376	157.193	151.488	160.613	155.456	
24	T	3.4979	2.8434	3.8706	3.7252	3.4588	4.0250	3.7786	3.5381	28.7376	
	S	165.879	152.506	134.581	152.829	164.797	164.145	155.541	163.223	156.589	
25	T	3.4699	2.8900	3.8988	3.7099	3.4380	4.2701	3.9274	3.5819	29.1860	
	S	167.217	150.047	133.608	153.459	165.794	154.723	149.648	161.227	154.184	
26	T	3.5109	3.1203	4.0184	3.7660	3.4923	4.0534	3.7979	3.5642	29.3234	
	S	165.265	138.973	129.631	151.173	163.216	162.994	154.751	162.028	153.461	
27	T	3.4978	2.8722	3.7952	3.6988	3.4629	4.0470	3.7824	3.5724	28.7287	
	S	165.883	150.977	137.255	153.920	164.602	163.252	155.385	161.656	156.638	
28	T	3.5031	2.8958	3.7810	3.6933	3.4623	4.0410	3.7937	3.5624	28.7326	
	S	165.633	149.747	137.770	154.149	164.630	163.495	154.922	162.110	156.617	
29	T	3.5301	3.1934	4.7656	5.2707	5.3889	6.5831	6.1284	6.2151	41.0753	
	S	164.366	135.791	109.306	108.016	105.773	100.360	95.902	92.919	109.555	
30	T	6.7844	5.2663	6.3374	6.8758	8.6950	10.0388	9.0344	8.6255	61.6576	
	S	85.524	82.342	82.196	82.800	65.555	65.813	65.054	66.953	72.984	
31	T	8.4023	6.1777	7.5962	8.0296	8.7961	8.9269	8.2614	8.3737	64.5639	
	S	69.056	70.194	68.575	70.902	64.801	74.010	71.141	68.966	69.698	
32	T	8.6475	6.5365	7.2828	8.3890	8.3476	8.2134	8.0968	8.3501	63.8637	
	S	67.098	66.341	71.526	67.865	68.283	80.440	72.588	69.161	70.463	
33	T	9.1401	6.0807	7.2226	8.3940	8.2046	9.5921	8.6820	8.3596	65.6757	
	S	63.482	71.314	72.122	67.824	69.473	68.878	67.695	69.082	68.518	
34	T	8.6255	5.3937	7.2217	8.3853	8.2233	10.3419	7.5884	7.9908	63.7706	
	S	67.269	80.397	72.131	67.895	69.315	63.884	77.451	72.271	70.565	
35	T	8.0137	6.0694	8.0927	8.5874	8.2581	9.8927	6.1261	4.1345	59.1746	
	S	72.404	71.446	64.368	66.297	69.023	66.785	95.938	139.678	76.046	
36	T	3.8099	3.1136	3.8835	3.7459	3.4913	4.1510	3.8679	3.5992	29.6623	
	S	152.295	139.272	134.134	151.984	163.263	159.162	151.950	160.452	151.708	
37	T	3.5354	2.8840	3.8420	3.7302	3.4821	4.0649	3.8339	3.5778	28.9503	
	S	164.119	150.359	135.583	152.624	163.694	162.533	153.297	161.412	155.439	
38	T	3.5123	2.9295	3.7931	3.7051	3.4716	4.0390	3.7913	3.5483	28.7902	
	S	165.199	148.024	137.331	153.658	164.189	163.576	155.020	162.754	156.303	

Event: Cooper Tires Indy Lights of St. Louis  
Track: World Wide Technology Raceway  
Report: Section Data Report  
Session: Race 1

Round 13 / 14  
1.25 mile(s)  
Indy Lights  
August 20, 2021



Section Data for Car 79 - Malukas, David

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
39	T	3.4969	2.8848	3.8105	3.7024	3.4660	4.0436	3.7773	3.5435	28.7250	
	S	165.926	150.318	136.704	153.770	164.455	163.390	155.595	162.974	156.658	
40	T	3.4925	2.8875	3.7580	3.6833	3.4514	4.0264	3.7691	3.5428	28.6110	
	S	166.135	150.177	138.613	154.567	165.150	164.087	155.933	163.007	157.282	
41	T	3.4871	2.8770	3.7759	3.6894	3.4490	4.0277	3.7811	3.5409	28.6281	
	S	166.392	150.725	137.956	154.312	165.265	164.035	155.438	163.094	157.188	
42	T	3.4862	2.8568	3.8059	3.6882	3.4446	4.0244	3.7811	3.5322	28.6194	
	S	166.435	151.791	136.869	154.362	165.476	164.169	155.438	163.496	157.236	
43	T	3.4875	2.8839	3.7889	3.6863	3.4471	4.0285	3.7672	3.5312	28.6206	
	S	166.373	150.365	137.483	154.442	165.356	164.002	156.012	163.542	157.229	
44	T	3.4874	2.8924	3.7475	3.6736	3.4452	4.0234	3.7697	3.5374	28.5766	
	S	166.378	149.923	139.002	154.976	165.448	164.210	155.908	163.255	157.471	
45	T	3.4829	2.8622	3.7605	3.6785	3.4467	4.0242	3.7782	3.5474	28.5806	
	S	166.593	151.505	138.521	154.769	165.376	164.177	155.557	162.795	157.449	
46	T	3.4836	2.8646	3.7780	3.6886	3.4528	4.0266	3.7773	3.5431	28.6146	
	S	166.560	151.378	137.880	154.345	165.083	164.079	155.595	162.993	157.262	
47	T	3.4823	2.8781	3.7868	3.6929	3.4535	4.0242	3.7739	3.5458	28.6375	
	S	166.622	150.668	137.559	154.166	165.050	164.177	155.735	162.869	157.137	
48	T	3.4797	2.8765	3.7613	3.6810	3.4481	4.0274	3.7756	3.5495	28.5991	
	S	166.746	150.751	138.492	154.664	165.308	164.047	155.665	162.699	157.348	
49	T	3.4820	2.8730	3.8193	3.7015	3.4617	4.0306	3.7738	3.5438	28.6857	
	S	166.636	150.935	136.389	153.807	164.659	163.916	155.739	162.961	156.873	
50	T	3.4840	2.8673	3.7669	3.6882	3.4503	4.0408	3.7684	3.5422	28.6081	
	S	166.541	151.235	138.286	154.362	165.203	163.503	155.962	163.034	157.298	
51	T	3.4819	2.8313	3.8217	3.7046	3.4537	4.0392	3.7687	3.5248	28.6259	
	S	166.641	153.158	136.303	153.679	165.040	163.567	155.950	163.839	157.200	
52	T	3.4749	2.8770	3.7823	3.6908	3.4487	4.0289	3.7654	3.5233	28.5913	
	S	166.977	150.725	137.723	154.253	165.280	163.986	156.086	163.909	157.391	
53	T	3.4727	2.8873	3.7924	3.6992	3.4486	4.0286	3.7729	3.5247	28.6264	
	S	167.082	150.187	137.356	153.903	165.284	163.998	155.776	163.844	157.198	
54	T	3.4675	2.8829	3.7839	3.6845	3.4413	4.0262	3.7810	3.5187	28.5860	
	S	167.333	150.417	137.665	154.517	165.635	164.096	155.442	164.123	157.420	
55	T	3.4629	2.8770	3.7906	3.6727	3.4315	4.1312	3.8364	3.5568	28.7591	
	S	167.555	150.725	137.421	155.014	166.108	159.925	153.198	162.365	156.472	
56	T	3.4695	2.8988	3.8058	3.6895	3.4345	3.9900	3.8204	3.5545	28.6630	
	S	167.237	149.592	136.872	154.308	165.963	165.584	153.839	162.470	156.997	
57	T	3.4698	2.8566	3.8533	3.6906	3.4270	4.0872	3.8440	3.5540	28.7825	
	S	167.222	151.802	135.185	154.262	166.326	161.647	152.895	162.493	156.345	

Event: Cooper Tires Indy Lights of St. Louis  
 Track: World Wide Technology Raceway  
 Report: Section Data Report  
 Session: Race 1

Round 13 / 14  
 1.25 mile(s)  
 Indy Lights  
 August 20, 2021



Section Data for Car 79 - Malukas, David

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	
58	T	3.4558	2.9535	3.8742	3.6699	3.4032	4.2333	3.8909	3.5998	29.0806	
	S	167.900	146.821	134.456	155.132	167.489	156.068	151.052	160.426	154.742	
59	T	3.4993	2.8830	3.7956	3.6855	3.4442	4.0267	3.7891	3.8103	28.9337	
	S	165.812	150.412	137.240	154.475	165.496	164.075	155.110	151.563	155.528	
60	T	5.0417	4.9116	6.1600	7.4492	9.8199	12.9246	11.4296	9.5466	67.2832	
	S	115.086	88.288	84.563	76.427	58.045	51.118	51.422	60.493	66.881	
61	T	8.9388	6.5706	7.4142	8.2235	8.2988	11.3347	10.3030	8.5149	69.5985	
	S	64.911	65.996	70.258	69.231	68.685	58.288	57.044	67.822	64.657	
62	T	8.5311	6.3776	7.4530	8.3774	8.1088	11.1674	9.6760	7.7748	67.4661	
	S	68.013	67.994	69.893	67.959	70.294	59.162	60.741	74.278	66.700	
63	T	7.3650	6.1478	7.1937	7.0732	7.6059	9.6743	8.3615	7.0205	60.4419	
	S	78.782	70.535	72.412	80.489	74.942	68.292	70.290	82.259	74.452	
64	T	7.7617	6.0055	7.2692	7.3797	6.9815	8.9675	8.9701	8.0070	61.3422	
	S	74.755	72.207	71.660	77.147	81.644	73.675	65.521	72.124	73.359	
65	T	7.7118	5.1540	6.9356	7.3875	7.2891	9.3157	8.7908	7.6975	60.2820	
	S	75.239	84.136	75.107	77.065	78.199	70.921	66.857	75.024	74.649	
66	T	7.4485	5.8662	7.1976	6.8585	7.1893	8.7057	7.7040	7.5109	58.4807	
	S	77.899	73.921	72.373	83.009	79.284	75.891	76.289	76.888	76.948	
67	T	7.4844	6.1851								
	S	77.525	70.110								

**Event:** Cooper Tires Indy Lights of St. Louis  
**Track:** World Wide Technology Raceway  
**Report:** Section Data Report  
**Session:** Race 1

**Round 13 / 14**  
**1.25 mile(s)**  
**Indy Lights**  
**August 20, 2021**



**Section Data for Car**

**Report Support Information**

Section Legend	
Name	Length
SF to T1	0.161174 miles
T1 to SS1	0.120455 miles
SS1 to T2	0.144697 miles
T2 to BS	0.158144 miles
BS to T3	0.158333 miles
T3 to SS2	0.183523 miles
SS2 to T4	0.163258 miles
T4 to SF	0.160417 miles
T1 to T2	0.265152 miles
T2 to T3	0.316477 miles
T3 to T4	0.346780 miles
Lap	1.250000 miles
PI to PO	0.297538 miles
PO to SF	1.111553 miles
SF to PI	1.089583 miles
PO to T2	0.287879 miles
T3 to PI	0.346780 miles
PO to PI	0.951136 miles

Color Legend	
<span style="display:inline-block; width:15px; height:15px; background-color:purple; border:1px solid black;"></span>	Fastest Lap
<span style="display:inline-block; width:15px; height:15px; background-color:yellow; border:1px solid black;"></span>	Section Under Caution
<span style="display:inline-block; width:15px; height:15px; background-color:lightgreen; border:1px solid black;"></span>	Section Under Green
<span style="border:1px solid black; padding:2px;">T</span>	Section Time Data
<span style="border:1px solid black; padding:2px;">S</span>	Section Speed Data

