

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 11 - Serravalle, Antonio (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	SF to PI	
1	T	4.4012	3.6595	4.2656	3.9161	3.6550	4.6814	4.0740	3.6538	32.3066	51.9153	
	S	131.834	118.496	122.119	145.379	155.951	141.129	144.263	158.055	139.290	77.079	
2	T	3.5249	3.2538	4.1985	3.9278	3.6352	4.4724	4.0045	3.6417	30.6588		
	S	164.608	133.271	124.070	144.946	156.800	147.724	146.767	158.580	146.777		
3	T	3.5247	3.0771	4.0035	3.8868	3.6271	4.3581	3.9443	3.6289	30.0505		
	S	164.617	140.924	130.113	146.475	157.150	151.599	149.007	159.139	149.748		
4	T	3.5091	3.0248	3.9898	3.8727	3.6592	4.2883	3.9158	3.6124	29.8721		
	S	165.349	143.360	130.560	147.008	155.772	154.066	150.091	159.866	150.642		
5	T	3.5111	2.9881	3.9878	3.8594	3.6418	4.2507	3.8724	3.5961	29.7074		
	S	165.255	145.121	130.626	147.515	156.516	155.429	151.773	160.591	151.477		
6	T	3.4992	2.9539	3.9314	3.8466	3.6434	4.2275	3.8584	3.5904	29.5508		
	S	165.817	146.801	132.500	148.006	156.447	156.282	152.324	160.846	152.280		
7	T	3.5076	3.0089	3.9477	3.8578	3.6575	4.2157	3.8452	3.5806	29.6210		
	S	165.420	144.118	131.953	147.576	155.844	156.719	152.847	161.286	151.919		
8	T	3.4962	3.0071	3.8679	3.8300	3.6451	4.2081	3.8366	3.5751	29.4661		
	S	165.959	144.204	134.675	148.647	156.374	157.002	153.190	161.534	152.718		
9	T	3.4920	2.9755	3.9421	3.8514	3.6595	4.2217	3.8367	3.5749	29.5538		
	S	166.159	145.736	132.140	147.821	155.759	156.497	153.186	161.543	152.265		
10	T	3.4916	2.9818	3.9277	3.8519	3.6668	4.2612	3.9070	3.6092	29.6972		
	S	166.178	145.428	132.624	147.802	155.449	155.046	150.429	160.008	151.529		
11	T	3.5034	2.9816	3.9180	3.8468	3.6663	4.2337	3.8454	3.5816	29.5768		
	S	165.618	145.437	132.953	147.998	155.470	156.053	152.839	161.241	152.146		
12	T	3.5019	2.9702	3.9147	3.8364	3.6539	4.2141	3.8412	3.5759	29.5083		
	S	165.689	145.996	133.065	148.399	155.998	156.779	153.006	161.498	152.499		
13	T	3.4917	2.9698	3.9096	3.8402	3.6649	4.2116	3.8432	3.5733	29.5043		
	S	166.173	146.015	133.238	148.252	155.529	156.872	152.927	161.615	152.520		
14	T	3.5011	2.9647	3.9234	3.8543	3.6746	4.2094	3.8434	3.5818	29.5527		
	S	165.727	146.267	132.770	147.710	155.119	156.954	152.919	161.232	152.270		
15	T	3.4998	2.9605	3.9462	3.8705	3.6845	4.2352	3.8519	3.5886	29.6372		
	S	165.789	146.474	132.003	147.092	154.702	155.998	152.581	160.926	151.836		
16	T	3.5017	2.9278	3.9063	3.8593	3.8049	6.6752	7.0748	8.0341	39.7841		
	S	165.699	148.110	133.351	147.519	149.807	98.976	83.073	71.881	113.111		
17	T				9.6280	9.5730				514.5219		73.3067
	S				59.132	59.542				8.746		53.508

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 17 - DeFrancesco, Devlin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.3331	3.5541	4.2758	3.8832	3.5752	4.3995	3.8995	3.5600	31.4804	58.3316	
	S	133.906	122.010	121.827	146.611	159.432	150.172	150.719	162.219	142.946	68.601	
2	T	3.4266	3.1766	3.9124	3.7953	3.5705	4.3141	3.9222	3.5406	29.6583		
	S	169.330	136.510	133.143	150.006	159.642	153.145	149.846	163.108	151.728		
3	T	3.4380	3.2241	3.8683	3.7892	3.5579	4.2037	3.7999	3.5229	29.4040		
	S	168.769	134.498	134.661	150.248	160.207	157.167	154.669	163.927	153.040		
4	T	3.4116	3.0320	3.7626	3.7314	3.5359	4.1388	3.8284	3.5205	28.9612		
	S	170.075	143.020	138.444	152.575	161.204	159.631	153.518	164.039	155.380		
5	T	3.4050	3.0017	3.7522	3.7238	3.5180	4.1284	3.8194	3.5101	28.8586		
	S	170.404	144.464	138.828	152.886	162.024	160.033	153.879	164.525	155.933		
6	T	3.4016	3.0208	3.7677	3.7325	3.5261	4.1575	3.8421	3.5348	28.9831		
	S	170.575	143.550	138.257	152.530	161.652	158.913	152.970	163.376	155.263		
7	T	3.4227	3.0378	3.7441	3.7336	3.5359	4.1164	3.7760	3.5173	28.8838		
	S	169.523	142.747	139.128	152.485	161.204	160.500	155.648	164.188	155.797		
8	T	3.4125	2.9635	3.8377	3.7855	3.5655	4.0859	3.7414	3.4981	28.8901		
	S	170.030	146.326	135.735	150.394	159.865	161.698	157.088	165.090	155.763		
9	T	3.4049	2.9192	3.7958	3.7686	3.5665	4.0882	3.7531	3.4991	28.7954		
	S	170.409	148.546	137.233	151.069	159.821	161.607	156.598	165.042	156.275		
10	T	3.4095	2.9363	3.7254	3.7393	3.5637	4.1374	3.7693	3.5216	28.8025		
	S	170.180	147.681	139.826	152.253	159.946	159.685	155.925	163.988	156.236		
11	T	3.4155	2.9437	3.7498	3.7478	3.5700	4.1198	3.7432	3.5087	28.7985		
	S	169.881	147.310	138.916	151.907	159.664	160.367	157.012	164.591	156.258		
12	T	3.4106	2.9683	3.7538	3.7468	3.5535	4.1045	3.7451	3.5036	28.7862		
	S	170.125	146.089	138.768	151.948	160.405	160.965	156.932	164.830	156.325		
13	T	3.4033	2.9413	3.7062	3.7247	3.5500	4.0994	3.7463	3.4893	28.6605		
	S	170.490	147.430	140.551	152.849	160.563	161.165	156.882	165.506	157.011		
14	T	3.3960	2.9852	3.7590	3.7444	3.5601	4.1097	3.7517	3.4941	28.8002		
	S	170.856	145.262	138.577	152.045	160.108	160.762	156.656	165.279	156.249		
15	T	3.4006	2.9957	3.7563	3.7579	3.5777	4.1200	3.7403	3.4916	28.8401		
	S	170.625	144.753	138.676	151.499	159.320	160.360	157.134	165.397	156.033		
16	T	3.4025	2.9569	3.7168	3.7331	3.5515	4.0936	3.7565	3.4890	28.6999		
	S	170.530	146.652	140.150	152.505	160.496	161.394	156.456	165.520	156.795		
17	T	3.3910	2.9975	3.7871	3.7671	3.5608	4.1096	3.7684	3.4923	28.8738		
	S	171.108	144.666	137.548	151.129	160.076	160.765	155.962	165.364	155.851		
18	T	3.3894	2.9776	3.7526	3.7543	3.5697	4.1133	3.7673	3.4958	28.8200		
	S	171.189	145.633	138.813	151.644	159.677	160.621	156.008	165.198	156.142		
19	T	3.3954	2.9824	3.7280	3.7299	3.5458	4.1017	3.7716	3.4835	28.7383		
	S	170.886	145.398	139.729	152.636	160.754	161.075	155.830	165.782	156.585		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 17 - DeFrancesco, Devlin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.3883	3.0053	3.7424	3.7378	3.5563	4.1024	3.7564	3.4839	28.7728		
	S	171.244	144.291	139.191	152.314	160.279	161.048	156.460	165.763	156.398		
21	T	3.3971	3.0020	3.7495	3.7499	3.5652	4.1169	3.7571	3.4884	28.8261		
	S	170.801	144.449	138.928	151.822	159.879	160.480	156.431	165.549	156.109		
22	T	3.3889	2.9910	3.6997	3.7212	3.5408	4.0983	3.7549	3.4719	28.6667		
	S	171.214	144.980	140.798	152.993	160.981	161.209	156.523	166.335	156.977		
23	T	3.3702	2.9877	3.7757	3.7547	3.5632	4.1016	3.7712	3.4932	28.8175		
	S	172.164	145.141	137.964	151.628	159.969	161.079	155.846	165.321	156.155		
24	T	3.3911	3.0155	3.8050	3.7759	3.5761	4.1229	3.7606	3.4948	28.9419		
	S	171.103	143.802	136.901	150.777	159.392	160.247	156.286	165.246	155.484		
25	T	3.3920	3.0270	3.7551	3.7636	3.5644	4.1198	3.7959	3.5132	28.9310		
	S	171.058	143.256	138.720	151.270	159.915	160.367	154.832	164.380	155.542		
26	T	3.4059	3.0045	3.7827	3.7741	3.5705	4.1278	3.7689	3.4979	28.9323		
	S	170.359	144.329	137.708	150.849	159.642	160.057	155.941	165.099	155.536		
27	T	3.3990	2.9885	3.7444	3.7402	3.5492	4.1062	3.7781	3.5058	28.8114		
	S	170.705	145.102	139.117	152.216	160.600	160.899	155.562	164.727	156.188		
28	T	3.4044	3.0138	3.7448	3.7431	3.5403	4.1193	3.7847	3.5077	28.8581		
	S	170.435	143.884	139.102	152.098	161.003	160.387	155.290	164.638	155.935		
29	T	3.4043	3.0011	3.7612	3.7522	3.5487	4.1243	3.7623	3.4956	28.8497		
	S	170.440	144.492	138.495	151.729	160.622	160.192	156.215	165.208	155.981		
30	T	3.4045	3.0177	3.7475	3.7306	3.5393	4.1245	3.7743	3.5085	28.8469		
	S	170.430	143.698	139.002	152.608	161.049	160.185	155.718	164.600	155.996		
31	T	3.3992	3.0313	3.8278	3.7722	3.5672	4.1214	3.9024	3.7510	29.3725		
	S	170.695	143.053	136.086	150.925	159.789	160.305	150.607	153.959	153.205		
32	T	4.4246	3.8099	4.6038	6.1280	5.8968	10.0983	9.5041	9.2259	53.6914		
	S	131.137	113.818	113.148	92.904	96.663	65.425	61.839	62.596	83.812		
33	T	9.5552	5.9524	7.4017	11.1285	10.4316				88.1638	833.0954	69.9478
	S	60.724	72.851	70.377	51.159	54.642				51.041	1.286	56.078
34	T		6.9045	7.0992	7.5262	9.8319	8.2822	6.3870	10.5527	873.3483		58.4689
	S		62.805	73.376	75.645	57.975	79.771	92.019	54.725	5.153		68.440
35	T	5.8524	4.1688	6.6101	7.6440	6.8269	8.7860	6.4992	4.0974	50.4848		
	S	99.143	104.019	78.805	74.479	83.493	75.197	90.431	140.943	89.136		
36	T	3.6751	3.2759	3.9797	3.7839	3.5273	4.4261	4.0540	3.6029	30.3249		
	S	157.881	132.372	130.892	150.458	161.597	149.270	144.975	160.288	148.393		
37	T	3.4363	3.1355	4.1280	3.8453	3.5467	4.2457	3.8706	3.5145	29.7226		
	S	168.852	138.299	126.189	148.056	160.713	155.612	151.844	164.319	151.400		
38	T	3.4659	3.1347	3.8267	3.7517	3.5165	4.1890	3.8294	3.4986	29.2125		
	S	167.410	138.334	136.125	151.749	162.093	157.718	153.478	165.066	154.044		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 17 - DeFrancesco, Devlin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.3823	3.0553	3.8398	3.7664	3.5366	4.1875	3.8482	3.5289	29.1450		
	S	171.548	141.929	135.660	151.157	161.172	157.775	152.728	163.649	154.400		
40	T	3.4109	3.0166	3.7826	3.7509	3.5454	4.1015	3.7895	3.4913	28.8887		
	S	170.110	143.750	137.712	151.782	160.772	161.083	155.094	165.411	155.770		
41	T	3.3931	3.0302	3.8021	3.7553	3.5487	4.1388	3.8214	3.5388	29.0284		
	S	171.002	143.105	137.006	151.604	160.622	159.631	153.799	163.191	155.021		
42	T	3.4218	3.0301	3.7883	3.7692	3.5745	4.1247	3.7821	3.5252	29.0159		
	S	169.568	143.110	137.505	151.045	159.463	160.177	155.397	163.820	155.087		
43	T	3.4127	2.9941	3.7720	3.7627	3.5821	4.1264	3.7603	3.5061	28.9164		
	S	170.020	144.830	138.099	151.306	159.125	160.111	156.298	164.713	155.621		
44	T	3.4031	2.9745	3.7813	3.7662	3.5755	4.1154	3.7626	3.5094	28.8880		
	S	170.500	145.785	137.759	151.165	159.418	160.539	156.202	164.558	155.774		
45	T	3.4000	2.9695	3.7817	3.7755	3.5890	4.1069	3.7642	3.4936	28.8804		
	S	170.655	146.030	137.745	150.793	158.819	160.871	156.136	165.302	155.815		
46	T	3.3952	2.9663	3.7887	3.7758	3.5799	4.0990	3.7613	3.4981	28.8643		
	S	170.896	146.188	137.490	150.781	159.222	161.181	156.256	165.090	155.902		
47	T	3.3959	2.9960	3.7775	3.7574	3.5744	4.0985	3.7554	3.4990	28.8541		
	S	170.861	144.738	137.898	151.519	159.467	161.201	156.502	165.047	155.957		
48	T	3.3998	2.9626	3.7778	3.7642	3.5712	4.0993	3.7615	3.5006	28.8370		
	S	170.665	146.370	137.887	151.245	159.610	161.169	156.248	164.972	156.050		
49	T	3.4099	2.9866	3.7550	3.7547	3.5597	4.0922	3.7578	3.5072	28.8231		
	S	170.160	145.194	138.724	151.628	160.126	161.449	156.402	164.661	156.125		
50	T	3.4075	2.9746	3.7872	3.7624	3.5519	4.0835	3.7578	3.4999	28.8248		
	S	170.279	145.780	137.545	151.318	160.477	161.793	156.402	165.005	156.116		
51	T	3.4024	2.9821	3.7538	3.7436	3.5442	4.0863	3.7585	3.5015	28.7724		
	S	170.535	145.413	138.768	152.078	160.826	161.682	156.373	164.929	156.400		
52	T	3.4001	2.9960	3.7711	3.7477	3.5486	4.0878	3.7565	3.4889	28.7967		
	S	170.650	144.738	138.132	151.911	160.627	161.623	156.456	165.525	156.268		
53	T	3.3968	3.0126	3.7757	3.7649	3.5603	4.1097	3.7958	3.4920	28.9078		
	S	170.816	143.941	137.964	151.217	160.099	160.762	154.836	165.378	155.667		
54	T	3.3893	3.0215	3.8366	3.7810	3.5513	4.2586	3.8989	3.5857	29.3229		
	S	171.194	143.517	135.774	150.573	160.505	155.141	150.742	161.056	153.464		
55	T	3.4586	3.0093	3.8727	3.8038	3.6127	4.1591	3.7613	3.5344	29.2119		
	S	167.764	144.099	134.508	149.671	157.777	158.852	156.256	163.394	154.047		
56	T	3.4467	2.9828	3.7186	3.7494	3.5862	4.1398	3.7562	3.5341	28.9138		
	S	168.343	145.379	140.082	151.842	158.943	159.593	156.469	163.408	155.635		
57	T	3.4400	2.9677	3.7374	3.7626	3.5807	4.1300	3.7467	3.5169	28.8820		
	S	168.671	146.119	139.377	151.310	159.187	159.971	156.865	164.207	155.806		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 17 - DeFrancesco, Devlin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	3.4295	2.9176	3.7649	3.7686	3.6422	5.2084	4.5370	3.9491	31.2173		
	S	169.187	148.628	138.359	151.069	156.499	126.849	129.541	146.236	144.151		
59	T	3.8730	3.3744	4.1050	4.8538	7.0851	10.2928	8.7697	8.4086	50.7624		
	S	149.813	128.508	126.896	117.293	80.451	64.189	67.018	68.680	88.648		
60	T	8.5745	5.6836	7.4554	8.1095	7.7158	9.4692	9.3688	7.7108	64.0876		
	S	67.669	76.296	69.870	70.204	73.874	69.772	62.732	74.895	70.216		
61	T	8.0313	5.9677	7.7733	9.1580	7.8126	9.6138	8.8234	8.5234	65.7035		
	S	72.246	72.664	67.013	62.166	72.959	68.722	66.610	67.755	68.490		
62	T	7.7891	5.7729	7.9689	8.6194	7.7647	10.0888	9.3144	8.0142	65.3324		
	S	74.492	75.116	65.368	66.051	73.409	65.487	63.099	72.060	68.879		
63	T	9.2945										
	S	62.427										

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 2 - Robb, Sting Ray (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.4278	3.6036	4.2471	3.9287	3.5842	4.6387	4.0467	3.5958	32.0726		55.7939
	S	131.042	120.334	122.651	144.913	159.031	142.428	145.236	160.604	140.307		71.721
2	T	3.4960	3.1940	4.1955	3.8944	3.6007	4.4867	4.0270	3.6250	30.5193		
	S	165.969	135.766	124.159	146.189	158.303	147.253	145.947	159.310	147.448		
3	T	3.4832	3.0502	3.9901	3.8391	3.6078	4.2789	3.9170	3.5719	29.7382		
	S	166.579	142.167	130.550	148.295	157.991	154.405	150.045	161.679	151.321		
4	T	3.4494	3.0277	4.0305	3.8467	3.6271	4.2397	3.9027	3.5813	29.7051		
	S	168.211	143.223	129.242	148.002	157.150	155.832	150.595	161.254	151.489		
5	T	3.4780	2.9477	3.8707	3.8009	3.5973	4.1717	3.8493	3.5566	29.2722		
	S	166.828	147.110	134.577	149.785	158.452	158.372	152.684	162.374	153.729		
6	T	3.4519	2.9081	3.8297	3.7758	3.5734	4.1311	3.8324	3.5301	29.0325		
	S	168.089	149.113	136.018	150.781	159.512	159.929	153.357	163.593	154.999		
7	T	3.4332	2.9276	4.0074	3.8513	3.6056	4.1682	3.9091	3.5794	29.4818		
	S	169.005	148.120	129.987	147.825	158.087	158.505	150.348	161.340	152.637		
8	T	3.5016	3.0297	3.9268	3.8380	3.6031	4.1713	3.8884	3.5803	29.5392		
	S	165.703	143.128	132.655	148.337	158.197	158.388	151.149	161.299	152.340		
9	T	3.4649	2.8882	3.9417	3.8574	3.6401	4.1774	3.8393	3.5536	29.3626		
	S	167.459	150.141	132.153	147.591	156.589	158.156	153.082	162.511	153.256		
10	T	3.4577	2.9263	3.8834	3.8252	3.6147	4.1778	3.8339	3.5564	29.2754		
	S	167.807	148.186	134.137	148.834	157.689	158.141	153.297	162.383	153.713		
11	T	3.4591	2.8529	3.8412	3.8110	3.6236	4.1839	3.8340	3.5475	29.1532		
	S	167.739	151.998	135.611	149.388	157.302	157.911	153.293	162.791	154.357		
12	T	3.4478	2.8563	3.8494	3.8007	3.5937	4.1536	3.8266	3.5516	29.0797		
	S	168.289	151.818	135.322	149.793	158.611	159.062	153.590	162.603	154.747		
13	T	3.4558	2.9049	3.8702	3.8090	3.6080	4.1718	3.8419	3.5493	29.2109		
	S	167.900	149.278	134.595	149.467	157.982	158.369	152.978	162.708	154.052		
14	T	3.4601	2.9069	3.8787	3.8177	3.6296	4.1883	3.8742	3.5696	29.3251		
	S	167.691	149.175	134.300	149.126	157.042	157.745	151.703	161.783	153.452		
15	T	3.4767	2.9435	3.8777	3.8257	3.6303	4.2255	3.8969	3.5851	29.4614		
	S	166.890	147.320	134.335	148.814	157.012	156.356	150.819	161.083	152.742		
16	T	3.4745	2.9009	3.9342	3.8480	3.6362	4.2089	3.8711	3.5630	29.4368		
	S	166.996	149.483	132.405	147.952	156.757	156.973	151.824	162.083	152.870		
17	T	3.4572	2.9126	3.8503	3.8158	3.6095	4.1794	3.8685	3.5584	29.2517		
	S	167.832	148.883	135.291	149.200	157.917	158.081	151.926	162.292	153.837		
18	T	3.4491	2.8734	3.9674	3.8519	3.6384	4.2034	3.8531	3.5530	29.3897		
	S	168.226	150.914	131.297	147.802	156.662	157.178	152.534	162.539	153.115		
19	T	3.4526	2.8945	3.9118	3.8199	3.6212	4.2300	3.8832	3.5566	29.3698		
	S	168.055	149.814	133.164	149.040	157.406	156.190	151.351	162.374	153.219		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 2 - Robb, Sting Ray (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.4354	2.9352	4.0008	3.8666	3.6562	4.2374	3.9189	3.5776	29.6281		
	S	168.897	147.737	130.201	147.240	155.900	155.917	149.973	161.421	151.883		
21	T	3.4710	2.8970	3.9079	3.8418	3.6398	4.1876	3.9259	3.5866	29.4576		
	S	167.164	149.685	133.296	148.190	156.602	157.771	149.705	161.016	152.762		
22	T	3.4556	2.9882	3.9531	3.8294	3.6018	4.3503	3.9637	3.5890	29.7311		
	S	167.909	145.116	131.772	148.670	158.254	151.870	148.277	160.908	151.357		
23	T	3.4421	2.9839	3.9247	3.8438	3.6233	4.3078	3.9714	3.6072	29.7042		
	S	168.568	145.325	132.726	148.113	157.315	153.369	147.990	160.096	151.494		
24	T	3.4576	2.9239	3.9233	3.8391	3.6204	4.2798	3.9450	3.5908	29.5799		
	S	167.812	148.308	132.773	148.295	157.441	154.372	148.980	160.828	152.130		
25	T	3.4527	2.9231	3.9387	3.8415	3.6261	4.2381	3.9175	3.5718	29.5095		
	S	168.050	148.348	132.254	148.202	157.194	155.891	150.026	161.683	152.493		
26	T	3.4416	2.8984	3.9576	3.8517	3.6302	4.2004	3.8967	3.5666	29.4432		
	S	168.592	149.612	131.622	147.810	157.016	157.290	150.827	161.919	152.837		
27	T	3.4409	2.9098	3.9393	3.8336	3.6141	4.1823	3.8564	3.5576	29.3340		
	S	168.627	149.026	132.234	148.507	157.716	157.971	152.403	162.329	153.406		
28	T	3.4433	2.9473	3.9399	3.8406	3.6289	4.2496	3.9600	3.6084	29.6180		
	S	168.509	147.130	132.214	148.237	157.072	155.469	148.416	160.043	151.935		
29	T	3.4817	2.8887	3.8699	3.8269	3.6389	4.2042	3.8808	3.5722	29.3633		
	S	166.651	150.115	134.605	148.767	156.641	157.148	151.445	161.665	153.253		
30	T	3.4576	2.8646	3.9176	3.8353	3.6412	4.2000	3.8845	3.5637	29.3645		
	S	167.812	151.378	132.966	148.442	156.542	157.305	151.301	162.051	153.246		
31	T	3.4507	2.9447	4.4100	4.2140	3.9732	5.0228	4.7172	4.0377	32.7703		
	S	168.148	147.260	118.120	135.102	143.461	131.537	124.592	143.027	137.319		
32	T	3.8056	3.4224	4.4545	4.1484	3.8133	4.8428	4.4311	7.5462	36.4643		
	S	152.467	126.705	116.940	137.238	149.477	136.426	132.637	76.529	123.408		
33	T	9.0661	5.8525	7.6857	11.6799	10.9455				90.3663	837.6771	71.3974
	S	64.000	74.094	67.776	48.743	52.076				49.797	1.279	54.939
34	T		5.4930	5.9144	6.4382	9.5247	7.9259	7.0119	11.4843	874.3085	55.6003	
	S		78.943	88.075	88.428	59.844	83.357	83.819	50.286	5.147	71.971	
35	T	5.9959	4.4142	5.0492	5.4479	5.9909	7.6778	5.6154	3.9879	44.1792		
	S	96.771	98.237	103.167	104.502	95.144	86.051	104.663	144.813	101.858		
36	T	3.6343	3.4800	4.4455	3.9957	3.6581	4.6123	4.1402	3.6840	31.6501		
	S	159.653	124.608	117.177	142.483	155.819	143.243	141.956	156.759	142.180		
37	T	3.5234	3.1254	4.0012	3.8364	3.5785	4.2436	3.9733	3.6175	29.8993		
	S	164.678	138.746	130.188	148.399	159.285	155.689	147.919	159.641	150.505		
38	T	3.4809	3.0099	4.0384	3.8690	3.6143	4.1950	3.9191	3.5827	29.7093		
	S	166.689	144.070	128.989	147.149	157.707	157.493	149.965	161.191	151.468		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 2 - Robb, Sting Ray (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.4646	3.0270	4.0080	3.8555	3.6130	4.1939	3.9090	3.5768	29.6478		
	S	167.473	143.256	129.967	147.664	157.764	157.534	150.352	161.457	151.782		
40	T	3.4668	2.9741	4.0648	3.8722	3.6267	4.2250	3.8939	3.5893	29.7128		
	S	167.367	145.804	128.151	147.027	157.168	156.374	150.935	160.895	151.450		
41	T	3.4848	2.9985	3.9619	3.8521	3.6286	4.1880	3.8395	3.5725	29.5259		
	S	166.502	144.618	131.480	147.794	157.085	157.756	153.074	161.652	152.409		
42	T	3.4846	2.9756	3.9607	3.8612	3.6592	4.2055	3.8514	3.5786	29.5768		
	S	166.512	145.731	131.519	147.446	155.772	157.099	152.601	161.376	152.146		
43	T	3.4798	2.9248	3.9178	3.8526	3.6574	4.2088	3.8636	3.5767	29.4815		
	S	166.742	148.262	132.960	147.775	155.848	156.976	152.119	161.462	152.638		
44	T	3.4822	3.0041	3.9258	3.8552	3.6637	4.2248	3.8654	3.5819	29.6031		
	S	166.627	144.348	132.689	147.675	155.580	156.382	152.048	161.227	152.011		
45	T	3.4858	2.9298	3.8557	3.8319	3.6498	4.1983	3.8657	3.5847	29.4017		
	S	166.455	148.009	135.101	148.573	156.173	157.369	152.036	161.101	153.052		
46	T	3.5065	3.0576	3.9335	3.8600	3.6634	4.2130	3.8582	3.5821	29.6743		
	S	165.472	141.822	132.429	147.492	155.593	156.820	152.332	161.218	151.646		
47	T	3.4801	2.9182	3.9277	3.8618	3.6671	4.2034	3.8703	3.5823	29.5109		
	S	166.727	148.597	132.624	147.423	155.436	157.178	151.856	161.209	152.486		
48	T	3.4831	2.9399	3.8984	3.8417	3.6508	4.2206	3.9073	3.6081	29.5499		
	S	166.584	147.500	133.621	148.194	156.130	156.537	150.418	160.057	152.285		
49	T	3.4952	2.8898	3.9016	3.8445	3.6522	4.2212	3.9017	3.5999	29.5061		
	S	166.007	150.058	133.512	148.086	156.070	156.515	150.634	160.421	152.511		
50	T	3.4840	2.9219	4.0151	3.8723	3.6581	4.2807	3.9574	3.6253	29.8148		
	S	166.541	148.409	129.738	147.023	155.819	154.340	148.513	159.297	150.932		
51	T	3.5103	2.9653	4.0094	3.8805	4.2550				49.9612	124.9830	33.4355
	S	165.293	146.237	129.922	146.713	133.960				90.070	8.570	117.315
52	T				4.6880	3.9374	4.6202	4.1131	3.8950	141.6973	33.2400	
	S				121.442	144.766	142.999	142.892	148.267	31.758	120.385	
53	T	4.1781	3.4133	4.1062	3.9181	4.0614	5.4803	4.7374	4.0098	33.9046		
	S	138.873	127.043	126.859	145.305	140.346	120.556	124.061	144.022	132.725		
54	T	3.7552	3.3946	4.4200	4.8081	6.0117	9.4425	8.8541	8.3630	49.0492		
	S	154.513	127.743	117.853	118.408	94.815	69.969	66.379	69.054	91.745		
55	T	8.6058	5.7111	7.3801	8.0753	7.8790	9.2246	9.3747	7.7769	64.0275		
	S	67.423	75.929	70.583	70.501	72.344	71.622	62.693	74.258	70.282		
56	T	8.1266	5.8341	7.9218	9.0080	8.2031	9.2648	8.8374	8.9783	66.1741		
	S	71.399	74.328	65.756	63.201	69.486	71.311	66.505	64.322	68.002		
57	T	7.6725	5.5204	7.8766	8.9612	7.9000	9.5658	9.4032	8.2610	65.1607		
	S	75.624	78.552	66.134	63.531	72.152	69.067	62.503	69.907	69.060		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 2 - Robb, Sting Ray (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	9.0589										
	S	64.051										

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 24 - Pedersen, Benjamin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.2949	3.3977	3.9567	3.7506	3.5139	4.4235	3.9328	3.5535	30.8236		63.0238
	S	135.097	127.626	131.652	151.794	162.213	149.357	149.442	162.516	145.992		63.493
2	T	3.4729	3.0473	3.8600	3.7866	3.5760	4.1710	3.8360	3.5311	29.2809		
	S	167.073	142.302	134.951	150.351	159.396	158.399	153.214	163.547	153.684		
3	T	3.4306	2.9277	3.7109	3.7223	3.5269	4.0560	3.7308	3.4711	28.5763		
	S	169.133	148.115	140.373	152.948	161.615	162.890	157.534	166.374	157.473		
4	T	3.4204	2.9675	3.7162	3.7043	3.4840	4.1268	3.7839	3.4778	28.6809		
	S	169.637	146.129	140.173	153.691	163.605	160.095	155.323	166.053	156.899		
5	T	3.4167	2.9547	3.7635	3.7218	3.4773	4.1034	3.8334	3.4896	28.7604		
	S	169.821	146.762	138.411	152.969	163.920	161.008	153.317	165.492	156.465		
6	T	3.4053	2.9144	3.7427	3.7015	3.4763	4.0558	3.7968	3.4878	28.5806		
	S	170.389	148.791	139.180	153.807	163.967	162.898	154.795	165.577	157.449		
7	T	3.3883	2.8971	3.8853	3.7837	3.5227	4.0224	3.7226	3.4491	28.6712		
	S	171.244	149.679	134.072	150.466	161.808	164.251	157.881	167.435	156.952		
8	T	3.4067	2.9583	3.7620	3.7267	3.5021	4.0172	3.7099	3.4609	28.5438		
	S	170.319	146.583	138.466	152.767	162.759	164.463	158.421	166.864	157.652		
9	T	3.3758	2.9147	4.0793	3.8491	3.5818	4.0751	3.7292	3.4767	29.0817		
	S	171.878	148.776	127.696	147.909	159.138	162.127	157.601	166.106	154.736		
10	T	3.3924	2.8831	3.7446	3.7456	3.5527	4.0700	3.7410	3.4813	28.6107		
	S	171.037	150.406	139.109	151.997	160.441	162.330	157.104	165.886	157.284		
11	T	3.3931	2.8620	3.6796	3.7131	3.5216	4.0577	3.7556	3.4642	28.4469		
	S	171.002	151.515	141.567	153.327	161.858	162.822	156.494	166.705	158.189		
12	T	3.3794	2.8617	3.7220	3.7100	3.5040	4.0754	3.7899	3.4936	28.5360		
	S	171.695	151.531	139.954	153.455	162.671	162.115	155.077	165.302	157.696		
13	T	3.3889	2.9132	3.7846	3.7372	3.5269	4.0612	3.7354	3.4674	28.6148		
	S	171.214	148.852	137.639	152.338	161.615	162.681	157.340	166.551	157.261		
14	T	3.3759	2.8842	3.6982	3.6922	3.4847	4.0733	3.7788	3.4601	28.4474		
	S	171.873	150.349	140.855	154.195	163.572	162.198	155.533	166.903	158.187		
15	T	3.3681	2.8988	3.9417	3.7791	3.5596	4.0723	3.7360	3.4692	28.8248		
	S	172.271	149.592	132.153	150.649	160.130	162.238	157.315	166.465	156.116		
16	T	3.3829	2.8838	3.6861	3.7006	3.5022	4.0710	3.8279	3.5011	28.5556		
	S	171.518	150.370	141.317	153.845	162.755	162.290	153.538	164.948	157.587		
17	T	3.3996	2.9125	3.6887	3.7122	3.5146	4.0511	3.7319	3.4585	28.4691		
	S	170.675	148.888	141.218	153.364	162.181	163.087	157.487	166.980	158.066		
18	T	3.3756	2.8813	3.7062	3.7029	3.4883	4.1198	3.8480	3.4985	28.6206		
	S	171.889	150.500	140.551	153.749	163.403	160.367	152.736	165.071	157.229		
19	T	3.3813	2.9315	3.8009	3.7287	3.5086	4.1048	3.8221	3.4948	28.7727		
	S	171.599	147.923	137.049	152.685	162.458	160.953	153.771	165.246	156.398		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 24 - Pedersen, Benjamin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.3898	2.8768	3.7493	3.7280	3.5272	4.0773	3.7516	3.4715	28.5715		
	S	171.169	150.736	138.935	152.714	161.601	162.039	156.660	166.355	157.500		
21	T	3.3765	2.8745	3.7041	3.7041	3.5105	4.2161	3.8972	3.5255	28.8085		
	S	171.843	150.856	140.630	153.699	162.370	156.704	150.808	163.807	156.204		
22	T	3.4015	2.8938	3.7250	3.7125	3.5013	4.0847	3.8329	3.4925	28.6442		
	S	170.580	149.850	139.841	153.352	162.797	161.745	153.337	165.354	157.100		
23	T	3.3813	2.8801	3.7401	3.7283	3.5234	4.0758	3.8273	3.4974	28.6537		
	S	171.599	150.563	139.277	152.702	161.776	162.099	153.562	165.123	157.048		
24	T	3.3874	2.9154	3.7462	3.7299	3.5180	4.0881	3.8258	3.5082	28.7190		
	S	171.290	148.740	139.050	152.636	162.024	161.611	153.622	164.614	156.691		
25	T	3.3964	2.8637	3.7601	3.7418	3.5364	4.0583	3.7439	3.4713	28.5719		
	S	170.836	151.425	138.536	152.151	161.181	162.798	156.983	166.364	157.497		
26	T	3.3795	2.8758	3.7757	3.7565	3.5373	4.1489	3.8045	3.5064	28.7846		
	S	171.690	150.788	137.964	151.555	161.140	159.243	154.482	164.699	156.334		
27	T	3.3979	2.9353	3.7334	3.7123	3.4852	4.3002	3.9373	3.5562	29.0578		
	S	170.761	147.732	139.527	153.360	163.549	153.640	149.272	162.392	154.864		
28	T	3.4281	2.8713	3.7770	3.7450	3.5334	4.0767	3.7585	3.4811	28.6711		
	S	169.256	151.024	137.916	152.021	161.318	162.063	156.373	165.896	156.952		
29	T	3.4025	2.8900	3.7528	3.7315	3.5367	4.0745	3.7562	3.4788	28.6230		
	S	170.530	150.047	138.805	152.571	161.167	162.150	156.469	166.006	157.216		
30	T	3.3984	2.8614	3.7584	3.7393	3.5324	4.0849	3.7649	3.4876	28.6273		
	S	170.735	151.547	138.599	152.253	161.363	161.738	156.107	165.587	157.193		
31	T	3.3891	2.8574	3.7148	3.7247	3.5314	4.0861	3.8024	3.5153	28.6212		
	S	171.204	151.759	140.225	152.849	161.409	161.690	154.567	164.282	157.226		
32	T	3.5565	3.5345	5.3080	7.7717	8.6001	10.7412	9.3768	8.3765	57.2653		
	S	163.146	122.687	98.137	73.255	66.278	61.509	62.679	68.943	78.582		
33	T	8.2456	6.2708	8.6373	9.9527	10.1938			86.2037	829.4881		68.6324
	S	70.368	69.152	60.309	57.202	55.916			52.202	1.291		57.152
34	T		8.6227	7.4776	10.1177	8.1359	6.8288	8.1973	7.8652	871.7491		59.8323
	S		50.290	69.663	56.270	70.060	96.749	71.698	73.425	5.162		66.880
35	T	7.4838	5.8161	6.9495	8.0352	7.9369	10.0642	6.8414	4.1273	57.2544		
	S	77.531	74.558	74.956	70.853	71.816	65.647	85.907	139.922	78.597		
36	T	3.7139	3.3140	3.9486	3.7782	3.6081	4.3420	3.9036	3.5579	30.1663		
	S	156.231	130.850	131.922	150.685	157.978	152.161	150.560	162.315	149.173		
37	T	3.4566	2.9698	3.8148	3.7619	3.5356	4.1131	3.8247	3.5205	28.9970		
	S	167.861	146.015	136.550	151.338	161.217	160.629	153.666	164.039	155.188		
38	T	3.4385	2.9189	3.7702	3.7427	3.5352	4.0705	3.7710	3.4998	28.7468		
	S	168.744	148.562	138.165	152.114	161.236	162.310	155.854	165.009	156.539		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 24 - Pedersen, Benjamin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.4216	2.9190	3.7461	3.7390	3.5713	4.0882	3.7561	3.4972	28.7385		
	S	169.578	148.556	139.054	152.265	159.606	161.607	156.473	165.132	156.584		
40	T	3.4310	2.9053	3.7831	3.7219	3.5425	4.0785	3.7568	3.4652	28.6843		
	S	169.113	149.257	137.694	152.964	160.903	161.991	156.444	166.657	156.880		
41	T	3.3962	3.0001	3.9292	3.7592	3.5434	4.0998	3.8005	3.4682	28.9966		
	S	170.846	144.541	132.574	151.447	160.862	161.150	154.645	166.513	155.191		
42	T	3.4750	3.0239	3.8431	3.7591	3.5279	4.0739	3.8056	3.4759	28.9844		
	S	166.972	143.403	135.544	151.451	161.569	162.174	154.437	166.144	155.256		
43	T	3.3940	2.9439	3.8125	3.7494	3.5298	4.0672	3.7656	3.4580	28.7204		
	S	170.957	147.300	136.632	151.842	161.482	162.441	156.078	167.004	156.683		
44	T	3.3982	3.0109	3.8885	3.7757	3.5573	4.0900	3.7529	3.4869	28.9604		
	S	170.745	144.022	133.961	150.785	160.234	161.536	156.606	165.620	155.385		
45	T	3.3950	2.9071	3.7885	3.7818	3.5775	4.0854	3.7688	3.4870	28.7911		
	S	170.906	149.165	137.497	150.542	159.329	161.718	155.945	165.615	156.298		
46	T	3.4023	2.8989	3.7619	3.7606	3.5701	4.0885	3.7608	3.4950	28.7381		
	S	170.540	149.587	138.470	151.390	159.659	161.595	156.277	165.236	156.587		
47	T	3.4098	2.8769	3.7306	3.7501	3.5526	4.0703	3.7528	3.4920	28.6351		
	S	170.165	150.730	139.631	151.814	160.446	162.318	156.610	165.378	157.150		
48	T	3.4057	2.8992	3.7568	3.7533	3.5633	4.0943	3.7607	3.4989	28.7322		
	S	170.369	149.571	138.658	151.685	159.964	161.366	156.281	165.052	156.619		
49	T	3.4146	2.8671	3.7225	3.7440	3.5563	4.0853	3.7706	3.5035	28.6639		
	S	169.925	151.246	139.935	152.061	160.279	161.722	155.871	164.835	156.992		
50	T	3.4302	2.8861	3.7450	3.7533	3.5524	4.0868	3.7587	3.5051	28.7176		
	S	169.153	150.250	139.095	151.685	160.455	161.662	156.365	164.760	156.698		
51	T	3.4126	2.8816	3.7660	3.7551	3.5548	4.0816	3.7656	3.4970	28.7143		
	S	170.025	150.485	138.319	151.612	160.347	161.868	156.078	165.142	156.716		
52	T	3.4175	2.8832	3.7719	3.7514	3.5535	4.0912	3.7573	3.5033	28.7293		
	S	169.781	150.401	138.103	151.762	160.405	161.489	156.423	164.845	156.635		
53	T	3.4195	2.8728	3.7149	3.7415	3.5584	4.0996	3.7612	3.5015	28.6694		
	S	169.682	150.946	140.222	152.163	160.184	161.158	156.261	164.929	156.962		
54	T	3.4186	2.8914	3.7202	3.7397	3.5643	4.0945	3.7660	3.4966	28.6913		
	S	169.727	149.975	140.022	152.236	159.919	161.358	156.061	165.160	156.842		
55	T	3.4110	2.8667	3.7731	3.7639	3.5747	4.0977	3.7705	3.5023	28.7599		
	S	170.105	151.267	138.059	151.258	159.454	161.232	155.875	164.892	156.468		
56	T	3.4200	2.8853	3.7227	3.7467	3.5621	4.0947	3.7647	3.4977	28.6939		
	S	169.657	150.292	139.928	151.952	160.018	161.350	156.115	165.108	156.828		
57	T	3.4133	2.8936	3.7301	3.7471	3.5590	4.0951	3.7622	3.5018	28.7022		
	S	169.990	149.861	139.650	151.936	160.157	161.335	156.219	164.915	156.782		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 24 - Pedersen, Benjamin (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	3.4215	2.9003	3.7607	3.7623	3.5756	4.1132	3.9877	4.3066	29.8279		
	S	169.583	149.514	138.514	151.322	159.414	160.625	147.385	134.097	150.865		
59	T	5.1600	4.2787	5.4488	5.7302	8.7318	10.2531	8.7388	8.4722	56.8136		
	S	112.447	101.348	95.601	99.354	65.279	64.437	67.255	68.164	79.206		
60	T	8.2476	5.9140	7.4518	8.2263	7.8159	9.5444	8.9112	7.8123	63.9235		
	S	70.351	73.324	69.904	69.207	72.928	69.222	65.954	73.922	70.397		
61	T	8.0826	6.0414	7.9477	8.5936	7.8794	9.9026	8.5845	8.5675	65.5993		
	S	71.787	71.777	65.542	66.249	72.341	66.718	68.464	67.406	68.598		
62	T	7.7900	6.0149	8.0293	8.3083	7.9667	10.0139	8.5596	8.6495	65.3322		
	S	74.484	72.094	64.876	68.524	71.548	65.976	68.663	66.767	68.879		
63	T	8.6644										
	S	66.967										

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 26 - Lundqvist, Linus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.3087	3.4471	4.0665	3.7942	3.5845	4.4019	3.9758	3.5758	31.1545		61.1861
	S	134.664	125.797	128.098	150.050	159.018	150.090	147.826	161.502	144.441		65.400
2	T	3.4536	2.9431	4.1081	3.8497	3.6240	4.1402	3.8166	3.5191	29.4544		
	S	168.007	147.340	126.800	147.886	157.285	159.577	153.992	164.104	152.779		
3	T	3.4352	2.9514	3.7310	3.7412	3.5594	4.0901	3.7575	3.5011	28.7669		
	S	168.906	146.926	139.616	152.175	160.139	161.532	156.414	164.948	156.430		
4	T	3.4250	2.9189	3.7474	3.7453	3.5653	4.0975	3.7788	3.5009	28.7791		
	S	169.409	148.562	139.005	152.009	159.874	161.240	155.533	164.958	156.363		
5	T	3.4177	2.8672	3.8078	3.7501	3.5633	4.0983	3.7907	3.5068	28.8019		
	S	169.771	151.240	136.801	151.814	159.964	161.209	155.045	164.680	156.240		
6	T	3.4255	2.8829	3.7008	3.7303	3.5557	4.0863	3.8027	3.5116	28.6958		
	S	169.385	150.417	140.756	152.620	160.306	161.682	154.555	164.455	156.817		
7	T	3.4281	2.8833	3.7086	3.7283	3.5465	4.0660	3.7621	3.4931	28.6160		
	S	169.256	150.396	140.460	152.702	160.722	162.489	156.223	165.326	157.255		
8	T	3.4148	2.9054	3.7315	3.7406	3.5539	4.0796	3.7517	3.5008	28.6783		
	S	169.915	149.252	139.598	152.200	160.387	161.948	156.656	164.962	156.913		
9	T	3.4161	2.8535	3.7308	3.7422	3.5553	4.0827	3.7622	3.4934	28.6362		
	S	169.851	151.966	139.624	152.135	160.324	161.825	156.219	165.312	157.144		
10	T	3.4128	2.8711	3.7180	3.7350	3.5624	4.0960	3.7773	3.4952	28.6678		
	S	170.015	151.035	140.105	152.428	160.004	161.299	155.595	165.227	156.971		
11	T	3.4186	2.8508	3.7049	3.7326	3.5578	4.1089	3.7739	3.5032	28.6507		
	S	169.727	152.110	140.600	152.526	160.211	160.793	155.735	164.849	157.064		
12	T	3.4185	2.8607	3.7282	3.7381	3.5594	4.1096	3.7832	3.5070	28.7047		
	S	169.732	151.584	139.721	152.301	160.139	160.765	155.352	164.671	156.769		
13	T	3.4267	2.8479	3.7282	3.7327	3.5598	4.1105	3.7846	3.5053	28.6957		
	S	169.325	152.265	139.721	152.522	160.121	160.730	155.294	164.751	156.818		
14	T	3.4172	2.8567	3.7505	3.7336	3.5623	4.1197	3.7787	3.5045	28.7232		
	S	169.796	151.796	138.891	152.485	160.009	160.371	155.537	164.788	156.668		
15	T	3.4307	2.8194	3.7131	3.7447	3.5743	4.1168	3.7758	3.5072	28.6820		
	S	169.128	153.804	140.290	152.033	159.472	160.484	155.656	164.661	156.893		
16	T	3.4329	2.8340	3.6999	3.7406	3.5725	4.1227	3.7756	3.5081	28.6863		
	S	169.020	153.012	140.790	152.200	159.552	160.255	155.665	164.619	156.869		
17	T	3.4255	2.8057	3.8092	3.7703	3.5857	4.1282	3.7849	3.5089	28.8184		
	S	169.385	154.555	136.750	151.001	158.965	160.041	155.282	164.581	156.150		
18	T	3.4374	2.8456	3.6837	3.7409	3.5825	4.1252	3.7932	3.5138	28.7223		
	S	168.798	152.388	141.409	152.187	159.107	160.158	154.942	164.352	156.673		
19	T	3.4358	2.8627	3.6675	3.7315	3.5768	4.1381	3.7758	3.5032	28.6914		
	S	168.877	151.478	142.034	152.571	159.360	159.658	155.656	164.849	156.841		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 26 - Lundqvist, Linus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.4316	2.8390	3.7011	3.7398	3.5798	4.1271	3.7877	3.5049	28.7110		
	S	169.084	152.743	140.744	152.232	159.227	160.084	155.167	164.769	156.734		
21	T	3.4374	2.8532	3.6761	3.7274	3.5824	4.1322	3.7988	3.5103	28.7178		
	S	168.798	151.982	141.702	152.739	159.111	159.886	154.714	164.516	156.697		
22	T	3.4338	2.8430	3.6920	3.7357	3.5813	4.1238	3.7806	3.5045	28.6947		
	S	168.975	152.528	141.091	152.399	159.160	160.212	155.459	164.788	156.823		
23	T	3.4171	2.8148	3.7179	3.7539	3.5971	4.1444	3.7754	3.5090	28.7296		
	S	169.801	154.056	140.108	151.660	158.461	159.416	155.673	164.577	156.633		
24	T	3.4277	2.8643	3.6980	3.7443	3.5830	4.1195	3.7916	3.5143	28.7427		
	S	169.276	151.393	140.862	152.049	159.085	160.379	155.008	164.329	156.561		
25	T	3.4312	2.8555	3.7132	3.7511	3.5875	4.1251	3.7839	3.5185	28.7660		
	S	169.103	151.860	140.286	151.774	158.885	160.161	155.323	164.132	156.435		
26	T	3.4991	2.9260	3.7045	3.7506	3.5860	4.1296	3.8011	3.5098	28.9067		
	S	165.822	148.201	140.615	151.794	158.951	159.987	154.620	164.539	155.673		
27	T	3.4262	2.8576	3.7046	3.7440	3.5768	4.1443	3.7788	3.5139	28.7462		
	S	169.350	151.748	140.611	152.061	159.360	159.419	155.533	164.347	156.542		
28	T	3.4382	2.8347	3.7239	3.7449	3.5615	4.1115	3.7837	3.4986	28.6970		
	S	168.759	152.974	139.883	152.025	160.045	160.691	155.331	165.066	156.811		
29	T	3.4177	2.8989	3.8000	3.7362	3.5259	4.2343	3.8695	3.4930	28.9755		
	S	169.771	149.587	137.081	152.379	161.661	156.031	151.887	165.331	155.304		
30	T	3.3817	2.9000	3.8794	3.7960	3.6103	4.1773	3.8230	3.5401	29.1078		
	S	171.579	149.530	134.276	149.978	157.882	158.160	153.735	163.131	154.598		
31	T	3.4570	2.9734	3.8087	3.7825	3.6056	4.1651	3.8386	3.6301	29.2610		
	S	167.841	145.839	136.768	150.514	158.087	158.623	153.110	159.087	153.788		
32	T	4.4872	4.1632	5.2195	5.5620	6.4692	10.9297	9.5220	8.8965	55.2493		
	S	129.307	104.159	99.801	102.359	88.110	60.448	61.723	64.913	81.449		
33	T	8.7738	5.1544	8.4966	10.7574	10.4286				86.2197	832.6518	68.1606
	S	66.132	84.129	61.308	52.923	54.657				52.192	1.286	57.548
34	T		7.0286	7.4553	8.7109	8.7734	7.0154	8.5475	7.2430	871.6885		57.0958
	S		61.696	69.871	65.357	64.969	94.176	68.760	79.732	5.162		70.086
35	T	7.1082	5.9009	7.1258	7.7370	7.2293	9.7842	6.8788	4.1495	55.9137		
	S	81.628	73.486	73.102	73.584	78.846	67.525	85.440	139.173	80.481		
36	T	3.6965	3.2755	4.1573	3.8936	3.6160	4.2437	3.9027	3.5337	30.3190		
	S	156.967	132.388	125.300	146.219	157.633	155.685	150.595	163.426	148.422		
37	T	3.4338	2.9618	4.0119	3.8074	3.5716	4.0913	3.8066	3.5037	29.1881		
	S	168.975	146.410	129.841	149.529	159.592	161.485	154.397	164.826	154.172		
38	T	3.4241	2.9441	3.8300	3.7522	3.5477	4.0870	3.7803	3.4921	28.8575		
	S	169.454	147.290	136.008	151.729	160.667	161.654	155.471	165.373	155.939		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 26 - Lundqvist, Linus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.4101	2.9138	3.8085	3.7431	3.5297	4.0632	3.7512	3.4860	28.7056		
	S	170.150	148.822	136.775	152.098	161.487	162.601	156.677	165.663	156.764		
40	T	3.4049	2.8916	3.8219	3.7528	3.5237	4.0721	3.7650	3.4865	28.7185		
	S	170.409	149.964	136.296	151.705	161.762	162.246	156.103	165.639	156.693		
41	T	3.4016	2.8942	3.7584	3.7207	3.4856	4.1046	3.8227	3.4938	28.6816		
	S	170.575	149.829	138.599	153.014	163.530	160.961	153.747	165.293	156.895		
42	T	3.4026	2.9352	3.9961	3.8225	3.5768	4.0984	3.7682	3.4929	29.0927		
	S	170.525	147.737	130.354	148.939	159.360	161.205	155.970	165.335	154.678		
43	T	3.4081	2.9635	3.8479	3.7773	3.5893	4.1223	3.7894	3.4974	28.9952		
	S	170.249	146.326	135.375	150.721	158.805	160.270	155.098	165.123	155.198		
44	T	3.4174	2.9370	3.8520	3.7664	3.5791	4.1160	3.7812	3.4972	28.9463		
	S	169.786	147.646	135.231	151.157	159.258	160.516	155.434	165.132	155.460		
45	T	3.4073	2.8936	3.7923	3.7760	3.5935	4.1145	3.8022	3.4980	28.8774		
	S	170.289	149.861	137.360	150.773	158.620	160.574	154.576	165.094	155.831		
46	T	3.4147	2.8598	3.7059	3.7399	3.5648	4.0837	3.7807	3.4943	28.6438		
	S	169.920	151.632	140.562	152.228	159.897	161.785	155.455	165.269	157.102		
47	T	3.4055	2.8599	3.7809	3.7668	3.5746	4.0948	3.7834	3.5008	28.7667		
	S	170.379	151.626	137.774	151.141	159.458	161.347	155.344	164.962	156.431		
48	T	3.4087	2.8380	3.7417	3.7512	3.5633	4.0976	3.7752	3.4952	28.6709		
	S	170.220	152.796	139.217	151.770	159.964	161.236	155.681	165.227	156.954		
49	T	3.4150	2.8890	3.8091	3.7597	3.5710	4.1019	3.7922	3.5031	28.8410		
	S	169.905	150.099	136.754	151.426	159.619	161.067	154.983	164.854	156.028		
50	T	3.4225	2.8647	3.7298	3.7415	3.5496	4.0942	3.7658	3.5033	28.6714		
	S	169.533	151.372	139.661	152.163	160.581	161.370	156.070	164.845	156.951		
51	T	3.4272	2.8750	3.7175	3.7324	3.5439	4.0757	3.7834	3.4939	28.6490		
	S	169.301	150.830	140.123	152.534	160.840	162.103	155.344	165.288	157.074		
52	T	3.4140	2.8652	3.7073	3.7360	3.5478	4.0906	3.7761	3.4942	28.6312		
	S	169.955	151.346	140.509	152.387	160.663	161.512	155.644	165.274	157.171		
53	T	3.4138	2.8528	3.7251	3.7410	3.5643	4.1011	3.7754	3.4899	28.6634		
	S	169.965	152.004	139.838	152.183	159.919	161.099	155.673	165.478	156.995		
54	T	3.4069	2.8425	3.7481	3.7555	3.5702	4.0999	3.7880	3.4916	28.7027		
	S	170.309	152.555	138.980	151.596	159.655	161.146	155.155	165.397	156.780		
55	T	3.4057	2.8759	3.7562	3.7362	3.5565	4.0969	3.7740	3.4933	28.6947		
	S	170.369	150.783	138.680	152.379	160.270	161.264	155.731	165.316	156.823		
56	T	3.4056	2.8549	3.7609	3.7513	3.5527	4.0848	3.7712	3.4870	28.6684		
	S	170.374	151.892	138.506	151.766	160.441	161.742	155.846	165.615	156.967		
57	T	3.3993	2.8482	3.7430	3.7429	3.5466	4.0784	3.7689	3.4890	28.6163		
	S	170.690	152.249	139.169	152.106	160.717	161.995	155.941	165.520	157.253		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 26 - Lundqvist, Linus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI	
58	T	3.4003	2.8711	3.7823	3.7450	3.5485	4.1010	4.4980	5.0568	31.0030			
	S	170.640	151.035	137.723	152.021	160.631	161.103	130.664	114.203	145.147			
59	T	5.2448	3.4307	5.0716	6.0963	8.1999	10.3538	8.7037	8.4712	55.5720			
	S	110.629	126.399	102.711	93.387	69.513	63.811	67.526	68.172	80.976			
60	T	8.5725	5.7043	7.4342	8.1557	7.7401	9.4584	9.3606	7.7206	64.1464			
	S	67.685	76.019	70.069	69.806	73.642	69.851	62.787	74.800	70.152			
61	T	8.0396	5.9588	7.7806	8.6590	8.1195	9.8067	8.7892	8.4669	65.6203			
	S	72.171	72.772	66.950	65.749	70.201	67.370	66.869	68.207	68.576			
62	T	7.8660	5.7868	7.9168	8.6618	7.7340	10.1001	9.2268	8.0155	65.3078			
	S	73.764	74.935	65.798	65.727	73.701	65.413	63.698	72.048	68.904			
63	T	9.5064											
	S	61.035											

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 27 - Megennis, Robert

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.3404	3.4674	4.2348	3.8467	3.5804	4.6695	4.0271	3.5614	31.7277		50.1645
	S	133.681	125.061	123.007	148.002	159.200	141.489	145.943	162.155	141.832		79.769
2	T	3.4395	3.2046	4.0498	3.8404	3.6021	4.2719	3.9166	3.5706	29.8955		
	S	168.695	135.317	128.626	148.245	158.241	154.658	150.061	161.738	150.524		
3	T	3.4449	3.0694	3.9560	3.8198	3.5869	4.1520	3.8672	3.5396	29.4358		
	S	168.431	141.277	131.676	149.044	158.912	159.124	151.977	163.154	152.875		
4	T	3.4253	2.9431	3.8593	3.7910	3.5758	4.1403	3.8210	3.5288	29.0846		
	S	169.395	147.340	134.975	150.176	159.405	159.573	153.815	163.653	154.721		
5	T	3.4215	2.8860	3.9352	3.8131	3.5848	4.1483	3.8592	3.5514	29.1995		
	S	169.583	150.255	132.372	149.306	159.005	159.266	152.293	162.612	154.112		
6	T	3.4350	2.8862	3.8560	3.7746	3.5617	4.1457	3.8321	3.5386	29.0299		
	S	168.916	150.245	135.091	150.829	160.036	159.366	153.370	163.200	155.013		
7	T	3.4368	2.8815	3.8255	3.7722	3.5632	4.1028	3.8014	3.5225	28.9059		
	S	168.828	150.490	136.168	150.925	159.969	161.032	154.608	163.946	155.678		
8	T	3.4215	2.8740	3.7964	3.7667	3.5576	4.1309	3.8600	3.5537	28.9608		
	S	169.583	150.883	137.211	151.145	160.220	159.937	152.261	162.507	155.382		
9	T	3.4316	2.8598	3.8161	3.7780	3.5718	4.1703	3.8518	3.5548	29.0342		
	S	169.084	151.632	136.503	150.693	159.583	158.425	152.585	162.456	154.990		
10	T	3.4378	2.8759	3.8502	3.7921	3.5915	4.2080	3.8726	3.5656	29.1937		
	S	168.779	150.783	135.294	150.133	158.708	157.006	151.766	161.964	154.143		
11	T	3.4441	2.8986	3.8654	3.7995	3.5988	4.1709	3.8643	3.5571	29.1987		
	S	168.470	149.602	134.762	149.840	158.386	158.403	152.092	162.351	154.116		
12	T	3.4484	2.8997	3.7756	3.7574	3.5743	4.1876	3.9150	3.5748	29.1328		
	S	168.260	149.545	137.967	151.519	159.472	157.771	150.122	161.547	154.465		
13	T	3.4503	2.8955	3.8065	3.7699	3.5824	4.1995	3.8915	3.5721	29.1677		
	S	168.167	149.762	136.847	151.017	159.111	157.324	151.028	161.670	154.280		
14	T	3.4546	2.8685	3.8401	3.7916	3.5954	4.2014	3.8720	3.5733	29.1969		
	S	167.958	151.172	135.650	150.152	158.536	157.253	151.789	161.615	154.126		
15	T	3.4578	2.8895	3.8201	3.7915	3.5984	4.2111	3.8931	3.5799	29.2414		
	S	167.802	150.073	136.360	150.156	158.404	156.891	150.966	161.317	153.891		
16	T	3.4711	2.8981	3.8212	3.7900	3.5972	4.1923	3.8609	3.5612	29.1920		
	S	167.159	149.628	136.321	150.216	158.457	157.594	152.225	162.164	154.152		
17	T	3.4452	2.8900	3.8193	3.7964	3.5957	4.2158	3.8837	3.5629	29.2090		
	S	168.416	150.047	136.389	149.963	158.523	156.716	151.332	162.087	154.062		
18	T	3.4453	2.9007	3.8276	3.7958	3.6105	4.1831	3.8740	3.5615	29.1985		
	S	168.411	149.494	136.093	149.986	157.873	157.941	151.711	162.151	154.118		
19	T	3.4509	2.8947	3.8287	3.7923	3.6027	4.1656	3.8467	3.5449	29.1265		
	S	168.138	149.804	136.054	150.125	158.215	158.604	152.787	162.910	154.498		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 27 - Megennis, Robert

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.4306	2.8651	3.8402	3.8067	3.6155	4.2318	3.8856	3.5716	29.2471		
	S	169.133	151.351	135.646	149.557	157.655	156.123	151.258	161.692	153.861		
21	T	3.4550	2.8974	3.8347	3.8050	3.6188	4.2316	3.8846	3.5610	29.2881		
	S	167.938	149.664	135.841	149.624	157.511	156.130	151.297	162.174	153.646		
22	T	3.4382	2.8609	3.8753	3.8175	3.6211	4.2162	3.8741	3.5659	29.2692		
	S	168.759	151.573	134.418	149.134	157.411	156.701	151.707	161.951	153.745		
23	T	3.4431	2.9001	3.8104	3.7966	3.6118	4.1780	3.8798	3.5670	29.1868		
	S	168.519	149.525	136.707	149.955	157.816	158.134	151.484	161.901	154.179		
24	T	3.4486	2.8895	3.8986	3.8315	3.6179	4.2559	3.9261	3.5899	29.4580		
	S	168.250	150.073	133.614	148.589	157.550	155.239	149.697	160.868	152.760		
25	T	3.4598	2.8757	3.8390	3.8127	3.6100	4.2542	3.9079	3.5870	29.3463		
	S	167.705	150.793	135.689	149.322	157.895	155.301	150.395	160.998	153.341		
26	T	3.4549	2.8748	3.8443	3.8059	3.6079	4.2180	3.9102	3.5832	29.2992		
	S	167.943	150.841	135.502	149.588	157.987	156.634	150.306	161.169	153.588		
27	T	3.4629	2.8919	3.8769	3.8007	3.6017	4.2459	3.8978	3.5848	29.3626		
	S	167.555	149.949	134.362	149.793	158.259	155.605	150.784	161.097	153.256		
28	T	3.4621	2.8860	3.8576	3.8107	3.5996	4.2377	3.8944	3.5833	29.3314		
	S	167.594	150.255	135.035	149.400	158.351	155.906	150.916	161.164	153.419		
29	T	3.4710	2.8966	3.8567	3.8096	3.6070	4.2390	3.8892	3.5819	29.3510		
	S	167.164	149.705	135.066	149.443	158.026	155.858	151.118	161.227	153.317		
30	T	3.4611	2.8912	3.8070	3.7811	3.5993	4.2457	3.9203	3.5992	29.3049		
	S	167.642	149.985	136.829	150.569	158.364	155.612	149.919	160.452	153.558		
31	T	3.4635	2.8692	3.8157	3.7912	3.9270	5.3945	4.6803	3.9208	31.8622		
	S	167.526	151.135	136.517	150.168	145.149	122.473	125.575	147.291	141.233		
32	T	3.6709	3.2935	4.2181	3.9882	3.7100	5.6424	7.6387	9.5072	41.6690		
	S	158.061	131.664	123.494	142.751	153.639	117.092	76.941	60.743	107.994		
33	T	9.0318	6.1060	7.5857	11.3328	10.5535				87.5614	834.9806	69.2306
	S	64.243	71.018	68.670	50.236	54.011				51.393	1.283	56.658
34	T		5.3393	7.2308	7.0809	11.1212	7.6727	5.7471	12.7653	875.8718		59.2220
	S		81.216	72.040	80.402	51.253	86.108	102.265	45.240	5.138		67.569
35	T	5.7088	3.8803	5.2960	6.9073	6.4078	8.6652	6.5026	4.0761	47.4441		
	S	101.637	111.753	98.359	82.423	88.954	76.245	90.383	141.680	94.848		
36	T	3.6402	3.4136	4.2068	3.8275	3.5685	4.3128	3.9616	3.6046	30.5356		
	S	159.394	127.032	123.825	148.744	159.731	153.191	148.356	160.212	147.369		
37	T	3.4845	3.0777	4.0082	3.8205	3.5304	4.2878	3.9710	3.5625	29.7426		
	S	166.517	140.896	129.961	149.017	161.455	154.084	148.005	162.105	151.298		
38	T	3.4240	3.0478	3.9539	3.8057	3.5572	4.1878	3.8685	3.5269	29.3718		
	S	169.459	142.278	131.746	149.596	160.238	157.763	151.926	163.742	153.208		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 27 - Megennis, Robert

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.4076	2.8851	3.9726	3.8173	3.5703	4.1855	3.8863	3.5350	29.2597		
	S	170.274	150.302	131.125	149.142	159.650	157.850	151.231	163.366	153.795		
40	T	3.4168	2.8965	3.8568	3.7874	3.5612	4.1533	3.8256	3.5205	29.0181		
	S	169.816	149.710	135.063	150.319	160.058	159.074	153.630	164.039	155.076		
41	T	3.4085	2.8793	3.9706	3.8349	3.6040	4.1458	3.8359	3.5306	29.2096		
	S	170.230	150.605	131.192	148.457	158.158	159.362	153.218	163.570	154.059		
42	T	3.4240	2.8948	3.8670	3.8051	3.5962	4.1481	3.8269	3.5418	29.1039		
	S	169.459	149.798	134.706	149.620	158.501	159.273	153.578	163.053	154.618		
43	T	3.4279	2.8916	3.8360	3.7919	3.5987	4.1436	3.8179	3.5302	29.0378		
	S	169.266	149.964	135.795	150.141	158.391	159.446	153.940	163.588	154.970		
44	T	3.4212	2.8755	3.8178	3.7853	3.5945	4.1453	3.8053	3.5326	28.9775		
	S	169.598	150.804	136.442	150.402	158.576	159.381	154.450	163.477	155.293		
45	T	3.4209	2.8563	3.8429	3.8018	3.6046	4.1531	3.8080	3.5289	29.0165		
	S	169.612	151.818	135.551	149.750	158.131	159.082	154.340	163.649	155.084		
46	T	3.4235	2.8634	3.8209	3.7966	3.6024	4.1355	3.8085	3.5230	28.9738		
	S	169.484	151.441	136.332	149.955	158.228	159.759	154.320	163.923	155.313		
47	T	3.4151	2.8753	3.8042	3.7904	3.5912	4.1275	3.8148	3.5398	28.9583		
	S	169.901	150.814	136.930	150.200	158.721	160.068	154.065	163.145	155.396		
48	T	3.4259	2.9263	3.8611	3.8073	3.6013	4.1349	3.8421	3.5569	29.1558		
	S	169.365	148.186	134.912	149.533	158.276	159.782	152.970	162.360	154.343		
49	T	3.4448	2.8382	3.8531	3.8025	3.5973	4.1401	3.8288	3.5522	29.0570		
	S	168.436	152.786	135.192	149.722	158.452	159.581	153.502	162.575	154.868		
50	T	3.4381	2.8431	3.8553	3.7947	3.5902	4.1430	3.8177	3.5455	29.0276		
	S	168.764	152.522	135.115	150.030	158.766	159.469	153.948	162.883	155.025		
51	T	3.4377	2.8392	3.8776	3.7990	3.5891	4.1249	3.8206	3.5398	29.0279		
	S	168.784	152.732	134.338	149.860	158.814	160.169	153.831	163.145	155.023		
52	T	3.4352	2.8259	3.8248	3.7760	3.5809	4.1549	3.8128	3.5382	28.9487		
	S	168.906	153.451	136.193	150.773	159.178	159.013	154.146	163.219	155.447		
53	T	3.4321	2.8608	3.8121	3.7882	3.5994	4.1589	3.8254	3.5380	29.0149		
	S	169.059	151.579	136.646	150.287	158.360	158.860	153.638	163.228	155.093		
54	T	3.4302	2.8681	3.8405	3.7970	3.6021	4.2082	3.8477	3.5639	29.1577		
	S	169.153	151.193	135.636	149.939	158.241	156.999	152.748	162.042	154.333		
55	T	3.4371	2.8491	3.8762	3.8087	3.6023	4.2104	3.8653	3.5527	29.2018		
	S	168.813	152.201	134.387	149.478	158.232	156.917	152.052	162.552	154.100		
56	T	3.4305	2.8329	4.0241	3.8451	3.5980	4.2917	3.9817	3.6265	29.6305		
	S	169.138	153.072	129.447	148.063	158.421	153.944	147.607	159.244	151.871		
57	T	3.4915	2.9303	3.9255	3.8213	3.5914	4.3917	3.9426	3.5578	29.6521		
	S	166.183	147.984	132.699	148.985	158.712	150.439	149.071	162.319	151.760		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 27 - Megennis, Robert

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	3.4276	2.9875	3.9428	4.0525	4.4361	5.4550	5.0658	4.6230	33.9903		
	S	169.281	145.150	132.117	140.486	128.491	121.115	116.019	124.919	132.391		
59	T	4.3206	3.5946	4.4957	4.2444	4.5236	8.0556	8.4722	7.7758	45.4825		
	S	134.293	120.635	115.868	134.134	126.006	82.015	69.371	74.269	98.939		
60	T	9.9077	4.6098	7.2405	10.3254	5.8342	9.6345	11.5088	5.8073	64.8682		
	S	58.563	94.068	71.944	55.138	97.700	68.575	51.068	99.444	69.371		
61	T	7.1050	6.3267	8.2842	9.5985	7.0290	9.2133	9.1288	9.4518	66.1373		
	S	81.665	68.541	62.880	59.313	81.093	71.710	64.382	61.099	68.040		
62	T	7.3680	5.7245	7.7084	8.5503	7.9720	9.3859	9.6588	8.6725	65.0404		
	S	78.750	75.751	67.577	66.585	71.500	70.391	60.849	66.590	69.188		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.3363	3.1075	3.8622	3.7984	3.6143	4.1907	3.8239	3.5633	30.2966		65.7986
	S	133.807	139.545	134.874	149.884	157.707	157.654	153.698	162.069	148.532		60.816
2	T	3.4650	2.9447	3.7456	3.7572	3.5937	4.1411	3.7877	3.5452	28.9802		
	S	167.454	147.260	139.072	151.527	158.611	159.543	155.167	162.896	155.278		
3	T	3.4497	2.8822	3.7647	3.7579	3.5882	4.1459	3.7821	3.5412	28.9119		
	S	168.196	150.453	138.367	151.499	158.854	159.358	155.397	163.080	155.645		
4	T	3.4453	2.8551	3.7274	3.7336	3.5743	4.1211	3.7878	3.5370	28.7816		
	S	168.411	151.881	139.751	152.485	159.472	160.317	155.163	163.274	156.350		
5	T	3.4394	2.8726	3.6965	3.7208	3.5599	4.1150	3.7728	3.5318	28.7088		
	S	168.700	150.956	140.920	153.010	160.117	160.555	155.780	163.514	156.746		
6	T	3.4379	2.8241	3.6952	3.7196	3.5627	4.1064	3.7636	3.5292	28.6387		
	S	168.774	153.549	140.969	153.059	159.991	160.891	156.161	163.635	157.130		
7	T	3.4354	2.8198	3.6690	3.7066	3.5550	4.1031	3.7528	3.5233	28.5650		
	S	168.897	153.783	141.976	153.596	160.338	161.020	156.610	163.909	157.535		
8	T	3.4308	2.8060	3.6439	3.6991	3.5431	4.0920	3.7692	3.5245	28.5086		
	S	169.123	154.539	142.954	153.907	160.876	161.457	155.929	163.853	157.847		
9	T	3.4312	2.8396	3.6831	3.7165	3.5565	4.1074	3.7581	3.5259	28.6183		
	S	169.103	152.710	141.432	153.187	160.270	160.852	156.389	163.788	157.242		
10	T	3.4321	2.8445	3.6920	3.7173	3.5730	4.1250	3.7624	3.5280	28.6743		
	S	169.059	152.447	141.091	153.154	159.530	160.165	156.211	163.690	156.935		
11	T	3.4352	2.8637	3.6594	3.7073	3.5615	4.1229	3.7684	3.5313	28.6497		
	S	168.906	151.425	142.348	153.567	160.045	160.247	155.962	163.538	157.070		
12	T	3.4383	2.8322	3.6688	3.7183	3.5621	4.1202	3.7636	3.5286	28.6321		
	S	168.754	153.109	141.984	153.112	160.018	160.352	156.161	163.663	157.166		
13	T	3.4362	2.8331	3.6306	3.6935	3.5446	4.1091	3.7979	3.5294	28.5744		
	S	168.857	153.061	143.477	154.141	160.808	160.785	154.751	163.626	157.484		
14	T	3.4350	2.8371	3.6443	3.7022	3.5517	4.1026	3.7631	3.5243	28.5603		
	S	168.916	152.845	142.938	153.778	160.487	161.040	156.182	163.862	157.561		
15	T	3.4364	2.8720	3.6337	3.7040	3.5570	4.1144	3.7687	3.5235	28.6097		
	S	168.847	150.988	143.355	153.704	160.247	160.578	155.950	163.900	157.289		
16	T	3.4357	2.8322	3.6542	3.7164	3.5625	4.1205	3.7579	3.5216	28.6010		
	S	168.882	153.109	142.551	153.191	160.000	160.340	156.398	163.988	157.337		
17	T	3.4263	2.8338	3.6686	3.7196	3.5605	4.1215	3.7506	3.5199	28.6008		
	S	169.345	153.023	141.991	153.059	160.090	160.301	156.702	164.067	157.338		
18	T	3.4346	2.8446	3.6405	3.7144	3.5695	4.1249	3.7651	3.5149	28.6085		
	S	168.936	152.442	143.087	153.273	159.686	160.169	156.099	164.301	157.296		
19	T	3.4237	2.8294	3.6671	3.7187	3.5724	4.1298	3.7574	3.5202	28.6187		
	S	169.474	153.261	142.049	153.096	159.557	159.979	156.419	164.053	157.240		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.4317	2.8373	3.6786	3.7269	3.5753	4.1251	3.7639	3.5226	28.6614		
	S	169.079	152.834	141.605	152.759	159.427	160.161	156.148	163.941	157.006		
21	T	3.4273	2.8176	3.6560	3.7181	3.5792	4.1312	3.7837	3.5137	28.6268		
	S	169.296	153.903	142.481	153.121	159.253	159.925	155.331	164.357	157.195		
22	T	3.4167	2.8028	3.7075	3.7347	3.5836	4.1244	3.7539	3.5049	28.6285		
	S	169.821	154.715	140.501	152.440	159.058	160.189	156.564	164.769	157.186		
23	T	3.4036	2.8616	3.6770	3.7196	3.5771	4.1258	3.7909	3.5192	28.6748		
	S	170.475	151.536	141.667	153.059	159.347	160.134	155.036	164.100	156.932		
24	T	3.4152	2.8625	3.6832	3.7306	3.5703	4.1110	3.7639	3.5145	28.6512		
	S	169.896	151.489	141.428	152.608	159.650	160.711	156.148	164.319	157.061		
25	T	3.4121	2.8973	3.6716	3.7264	3.5676	4.1187	3.7544	3.5066	28.6547		
	S	170.050	149.669	141.875	152.780	159.771	160.410	156.544	164.689	157.042		
26	T	3.4077	2.9081	3.7131	3.7236	3.5369	4.1350	3.8127	3.4826	28.7197		
	S	170.269	149.113	140.290	152.895	161.158	159.778	154.150	165.824	156.687		
27	T	3.3595	2.9238	3.8082	3.7660	3.5905	4.1379	3.7788	3.5373	28.9020		
	S	172.712	148.313	136.786	151.173	158.752	159.666	155.533	163.260	155.699		
28	T	3.4379	2.8629	3.6639	3.7199	3.5597	4.1207	3.7579	3.5196	28.6425		
	S	168.774	151.468	142.173	153.047	160.126	160.332	156.398	164.081	157.109		
29	T	3.4286	2.8446	3.6600	3.7134	3.5574	4.1106	3.7668	3.5215	28.6029		
	S	169.232	152.442	142.325	153.315	160.229	160.726	156.028	163.993	157.327		
30	T	3.4309	2.8418	3.6872	3.7184	3.5666	4.1249	3.7752	3.5273	28.6723		
	S	169.118	152.592	141.275	153.108	159.816	160.169	155.681	163.723	156.946		
31	T	3.4260	2.8396	3.6792	3.7204	3.5662	4.1246	3.7972	3.5167	28.6699		
	S	169.360	152.710	141.582	153.026	159.834	160.181	154.779	164.216	156.959		
32	T	3.5063	3.5161	5.0891	7.2249	9.1876	10.9318	9.2459	8.2137	56.9154		
	S	165.481	123.329	102.358	78.799	62.040	60.437	63.566	70.309	79.065		
33	T	8.3666	6.6834	8.4964	9.6479	9.8878				84.1896	826.9557	67.6820
	S	69.350	64.883	61.309	59.010	57.647				53.451	1.295	57.955
34	T		9.2110	7.7142	7.7959	8.1541	10.2562	8.8204	7.2334	872.5180		
	S		47.078	67.526	73.028	69.903	64.418	66.633	79.838	5.157	62.0699	64.469
35	T	7.6554	6.4940	7.8976	8.2027	8.2758	10.1431	6.8495	4.1998	59.7179		
	S	75.793	66.775	65.958	69.406	68.876	65.136	85.806	137.507	75.354		
36	T	3.7366	3.0564	3.8084	3.7672	3.5993	4.1759	3.7979	3.5575	29.4992		
	S	155.282	141.878	136.779	151.125	158.364	158.213	154.751	162.333	152.547		
37	T	3.4621	2.9351	3.7413	3.7401	3.5712	4.1446	3.7984	3.5481	28.9409		
	S	167.594	147.742	139.232	152.220	159.610	159.408	154.730	162.763	155.489		
38	T	3.4553	2.8905	3.7330	3.7244	3.5639	4.1265	3.8025	3.5392	28.8353		
	S	167.924	150.021	139.542	152.862	159.937	160.107	154.563	163.172	156.059		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.4478	2.9360	3.7309	3.7239	3.5717	4.1287	3.8182	3.5663	28.9235		
	S	168.289	147.696	139.620	152.882	159.588	160.022	153.928	161.933	155.583		
40	T	3.4596	2.8878	3.8001	3.7866	3.5976	4.1285	3.8059	3.5548	29.0209		
	S	167.715	150.161	137.078	150.351	158.439	160.030	154.425	162.456	155.061		
41	T	3.4478	2.9937	3.7796	3.7828	3.5927	4.2214	3.9184	3.5351	29.2715		
	S	168.289	144.850	137.821	150.502	158.655	156.508	149.992	163.362	153.733		
42	T	3.4026	2.9465	3.7919	3.7478	3.5461	4.1214	3.7869	3.5035	28.8467		
	S	170.525	147.170	137.374	151.907	160.740	160.305	155.200	164.835	155.997		
43	T	3.3940	2.9333	3.7442	3.7319	3.5516	4.1155	3.7854	3.5125	28.7684		
	S	170.957	147.832	139.124	152.555	160.491	160.535	155.262	164.413	156.422		
44	T	3.4045	2.8597	3.7092	3.7163	3.5476	4.1030	3.7693	3.5022	28.6118		
	S	170.430	151.637	140.437	153.195	160.672	161.024	155.925	164.896	157.278		
45	T	3.3971	2.8629	3.7108	3.7264	3.5486	4.0936	3.7592	3.4976	28.5962		
	S	170.801	151.468	140.376	152.780	160.627	161.394	156.344	165.113	157.364		
46	T	3.3980	2.8580	3.6990	3.7141	3.5369	4.0836	3.7659	3.4988	28.5543		
	S	170.756	151.727	140.824	153.286	161.158	161.789	156.066	165.057	157.594		
47	T	3.3921	2.8640	3.7079	3.7169	3.5237	4.0863	3.7724	3.4973	28.5606		
	S	171.053	151.409	140.486	153.170	161.762	161.682	155.797	165.127	157.560		
48	T	3.3881	2.8549	3.7200	3.7106	3.5188	4.0809	3.7702	3.4878	28.5313		
	S	171.254	151.892	140.029	153.430	161.987	161.896	155.888	165.577	157.722		
49	T	3.3870	2.8455	3.6779	3.6880	3.4935	4.0726	3.8018	3.4854	28.4517		
	S	171.310	152.394	141.632	154.370	163.160	162.226	154.592	165.691	158.163		
50	T	3.3770	2.8787	3.7253	3.6926	3.4806	4.1042	3.8286	3.4973	28.5843		
	S	171.817	150.636	139.830	154.178	163.765	160.977	153.510	165.127	157.429		
51	T	3.3806	2.8488	3.7426	3.7057	3.4857	4.0774	3.7928	3.4813	28.5149		
	S	171.634	152.217	139.184	153.633	163.525	162.035	154.959	165.886	157.812		
52	T	3.3772	2.8442	3.7722	3.7149	3.4939	4.1549	3.8303	3.5000	28.6876		
	S	171.807	152.463	138.092	153.253	163.141	159.013	153.442	165.000	156.862		
53	T	3.3861	2.8270	3.7292	3.7096	3.5028	4.0769	3.7860	3.4759	28.4935		
	S	171.356	153.391	139.684	153.472	162.727	162.055	155.237	166.144	157.931		
54	T	3.3696	2.8122	3.7273	3.7072	3.4978	4.0769	3.7691	3.4703	28.4304		
	S	172.195	154.198	139.755	153.571	162.960	162.055	155.933	166.412	158.281		
55	T	3.4084	2.9234	3.7120	3.7043	3.4945	4.0635	3.8364	3.4960	28.6385		
	S	170.235	148.333	140.331	153.691	163.113	162.589	153.198	165.189	157.131		
56	T	3.3769	3.0137	3.9567	3.8042	3.5771	4.1162	3.7650	3.5105	29.1203		
	S	171.822	143.888	131.652	149.655	159.347	160.508	156.103	164.506	154.531		
57	T	3.4017	2.8402	3.7491	3.7393	3.5447	4.0961	3.7505	3.4980	28.6196		
	S	170.570	152.678	138.942	152.253	160.803	161.295	156.706	165.094	157.235		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	3.4001	2.8437	3.7068	3.7096	3.5255	4.0707	3.7602	3.7410	28.7576		
	S	170.650	152.490	140.528	153.472	161.679	162.302	156.302	154.370	156.480		
59	T	4.9680	4.7551	5.9231	7.1011	8.8332	10.3564	8.6470	8.4476	59.0315		
	S	116.793	91.194	87.945	80.173	64.529	63.795	67.969	68.363	76.230		
60	T	8.1286	5.9897	7.3912	8.1045	7.8601	9.7717	8.3599	8.0836	63.6893		
	S	71.381	72.397	70.477	70.247	72.518	67.612	70.303	71.441	70.656		
61	T	8.1200	6.1376	7.9315	8.3045	8.1755	9.7419	8.3781	8.3244	65.1135		
	S	71.457	70.652	65.676	68.555	69.721	67.819	70.150	69.374	69.110		
62	T	8.0232	6.2869	8.0105	8.1649	8.1424	10.1176	8.4046	8.4454	65.5955		
	S	72.319	68.975	65.028	69.728	70.004	65.300	69.929	68.380	68.602		
63	T	8.3291										
	S	69.663										

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 5 - Peroni, Alex (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.3809	3.4888	4.2983	4.0456	3.6681	4.5724	4.0648	3.6341	32.1530		55.7094
	S	132.445	124.294	121.190	140.725	155.394	144.493	144.589	158.911	139.956		71.830
2	T	3.4835	3.1477	4.0152	3.8751	3.6164	4.4111	3.9248	3.5176	29.9914		
	S	166.564	137.763	129.734	146.917	157.615	149.777	149.747	164.174	150.043		
3	T	3.4205	3.2279	4.0289	3.8609	3.6022	4.2375	3.9091	3.5727	29.8597		
	S	169.632	134.340	129.293	147.457	158.237	155.913	150.348	161.642	150.705		
4	T	3.4606	3.0156	3.8661	3.7839	3.5758	4.1682	3.8884	3.5483	29.3069		
	S	167.667	143.798	134.738	150.458	159.405	158.505	151.149	162.754	153.547		
5	T	3.4475	2.9755	3.8320	3.7613	3.5529	4.3560	3.9093	3.5614	29.3959		
	S	168.304	145.736	135.937	151.362	160.432	151.672	150.341	162.155	153.083		
6	T	3.4439	2.9841	3.8844	3.7891	3.5773	4.1092	3.8696	3.5403	29.1979		
	S	168.480	145.316	134.103	150.252	159.338	160.781	151.883	163.122	154.121		
7	T	3.4729	3.1026	3.8261	3.7750	3.5499	4.2138	3.8582	3.5414	29.3399		
	S	167.073	139.765	136.146	150.813	160.568	156.790	152.332	163.071	153.375		
8	T	3.4248	2.9691	3.9528	3.8356	3.6006	4.0962	3.7638	3.5017	29.1446		
	S	169.419	146.050	131.782	148.430	158.307	161.291	156.153	164.920	154.403		
9	T	3.4284	2.9913	3.8521	3.8018	3.5883	4.0980	3.8507	3.5198	29.1304		
	S	169.241	144.966	135.227	149.750	158.850	161.221	152.629	164.072	154.478		
10	T	3.4300	2.9958	3.8759	3.8078	3.5893	4.1962	3.8470	3.5107	29.2527		
	S	169.162	144.748	134.397	149.514	158.805	157.448	152.775	164.497	153.832		
11	T	3.4500	3.0456	3.9099	3.8181	3.5820	4.2426	3.8913	3.5531	29.4926		
	S	168.182	142.381	133.228	149.110	159.129	155.726	151.036	162.534	152.581		
12	T	3.4579	3.0004	3.8123	3.7683	3.5769	4.1078	3.7746	3.4792	28.9774		
	S	167.798	144.526	136.639	151.081	159.356	160.836	155.706	165.986	155.293		
13	T	3.4254	3.1330	3.9568	3.8153	3.5980	4.1193	3.7887	3.4926	29.3291		
	S	169.390	138.409	131.649	149.220	158.421	160.387	155.126	165.350	153.431		
14	T	3.4844	3.0669	3.8265	3.7748	3.5798	4.1543	3.8087	3.5027	29.1981		
	S	166.521	141.392	136.132	150.821	159.227	159.036	154.312	164.873	154.120		
15	T	3.4613	3.1010	3.8917	3.8089	3.5847	4.1970	3.9231	3.5523	29.5200		
	S	167.633	139.838	133.851	149.470	159.009	157.418	149.812	162.571	152.439		
16	T	3.4376	2.9499	3.9449	3.8416	3.6055	4.1299	3.8082	3.4887	29.2063		
	S	168.788	147.000	132.046	148.198	158.092	159.975	154.332	165.534	154.076		
17	T	3.4260	3.1189	4.0448	3.8926	3.6471	4.1588	3.7908	3.5007	29.5797		
	S	169.360	139.035	128.785	146.257	156.289	158.864	155.040	164.967	152.131		
18	T	3.4651	3.0761	3.8474	3.7880	3.5686	4.2761	3.9038	3.5618	29.4869		
	S	167.449	140.970	135.392	150.295	159.727	154.506	150.553	162.137	152.610		
19	T	3.4410	3.0313	4.0130	3.8378	3.6060	4.1939	3.8792	3.5333	29.5355		
	S	168.622	143.053	129.805	148.345	158.070	157.534	151.507	163.445	152.359		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 5 - Peroni, Alex (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.5257	3.1017	3.7636	3.7594	3.5725	4.2418	3.8656	3.5345	29.3648		
	S	164.571	139.806	138.407	151.439	159.552	155.755	152.040	163.389	153.245		
21	T	3.4760	3.0567	3.7508	3.7380	3.5176	4.4259	3.9936	3.6638	29.6224		
	S	166.924	141.864	138.879	152.306	162.042	149.276	147.167	157.623	151.912		
22	T	3.5060	2.9868	3.8970	3.8482	3.6521	4.1824	3.7914	3.5498	29.4137		
	S	165.496	145.184	133.669	147.944	156.075	157.967	155.016	162.685	152.990		
23	T	3.4700	2.9001	3.7458	3.7893	3.6320	4.1719	3.7892	3.5558	29.0541		
	S	167.212	149.525	139.065	150.244	156.938	158.365	155.106	162.411	154.883		
24	T	3.4702	2.8617	3.7415	3.7798	3.6172	4.1617	3.7947	3.5521	28.9789		
	S	167.203	151.531	139.225	150.621	157.580	158.753	154.881	162.580	155.285		
25	T	3.4758	2.8456	3.7183	3.7727	3.6166	4.1576	3.8076	3.5474	28.9416		
	S	166.933	152.388	140.093	150.905	157.607	158.909	154.356	162.795	155.486		
26	T	3.4684	2.8745	3.7798	3.7880	3.6187	4.1738	3.8028	3.5589	29.0649		
	S	167.290	150.856	137.814	150.295	157.515	158.293	154.551	162.269	154.826		
27	T	3.4760	2.8489	3.7116	3.7555	3.6017	4.1571	3.7894	3.5482	28.8884		
	S	166.924	152.212	140.346	151.596	158.259	158.929	155.098	162.759	155.772		
28	T	3.4703	2.8396	3.7751	3.7917	3.6139	4.1638	3.7996	3.5534	29.0074		
	S	167.198	152.710	137.986	150.149	157.724	158.673	154.681	162.520	155.133		
29	T	3.4757	2.8422	3.7616	3.7765	3.6170	4.1620	3.7877	3.5521	28.9748		
	S	166.938	152.571	138.481	150.753	157.589	158.741	155.167	162.580	155.307		
30	T	3.5031	2.9673	3.7314	3.7687	3.6120	4.1630	3.7981	3.5466	29.0902		
	S	165.633	146.138	139.602	151.065	157.807	158.703	154.742	162.832	154.691		
31	T	3.4573	2.8776	3.7173	3.9141	4.1724	5.0741	4.6475	4.0013	31.8616		
	S	167.827	150.694	140.131	145.453	136.612	130.207	126.461	144.328	141.236		
32	T	3.8010	3.3563	4.1800	3.9914	3.7776	5.2314	6.8327	9.3438	40.5142		
	S	152.651	129.201	124.619	142.636	150.889	126.292	86.017	61.806	111.072		
33	T	9.2718	5.7958	7.5802	11.5834	10.6192				88.3718	835.6849	70.1401
	S	62.580	74.819	68.720	49.149	53.676				50.921	1.282	55.924
34	T		4.9500	6.8370	7.3209	10.7073	7.9532	5.6389	12.6651	875.0265		57.5733
	S		87.603	76.190	77.766	53.235	83.071	104.227	45.598	5.143		69.504
35	T	5.9520	3.6028	5.2360	7.0663	6.5064	8.2643	6.2443	4.0268	46.8989		
	S	97.484	120.361	99.486	80.568	87.606	79.944	94.122	143.414	95.951		
36	T	3.7078	3.4110	4.2897	3.9808	3.6582	4.2465	3.8731	3.5713	30.7384		
	S	156.488	127.129	121.433	143.016	155.814	155.583	151.746	161.706	146.397		
37	T	3.4798	3.0990	4.0070	3.8063	3.5433	4.2445	3.9559	3.5548	29.6906		
	S	166.742	139.928	130.000	149.573	160.867	155.656	148.570	162.456	151.563		
38	T	3.4754	3.0927	4.0164	3.8222	3.5836	4.1340	3.8276	3.5166	29.4685		
	S	166.953	140.213	129.696	148.950	159.058	159.817	153.550	164.221	152.705		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 5 - Peroni, Alex (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.4774	3.0369	3.8476	3.7891	3.5593	4.1365	3.8454	3.5222	29.2144		
	S	166.857	142.789	135.385	150.252	160.144	159.720	152.839	163.960	154.034		
40	T	3.4387	3.0193	3.9631	3.8259	3.6027	4.1309	3.7859	3.5194	29.2859		
	S	168.734	143.621	131.440	148.806	158.215	159.937	155.241	164.090	153.658		
41	T	3.4505	2.9655	3.7942	3.7704	3.5683	4.1271	3.8167	3.5253	29.0180		
	S	168.157	146.227	137.291	150.997	159.740	160.084	153.988	163.816	155.076		
42	T	3.4483	2.9770	3.8690	3.8036	3.6048	4.1333	3.7896	3.5229	29.1485		
	S	168.265	145.662	134.637	149.679	158.123	159.844	155.090	163.927	154.382		
43	T	3.4371	2.9686	3.9756	3.8653	3.6391	4.1644	3.8029	3.5333	29.3863		
	S	168.813	146.074	131.027	147.290	156.632	158.650	154.547	163.445	153.133		
44	T	3.5141	3.0421	3.8388	3.8242	3.6328	4.1618	3.7930	3.5444	29.3512		
	S	165.114	142.545	135.696	148.872	156.904	158.749	154.951	162.933	153.316		
45	T	3.4537	2.8988	3.8377	3.8297	3.6409	4.1599	3.7893	3.5491	29.1591		
	S	168.002	149.592	135.735	148.659	156.555	158.822	155.102	162.717	154.326		
46	T	3.4565	2.8664	3.7741	3.8008	3.6252	4.1485	3.7950	3.5479	29.0144		
	S	167.866	151.283	138.022	149.789	157.233	159.258	154.869	162.772	155.095		
47	T	3.4559	2.8559	3.7746	3.7994	3.6217	4.1485	3.7867	3.5463	28.9890		
	S	167.895	151.839	138.004	149.844	157.385	159.258	155.208	162.846	155.231		
48	T	3.4537	2.8513	3.7794	3.7914	3.6154	4.1381	3.7779	3.5491	28.9563		
	S	168.002	152.084	137.829	150.160	157.659	159.658	155.570	162.717	155.407		
49	T	3.4582	2.8301	3.7684	3.7878	3.6139	4.1355	3.7764	3.5402	28.9105		
	S	167.783	153.223	138.231	150.303	157.724	159.759	155.632	163.126	155.653		
50	T	3.4433	2.8287	3.8783	3.8264	3.6197	4.1442	3.7828	3.5369	29.0603		
	S	168.509	153.299	134.314	148.787	157.472	159.423	155.368	163.279	154.850		
51	T	3.4428	2.8668	3.8405	3.8119	3.6096	4.1217	3.7868	3.5311	29.0112		
	S	168.534	151.261	135.636	149.353	157.912	160.294	155.204	163.547	155.113		
52	T	3.4496	2.8523	3.7751	3.7833	3.6041	4.1290	3.7810	3.5281	28.9025		
	S	168.201	152.030	137.986	150.482	158.153	160.010	155.442	163.686	155.696		
53	T	3.4449	2.8575	3.7520	3.7790	3.6083	4.1364	3.7741	3.5197	28.8719		
	S	168.431	151.754	138.835	150.653	157.969	159.724	155.726	164.076	155.861		
54	T	3.4343	2.8601	3.7316	3.7691	3.5984	4.1267	3.8258	3.5437	28.8897		
	S	168.951	151.616	139.594	151.049	158.404	160.099	153.622	162.965	155.765		
55	T	3.4260	2.8738	3.7611	3.7604	3.5722	4.1693	3.8916	3.5582	29.0126		
	S	169.360	150.893	138.499	151.398	159.566	158.463	151.025	162.301	155.105		
56	T	3.4357	2.9577	3.7432	3.7215	3.5255	4.2958	4.0125	3.6401	29.3320		
	S	168.882	146.613	139.161	152.981	161.679	153.797	146.474	158.649	153.416		
57	T	3.5201	3.0360	3.8930	3.7925	3.5012	4.2554	3.9100	3.6281	29.5363		
	S	164.833	142.831	133.807	150.117	162.801	155.257	150.314	159.174	152.355		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 5 - Peroni, Alex (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	3.4960	2.8757	3.8722	3.9079	4.2457	5.3421	4.9519	4.4859	33.1774		
	S	165.969	150.793	134.525	145.684	134.253	123.675	118.687	128.737	135.634		
59	T	4.1675	3.4056	4.1315	3.9837	4.3285	8.5487	8.8965	8.3087	45.7707		
	S	139.227	127.330	126.082	142.912	131.685	77.284	66.063	69.505	98.316		
60	T	8.5930	5.6850	7.4353	8.0339	7.7935	9.2013	9.4464	8.3629	64.5513		
	S	67.523	76.277	70.059	70.864	73.138	71.803	62.217	69.055	69.712		
61	T	7.3647	5.9386	7.9924	9.0658	8.2223	9.2403	9.0005	9.1860	66.0106		
	S	78.785	73.020	65.176	62.798	69.324	71.500	65.299	62.867	68.171		
62	T	7.4872	5.6465	7.8033	8.6813	7.9879	9.4297	9.5053	8.5360	65.0772		
	S	77.496	76.797	66.755	65.580	71.358	70.064	61.832	67.655	69.149		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 51 - Sowery, Toby

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.3515	3.5410	4.2517	3.9220	3.6500	4.6692	4.0684	3.6539	32.1077		59.8088
	S	133.340	122.462	122.518	145.160	156.164	141.498	144.462	158.050	140.153		66.906
2	T	3.5289	3.2328	4.1568	3.8805	3.5596	4.3736	3.9634	3.5774	30.2730		
	S	164.422	134.136	125.315	146.713	160.130	151.061	148.289	161.430	148.647		
3	T	3.4373	3.1515	3.9664	3.8082	3.5543	4.2229	3.8618	3.5492	29.5516		
	S	168.803	137.597	131.330	149.498	160.369	156.452	152.190	162.713	152.276		
4	T	3.4257	3.0460	3.9152	3.8008	3.5737	4.1776	3.8375	3.5399	29.3164		
	S	169.375	142.363	133.048	149.789	159.499	158.149	153.154	163.140	153.498		
5	T	3.4353	2.9024	4.0310	3.8295	3.6063	4.1893	3.8253	3.5600	29.3791		
	S	168.901	149.406	129.226	148.666	158.057	157.707	153.642	162.219	153.170		
6	T	3.4507	3.0443	3.8695	3.7962	3.5831	4.1860	3.8502	3.5646	29.3446		
	S	168.148	142.442	134.619	149.971	159.080	157.831	152.649	162.010	153.350		
7	T	3.4652	2.9869	3.8555	3.7972	3.5797	4.1252	3.7953	3.5314	29.1364		
	S	167.444	145.179	135.108	149.931	159.231	160.158	154.857	163.533	154.446		
8	T	3.4815	3.0207	3.8364	3.7929	3.5736	4.1342	3.8058	3.5384	29.1835		
	S	166.660	143.555	135.781	150.101	159.503	159.809	154.429	163.209	154.197		
9	T	3.4387	2.9851	3.8827	3.8124	3.6064	4.1643	3.8260	3.5418	29.2574		
	S	168.734	145.267	134.162	149.333	158.052	158.654	153.614	163.053	153.807		
10	T	3.4439	2.9759	3.9125	3.8087	3.6089	4.1790	3.8318	3.5531	29.3138		
	S	168.480	145.716	133.140	149.478	157.943	158.096	153.382	162.534	153.511		
11	T	3.4459	3.0218	3.8775	3.8084	3.6048	4.1744	3.8286	3.5443	29.3057		
	S	168.382	143.503	134.341	149.490	158.123	158.270	153.510	162.938	153.554		
12	T	3.4502	2.9850	3.8637	3.7984	3.6012	4.1682	3.8264	3.5521	29.2452		
	S	168.172	145.272	134.821	149.884	158.281	158.505	153.598	162.580	153.871		
13	T	3.4443	3.0033	3.8495	3.7941	3.6054	4.1539	3.8139	3.5429	29.2073		
	S	168.460	144.387	135.319	150.054	158.096	159.051	154.101	163.002	154.071		
14	T	3.4483	2.9642	3.8762	3.8101	3.6153	4.1864	3.8246	3.5550	29.2801		
	S	168.265	146.291	134.387	149.423	157.663	157.816	153.670	162.447	153.688		
15	T	3.4478	3.0148	3.8799	3.8238	3.6296	4.2260	3.8587	3.5750	29.4556		
	S	168.289	143.836	134.258	148.888	157.042	156.337	152.312	161.538	152.772		
16	T	3.4693	2.9384	3.8380	3.7972	3.6111	4.2172	3.8570	3.5560	29.2842		
	S	167.246	147.576	135.724	149.931	157.847	156.664	152.379	162.402	153.666		
17	T	3.4423	2.9813	3.9075	3.8313	3.6263	4.2494	3.8900	3.5702	29.4983		
	S	168.558	145.452	133.310	148.597	157.185	155.476	151.087	161.756	152.551		
18	T	3.4567	3.0031	3.8878	3.8196	3.6332	4.2397	3.8670	3.5757	29.4828		
	S	167.856	144.396	133.986	149.052	156.886	155.832	151.985	161.507	152.631		
19	T	3.4674	3.0111	3.8770	3.8250	3.6326	4.2280	3.8982	3.5653	29.5046		
	S	167.338	144.013	134.359	148.841	156.912	156.263	150.769	161.978	152.519		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 51 - Sowery, Toby

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.4472	2.9879	3.8687	3.8280	3.6395	4.2108	3.8504	3.5597	29.3922		
	S	168.318	145.131	134.647	148.725	156.615	156.902	152.641	162.233	153.102		
21	T	3.4535	2.9857	3.8393	3.8118	3.6317	4.3826	4.0785	3.6384	29.8215		
	S	168.011	145.238	135.678	149.357	156.951	150.751	144.104	158.724	150.898		
22	T	3.4869	3.2154	4.1408	3.8639	3.6284	4.2890	3.9027	3.5607	30.0878		
	S	166.402	134.862	125.799	147.343	157.094	154.041	150.595	162.187	149.562		
23	T	3.4298	3.0613	3.9052	3.8281	3.6310	4.2716	3.9004	3.5782	29.6056		
	S	169.172	141.651	133.389	148.721	156.982	154.668	150.684	161.394	151.998		
24	T	3.4409	2.9993	3.9774	3.8651	3.6490	4.2302	3.8946	3.5728	29.6293		
	S	168.627	144.579	130.967	147.297	156.207	156.182	150.908	161.638	151.877		
25	T	3.4519	3.0240	3.8671	3.8298	3.6301	4.2314	3.8822	3.5687	29.4852		
	S	168.089	143.398	134.703	148.655	157.020	156.138	151.390	161.824	152.619		
26	T	3.4493	3.0024	3.8637	3.8180	3.6211	4.2306	3.8816	3.5710	29.4377		
	S	168.216	144.430	134.821	149.114	157.411	156.167	151.414	161.719	152.865		
27	T	3.4565	3.0082	3.8164	3.7917	3.6028	4.1938	3.8278	3.5486	29.2458		
	S	167.866	144.151	136.492	150.149	158.210	157.538	153.542	162.740	153.868		
28	T	3.4444	2.9636	3.8596	3.8251	3.6188	4.1994	3.8530	3.5694	29.3333		
	S	168.455	146.321	134.965	148.837	157.511	157.328	152.538	161.792	153.409		
29	T	3.4625	2.9853	3.8434	3.8134	3.6207	4.2047	3.8522	3.5665	29.3487		
	S	167.575	145.257	135.533	149.294	157.428	157.129	152.569	161.923	153.329		
30	T	3.4584	2.9648	3.8644	3.8207	3.6238	4.2089	3.8854	3.5653	29.3917		
	S	167.773	146.262	134.797	149.009	157.293	156.973	151.266	161.978	153.104		
31	T	3.4550	3.0390	4.1159	4.0249	3.9724	5.4044	4.7757	3.9923	32.7796		
	S	167.938	142.690	126.560	141.449	143.490	122.249	123.066	144.653	137.281		
32	T	3.8454	3.6805	4.4662	4.0939	3.7614	4.5485	4.7851	7.8040	36.9850		
	S	150.889	117.820	116.634	139.065	151.539	145.253	122.824	74.001	121.671		
33	T	8.7750	5.9260	7.4436	11.8189	10.8649				89.5147	835.1401	70.7189
	S	66.123	73.175	69.981	48.170	52.463				50.271	1.283	55.466
34	T		5.7965	6.0165	6.9346	11.0611	7.1904	5.9271	12.7443	873.7885		57.4442
	S		74.810	86.580	82.098	51.532	91.884	99.159	45.314	5.150		69.660
35	T	6.0764	4.0103	4.5800	6.7064	6.5449	8.1068	5.7168	3.9776	45.7192		
	S	95.489	108.131	113.736	84.892	87.091	81.497	102.807	145.188	98.427		
36	T	3.6463	3.5164	4.3026	3.8894	3.6006	4.6016	4.0693	3.6862	31.3124		
	S	159.128	123.318	121.068	146.377	158.307	143.577	144.430	156.665	143.713		
37	T	3.5530	3.2144	3.9630	3.8355	3.5837	4.2183	3.9391	3.5948	29.9018		
	S	163.306	134.904	131.443	148.434	159.053	156.623	149.203	160.649	150.493		
38	T	3.4682	3.0700	3.9491	3.8255	3.5989	4.1939	3.8998	3.5736	29.5790		
	S	167.299	141.250	131.906	148.822	158.382	157.534	150.707	161.602	152.135		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 51 - Sowery, Toby

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.4513	3.0003	3.9530	3.8246	3.6132	4.2236	3.8753	3.5676	29.5089		
	S	168.118	144.531	131.776	148.857	157.755	156.426	151.660	161.874	152.496		
40	T	3.4539	2.9543	3.9108	3.8224	3.6150	4.2168	3.8636	3.5663	29.4031		
	S	167.992	146.781	133.198	148.943	157.676	156.678	152.119	161.933	153.045		
41	T	3.4560	3.0271	3.8825	3.8179	3.6033	4.1947	3.8334	3.5615	29.3764		
	S	167.890	143.251	134.168	149.118	158.188	157.504	153.317	162.151	153.184		
42	T	3.4644	3.0015	3.8352	3.8138	3.6175	4.1871	3.8549	3.5689	29.3433		
	S	167.483	144.473	135.823	149.278	157.567	157.790	152.462	161.815	153.357		
43	T	3.4628	2.8661	3.9219	3.8284	3.6364	4.2084	3.8190	3.5561	29.2991		
	S	167.560	151.298	132.821	148.709	156.748	156.991	153.896	162.397	153.588		
44	T	3.4515	2.8948	3.8551	3.8120	3.6224	4.2023	3.8320	3.5599	29.2300		
	S	168.109	149.798	135.122	149.349	157.354	157.219	153.374	162.224	153.951		
45	T	3.4525	2.8977	3.8865	3.8108	3.6253	4.2001	3.8798	3.5792	29.3319		
	S	168.060	149.648	134.030	149.396	157.228	157.301	151.484	161.349	153.417		
46	T	3.4692	2.8979	3.8716	3.8316	3.6361	4.2010	3.8197	3.5609	29.2880		
	S	167.251	149.638	134.546	148.585	156.761	157.268	153.867	162.178	153.647		
47	T	3.4535	2.9264	3.9135	3.8246	3.6302	4.2197	3.8469	3.5704	29.3852		
	S	168.011	148.181	133.106	148.857	157.016	156.571	152.779	161.747	153.138		
48	T	3.4561	2.9364	3.8308	3.8023	3.6188	4.1861	3.8375	3.5669	29.2349		
	S	167.885	147.676	135.979	149.730	157.511	157.828	153.154	161.905	153.926		
49	T	3.4635	2.9567	3.8391	3.8109	3.6208	4.2092	3.8430	3.5807	29.3239		
	S	167.526	146.662	135.685	149.392	157.424	156.961	152.934	161.281	153.458		
50	T	3.4619	2.9890	3.9020	3.8293	3.6251	4.2033	3.8564	3.5673	29.4343		
	S	167.604	145.077	133.498	148.674	157.237	157.182	152.403	161.887	152.883		
51	T	3.4635	2.9839	3.8824	3.8064	3.6157	4.2162	3.8657	3.5729	29.4067		
	S	167.526	145.325	134.172	149.569	157.646	156.701	152.036	161.633	153.026		
52	T	3.4707	2.9480	3.8662	3.8219	3.6261	4.2228	3.8563	3.5699	29.3819		
	S	167.179	147.095	134.734	148.962	157.194	156.456	152.407	161.769	153.156		
53	T	3.4628	2.9898	3.8467	3.8192	3.6331	4.2376	3.8446	3.5674	29.4012		
	S	167.560	145.039	135.417	149.067	156.891	155.909	152.871	161.883	153.055		
54	T	3.4666	3.0177	3.8904	3.8258	3.6357	4.2377	3.8734	3.5794	29.5267		
	S	167.376	143.698	133.896	148.810	156.779	155.906	151.734	161.340	152.404		
55	T	3.4725	2.9287	3.8741	3.8375	3.6448	4.2391	3.8735	3.5809	29.4511		
	S	167.092	148.064	134.459	148.357	156.387	155.854	151.730	161.272	152.796		
56	T	3.4751	2.9762	3.8651	3.8395	3.6323	4.2696	3.8975	3.6071	29.5624		
	S	166.967	145.701	134.772	148.279	156.925	154.741	150.796	160.101	152.220		
57	T	3.4904	3.0099	3.8817	3.8223	3.6262	4.2493	3.9042	3.5982	29.5822		
	S	166.235	144.070	134.196	148.946	157.189	155.480	150.537	160.497	152.119		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 51 - Sowery, Toby

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	3.4714	3.0667	4.2340	4.0868	3.7952	5.1636	5.0403	4.3196	33.1776		
	S	167.145	141.402	123.030	139.307	150.190	127.950	116.606	133.693	135.634		
59	T	3.9233	3.5793	4.3240	4.0355	4.0664	6.4038	7.2254	7.3938	40.9515		
	S	147.893	121.151	120.469	141.077	140.173	103.170	81.342	78.106	109.886		
60	T	10.4838	6.5203	6.4577	8.8884	10.2602	7.6527	8.9307	7.6743	66.8681		
	S	55.345	66.506	80.665	64.052	55.554	86.333	65.810	75.251	67.297		
61	T	7.1598	5.3660	7.9470	9.9388	7.6670	8.3584	8.2567	8.9236	63.6173		
	S	81.040	80.812	65.548	57.282	74.345	79.044	71.182	64.716	70.735		
62	T	9.7203	6.3800	7.0382	7.6010	8.0641	10.3884	8.0908	9.5565	66.8393		
	S	59.692	67.968	74.012	74.900	70.684	63.598	72.641	60.430	67.326		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.3466	3.4104	4.1456	3.9037	3.6634	4.4289	3.9591	3.6404	31.4981	64.7483	
	S	133.490	127.151	125.653	145.841	155.593	149.175	148.450	158.636	142.866	61.802	
2	T	3.4312	3.0933	4.1211	3.8532	3.5618	4.3249	3.9363	3.6081	29.9299		
	S	169.103	140.186	126.400	147.752	160.031	152.762	149.310	160.057	150.351		
3	T	3.4602	3.0034	3.8338	3.7657	3.5655	4.1195	3.8015	3.5278	29.0774		
	S	167.686	144.382	135.873	151.185	159.865	160.379	154.604	163.700	154.759		
4	T	3.4291	2.9538	3.8506	3.7770	3.5731	4.0992	3.7991	3.5218	29.0037		
	S	169.207	146.806	135.280	150.733	159.525	161.173	154.702	163.979	155.153		
5	T	3.4229	2.8707	3.8385	3.7663	3.5640	4.1041	3.7834	3.5214	28.8713		
	S	169.513	151.056	135.706	151.161	159.933	160.981	155.344	163.997	155.864		
6	T	3.4229	2.8443	3.8249	3.7622	3.5616	4.1062	3.8295	3.5336	28.8852		
	S	169.513	152.458	136.189	151.326	160.040	160.899	153.474	163.431	155.789		
7	T	3.4327	2.8387	3.7939	3.7551	3.5627	4.0843	3.7366	3.5014	28.7054		
	S	169.029	152.759	137.302	151.612	159.991	161.761	157.289	164.934	156.765		
8	T	3.4155	2.8285	3.7929	3.7529	3.5550	4.0770	3.7341	3.5126	28.6685		
	S	169.881	153.310	137.338	151.701	160.338	162.051	157.395	164.408	156.967		
9	T	3.4192	2.8227	3.8453	3.7775	3.5772	4.1062	3.7413	3.5101	28.7995		
	S	169.697	153.625	135.466	150.713	159.343	160.899	157.092	164.525	156.253		
10	T	3.4204	2.8341	3.7943	3.7562	3.5760	4.1194	3.7604	3.5200	28.7808		
	S	169.637	153.007	137.287	151.568	159.396	160.383	156.294	164.063	156.354		
11	T	3.4189	2.8394	3.8303	3.7733	3.5798	4.1203	3.7550	3.5161	28.8331		
	S	169.712	152.721	135.997	150.881	159.227	160.348	156.519	164.244	156.071		
12	T	3.4253	2.8560	3.8325	3.7761	3.5744	4.1148	3.7620	3.5164	28.8575		
	S	169.395	151.833	135.919	150.769	159.467	160.562	156.227	164.230	155.939		
13	T	3.4237	2.8014	3.8436	3.7737	3.5721	4.1087	3.7642	3.5154	28.8028		
	S	169.474	154.793	135.526	150.865	159.570	160.801	156.136	164.277	156.235		
14	T	3.4276	2.8182	3.7815	3.7541	3.5709	4.1288	3.8525	3.5558	28.8894		
	S	169.281	153.870	137.752	151.652	159.624	160.018	152.557	162.411	155.766		
15	T	3.4460	2.8312	3.7763	3.7617	3.5840	4.1403	3.7827	3.5300	28.8522		
	S	168.377	153.163	137.942	151.346	159.040	159.573	155.372	163.598	155.967		
16	T	3.4431	2.8173	3.7766	3.7647	3.5819	4.1240	3.7646	3.5208	28.7930		
	S	168.519	153.919	137.931	151.225	159.133	160.204	156.119	164.025	156.288		
17	T	3.4214	2.8187	3.8311	3.7865	3.5919	4.1297	3.7585	3.5149	28.8527		
	S	169.588	153.843	135.969	150.355	158.690	159.983	156.373	164.301	155.965		
18	T	3.4175	2.8224	3.8067	3.7789	3.5990	4.1327	3.7695	3.5201	28.8468		
	S	169.781	153.641	136.840	150.657	158.377	159.867	155.917	164.058	155.997		
19	T	3.4291	2.8088	3.7809	3.7587	3.5878	4.1177	3.7791	3.5110	28.7731		
	S	169.207	154.385	137.774	151.467	158.872	160.449	155.520	164.483	156.396		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.4188	2.7996	3.7815	3.7656	3.5911	4.1279	3.7650	3.5125	28.7620		
	S	169.717	154.892	137.752	151.189	158.726	160.053	156.103	164.413	156.456		
21	T	3.4249	2.7998	3.7584	3.7596	3.5925	4.1381	3.7569	3.5125	28.7427		
	S	169.414	154.881	138.599	151.431	158.664	159.658	156.439	164.413	156.561		
22	T	3.4149	2.8117	3.8151	3.7775	3.5970	4.1304	3.7694	3.5122	28.8282		
	S	169.910	154.226	136.539	150.713	158.465	159.956	155.921	164.427	156.097		
23	T	3.4062	2.7931	3.7709	3.7714	3.5990	4.1408	3.7811	3.5204	28.7829		
	S	170.344	155.253	138.139	150.957	158.377	159.554	155.438	164.044	156.343		
24	T	3.4220	2.8385	3.8074	3.7881	3.5992	4.1391	3.7661	3.5234	28.8838		
	S	169.558	152.770	136.815	150.291	158.369	159.620	156.057	163.904	155.797		
25	T	3.4191	2.8147	3.8154	3.8013	3.6049	4.1491	3.7748	3.5263	28.9056		
	S	169.702	154.061	136.528	149.769	158.118	159.235	155.698	163.769	155.679		
26	T	3.4271	2.8090	3.8279	3.7957	3.6022	4.1461	3.7790	3.5260	28.9130		
	S	169.306	154.374	136.082	149.990	158.237	159.350	155.525	163.783	155.639		
27	T	3.4267	2.8159	3.7735	3.7670	3.5865	4.1308	3.7902	3.5320	28.8226		
	S	169.325	153.996	138.044	151.133	158.929	159.940	155.065	163.505	156.127		
28	T	3.4285	2.8297	3.8075	3.7791	3.5861	4.1299	3.7865	3.5278	28.8751		
	S	169.236	153.245	136.811	150.649	158.947	159.975	155.216	163.700	155.844		
29	T	3.4375	2.8391	3.7960	3.7747	3.5858	4.1344	3.7736	3.5222	28.8633		
	S	168.793	152.737	137.226	150.825	158.960	159.801	155.747	163.960	155.907		
30	T	3.4264	2.8451	3.7789	3.7625	3.5815	4.1394	3.7788	3.5281	28.8407		
	S	169.340	152.415	137.847	151.314	159.151	159.608	155.533	163.686	156.029		
31	T	3.4260	2.8456	3.7739	3.7511	3.5739	4.1348	3.7692	3.7874	29.0619		
	S	169.360	152.388	138.029	151.774	159.490	159.786	155.929	152.479	154.842		
32	T	3.9293	3.6479	5.1339	6.2460	6.0481	10.3209	9.4762	9.2866	54.0889		
	S	147.667	118.873	101.465	91.149	94.244	64.014	62.021	62.186	83.196		
33	T	9.4459	5.7624	7.5463	11.0128	10.4037				87.4660	832.1123	69.3343
	S	61.426	75.253	69.028	51.696	54.788				51.449	1.287	56.574
34	T		7.7403	6.4477	8.1027	10.3036	6.7094	7.2060	9.1667	871.8926		57.9120
	S		56.023	80.790	70.263	55.320	98.471	81.561	63.000	5.161		69.098
35	T	6.4192	5.1784	6.9913	7.8713	6.9902	8.8280	6.3813	4.1089	52.7686		
	S	90.389	83.739	74.508	72.328	81.543	74.839	92.101	140.549	85.278		
36	T	3.6586	3.2496	4.1739	3.8466	3.5182	4.3047	4.1069	3.6593	30.5178		
	S	158.593	133.443	124.802	148.006	162.015	153.479	143.107	157.817	147.455		
37	T	3.5153	3.0437	4.0237	3.8224	3.5762	4.1580	3.9246	3.5797	29.6436		
	S	165.058	142.470	129.460	148.943	159.387	158.894	149.755	161.326	151.803		
38	T	3.4593	2.9150	3.9026	3.7943	3.5710	4.1311	3.8268	3.5384	29.1385		
	S	167.730	148.760	133.477	150.046	159.619	159.929	153.582	163.209	154.435		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.4292	2.8973	3.8455	3.7671	3.5535	4.1106	3.7885	3.5230	28.9147		
	S	169.202	149.669	135.459	151.129	160.405	160.726	155.135	163.923	155.630		
40	T	3.4279	2.8814	3.8201	3.7634	3.5592	4.1119	3.8130	3.5302	28.9071		
	S	169.266	150.495	136.360	151.278	160.148	160.676	154.138	163.588	155.671		
41	T	3.4240	2.8539	3.8299	3.7752	3.5614	4.1081	3.8041	3.5232	28.8798		
	S	169.459	151.945	136.011	150.805	160.049	160.824	154.498	163.913	155.818		
42	T	3.4294	2.8609	3.8158	3.7738	3.5857	4.1284	3.7887	3.5262	28.9089		
	S	169.192	151.573	136.514	150.861	158.965	160.033	155.126	163.774	155.661		
43	T	3.4283	2.8486	3.8258	3.7744	3.5907	4.1392	3.7921	3.5341	28.9332		
	S	169.246	152.228	136.157	150.837	158.743	159.616	154.987	163.408	155.531		
44	T	3.4291	2.8691	3.7969	3.7752	3.5871	4.1303	3.7752	3.5263	28.8892		
	S	169.207	151.140	137.193	150.805	158.903	159.960	155.681	163.769	155.768		
45	T	3.4253	2.8808	3.8170	3.7839	3.5892	4.1281	3.7794	3.5341	28.9378		
	S	169.395	150.526	136.471	150.458	158.810	160.045	155.508	163.408	155.506		
46	T	3.4349	2.8391	3.8029	3.7791	3.5925	4.1249	3.7938	3.5353	28.9025		
	S	168.921	152.737	136.977	150.649	158.664	160.169	154.918	163.352	155.696		
47	T	3.4339	2.8409	3.7857	3.7685	3.5743	4.1104	3.7672	3.5292	28.8101		
	S	168.970	152.640	137.599	151.073	159.472	160.734	156.012	163.635	156.195		
48	T	3.4268	2.8399	3.7827	3.7595	3.5778	4.1128	3.7630	3.5287	28.7912		
	S	169.320	152.694	137.708	151.435	159.316	160.640	156.186	163.658	156.298		
49	T	3.4366	2.8427	3.7839	3.7600	3.5727	4.1095	3.7698	3.5312	28.8064		
	S	168.838	152.544	137.665	151.414	159.543	160.769	155.904	163.542	156.215		
50	T	3.4358	2.8547	3.7951	3.7681	3.5693	4.1071	3.7847	3.5357	28.8505		
	S	168.877	151.903	137.258	151.089	159.695	160.863	155.290	163.334	155.976		
51	T	3.4396	2.8617	3.8050	3.7648	3.5713	4.1213	3.7930	3.5297	28.8864		
	S	168.690	151.531	136.901	151.221	159.606	160.309	154.951	163.612	155.783		
52	T	3.4354	2.8666	3.7888	3.7597	3.5719	4.1264	3.7794	3.5286	28.8568		
	S	168.897	151.272	137.487	151.426	159.579	160.111	155.508	163.663	155.942		
53	T	3.4345	2.8624	3.8322	3.7865	3.5989	4.1569	3.8120	3.5383	29.0217		
	S	168.941	151.494	135.930	150.355	158.382	158.936	154.178	163.214	155.056		
54	T	3.4455	2.9114	3.8940	3.8307	3.6213	4.3730	3.9814	3.6356	29.6929		
	S	168.401	148.944	133.772	148.620	157.402	151.082	147.618	158.846	151.551		
55	T	3.5163	3.1619	4.1775	3.9068	3.6429	4.5281	4.0364	3.6469	30.6168		
	S	165.011	137.144	124.694	145.725	156.469	145.907	145.607	158.354	146.978		
56	T	3.5231	3.1325	3.9438	3.8591	3.7517				46.4607	52.7596	29.8810
	S	164.692	138.431	132.083	147.526	151.931				96.856	20.302	131.271
57	T				6.9732	9.3511	10.2410	8.6816	8.4207	90.4624		54.2825
	S				81.644	60.955	64.513	67.698	68.581	49.744		73.718

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	8.2644	5.9421	7.3921	8.1416	7.7906	9.7427	8.4901	8.0484	63.8120		
	S	70.208	72.977	70.468	69.927	73.165	67.813	69.225	71.753	70.520		
59	T	8.0166	6.1937	7.9480	8.4603	8.0451	9.7232	8.3977	8.4950	65.2796		
	S	72.378	70.012	65.540	67.293	70.851	67.949	69.987	67.981	68.934		
60	T	8.0608	6.0378	8.1636	8.2627	7.9530	10.1024	8.5217	8.5255	65.6275		
	S	71.981	71.820	63.809	68.902	71.671	65.399	68.968	67.738	68.569		
61	T	8.2663										
	S	70.192										

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 7 - Bogle, Christian (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.4537	3.4849	4.2751	3.9194	3.6119	4.7602	4.1488	3.6774	32.3314		51.2674
	S	130.280	124.433	121.847	145.256	157.812	138.793	141.662	157.040	139.184		78.053
2	T	3.5025	3.1533	4.1452	3.9386	3.6233	4.6557	4.0428	3.6521	30.7135		
	S	165.661	137.518	125.666	144.548	157.315	141.908	145.376	158.128	146.515		
3	T	3.5081	3.0916	4.0005	3.8614	3.5792	4.3797	3.9774	3.5993	29.9972		
	S	165.396	140.263	130.211	147.438	159.253	150.851	147.767	160.448	150.014		
4	T	3.4638	3.0529	3.9717	3.8449	3.5780	4.4029	3.9752	3.5971	29.8865		
	S	167.512	142.041	131.155	148.071	159.307	150.056	147.848	160.546	150.570		
5	T	3.4651	3.0131	3.9898	3.8361	3.5616	4.2812	3.9549	3.5864	29.6882		
	S	167.449	143.917	130.560	148.411	160.040	154.322	148.607	161.025	151.575		
6	T	3.4540	3.1166	4.0488	3.8975	3.6231	4.3034	3.9229	3.5953	29.9616		
	S	167.987	139.138	128.658	146.073	157.324	153.526	149.820	160.626	150.192		
7	T	3.4773	2.9816	3.9757	3.8654	3.6149	4.1951	3.8576	3.5593	29.5269		
	S	166.861	145.437	131.023	147.286	157.681	157.489	152.356	162.251	152.403		
8	T	3.4527	3.0164	3.9452	3.8616	3.6185	4.2482	3.8892	3.5813	29.6131		
	S	168.050	143.760	132.036	147.431	157.524	155.520	151.118	161.254	151.960		
9	T	3.4643	2.9508	4.0299	3.8886	3.6419	4.2369	3.8722	3.5716	29.6562		
	S	167.488	146.956	129.261	146.407	156.512	155.935	151.781	161.692	151.739		
10	T	3.4590	2.9353	3.9511	3.8541	3.6284	4.2305	3.8846	3.5676	29.5106		
	S	167.744	147.732	131.839	147.718	157.094	156.171	151.297	161.874	152.488		
11	T	3.4525	2.9223	4.1027	3.9324	3.6646	4.2381	3.8541	3.5650	29.7317		
	S	168.060	148.389	126.967	144.776	155.542	155.891	152.494	161.992	151.354		
12	T	3.4628	2.9453	3.9940	3.8527	3.6234	4.2143	3.8592	3.5690	29.5207		
	S	167.560	147.230	130.423	147.771	157.311	156.771	152.293	161.810	152.435		
13	T	3.4561	2.9224	3.8796	3.8213	3.6200	4.2280	3.8693	3.5663	29.3630		
	S	167.885	148.384	134.269	148.985	157.459	156.263	151.895	161.933	153.254		
14	T	3.4645	2.9238	4.0479	3.8901	3.6566	4.2388	3.8906	3.5723	29.6846		
	S	167.478	148.313	128.686	146.351	155.883	155.865	151.063	161.661	151.594		
15	T	3.4672	2.9287	3.9398	3.8570	3.6393	4.1994	3.8754	3.5628	29.4696		
	S	167.348	148.064	132.217	147.606	156.624	157.328	151.656	162.092	152.700		
16	T	3.4561	2.9136	3.9448	3.8502	3.6259	4.8411	4.1804	3.7484	30.5605		
	S	167.885	148.832	132.050	147.867	157.202	136.473	140.591	154.066	147.249		
17	T	3.5761	3.1240	3.9403	3.8798	3.6639	4.2108	3.8606	3.5684	29.8239		
	S	162.251	138.808	132.200	146.739	155.572	156.902	152.237	161.837	150.886		
18	T	3.4833	3.0307	3.8886	3.8538	3.6630	4.2249	3.8312	3.5705	29.5460		
	S	166.574	143.081	133.958	147.729	155.610	156.378	153.406	161.742	152.305		
19	T	3.4871	2.9786	3.8907	3.8452	3.6539	4.1979	3.8665	3.5764	29.4963		
	S	166.392	145.584	133.886	148.059	155.998	157.384	152.005	161.475	152.562		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 7 - Bogle, Christian (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.4779	2.9686	3.8930	3.8561	3.6675	4.2366	3.8663	3.5751	29.5411		
	S	166.833	146.074	133.807	147.641	155.419	155.946	152.013	161.534	152.330		
21	T	3.4782	2.9413	3.8797	3.8469	3.6641	4.2323	3.8445	3.5704	29.4574		
	S	166.818	147.430	134.265	147.994	155.563	156.105	152.875	161.747	152.763		
22	T	3.4684	2.9067	3.9036	3.8642	3.6625	4.2542	3.8922	3.5863	29.5381		
	S	167.290	149.185	133.443	147.331	155.631	155.301	151.001	161.029	152.346		
23	T	3.4752	2.9432	3.8794	3.8460	3.6491	4.2400	3.8653	3.5917	29.4899		
	S	166.962	147.335	134.276	148.029	156.203	155.821	152.052	160.787	152.595		
24	T	3.4842	2.9374	3.9175	3.8657	3.6597	4.1934	3.8487	3.5677	29.4743		
	S	166.531	147.626	132.970	147.274	155.750	157.553	152.708	161.869	152.675		
25	T	3.4811	2.9402	3.8788	3.8420	3.6484	4.2000	3.8411	3.5623	29.3939		
	S	166.679	147.485	134.296	148.183	156.233	157.305	153.010	162.114	153.093		
26	T	3.4837	3.1459	4.0794	3.9034	3.6313	4.5060	4.0503	3.7008	30.5008		
	S	166.555	137.842	127.693	145.852	156.969	146.623	145.107	156.047	147.537		
27	T	3.5896	3.1706	3.9284	3.8590	3.6278	4.2998	3.9457	3.6051	30.0260		
	S	161.641	136.768	132.601	147.530	157.120	153.654	148.954	160.190	149.870		
28	T	3.4831	2.9735	3.9006	3.8484	3.6355	4.2389	3.8970	3.5774	29.5544		
	S	166.584	145.834	133.546	147.936	156.787	155.862	150.815	161.430	152.262		
29	T	3.5229	3.2086	4.0091	3.8541	3.6044	4.3328	3.9737	3.6203	30.1259		
	S	164.702	135.148	129.932	147.718	158.140	152.484	147.904	159.517	149.373		
30	T	3.4825	2.9626	3.9818	3.8689	3.6414	4.2640	4.0226	3.9962	30.2200		
	S	166.612	146.370	130.823	147.152	156.533	154.944	146.106	144.512	148.908		
31	T	4.3231	3.8265	5.4005	5.9599	6.3575	10.3205	9.4991	9.2046	54.8917		
	S	134.216	113.325	96.456	95.525	89.658	64.016	61.872	62.740	81.980		
32	T	9.0844	5.6371	8.2097	10.6021	10.2308				86.4767	832.5001	68.5198
	S	63.871	76.925	63.450	53.699	55.714				52.037	1.287	57.246
33	T		6.5927	7.6251	8.0403	9.5571	7.0816	8.0304	8.5788	872.3553		57.8121
	S		65.775	68.315	70.808	59.642	93.296	73.188	67.317	5.158		69.217
34	T	6.4574	5.5144	6.8977	7.8273	7.2903	8.8603	6.8456	4.2718	53.9648		
	S	89.855	78.637	75.519	72.735	78.186	74.567	85.855	135.189	83.388		
35	T	3.8445	3.4734	4.3988	4.1466	3.8313	4.8408	4.2249	3.7839	32.5442		
	S	150.924	124.845	118.421	137.298	148.775	136.482	139.110	152.620	138.273		
36	T	3.6687	3.2167	4.3111	4.0314	3.7041	4.4275	4.0086	3.6494	31.0175		
	S	158.156	134.808	120.830	141.221	153.884	149.222	146.617	158.245	145.079		
37	T	3.5071	3.0482	4.0218	3.8834	3.6354	4.3255	3.9614	3.6157	29.9985		
	S	165.444	142.260	129.521	146.603	156.792	152.741	148.364	159.720	150.008		
38	T	3.4850	3.0080	4.0081	3.8721	3.6290	4.2571	3.9245	3.5902	29.7740		
	S	166.493	144.161	129.964	147.031	157.068	155.195	149.759	160.855	151.139		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 7 - Bogle, Christian (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.4848	2.9924	3.9559	3.8638	3.6309	4.2381	3.9222	3.5914	29.6795		
	S	166.502	144.913	131.679	147.347	156.986	155.891	149.846	160.801	151.620		
40	T	3.4878	3.0127	3.9385	3.8622	3.6350	4.2481	3.9067	3.5958	29.6868		
	S	166.359	143.936	132.261	147.408	156.809	155.524	150.441	160.604	151.583		
41	T	3.4906	3.0157	3.9277	3.8652	3.6539	4.2477	3.8935	3.5830	29.6773		
	S	166.226	143.793	132.624	147.293	155.998	155.539	150.951	161.178	151.631		
42	T	3.4752	2.9592	4.0999	3.9124	3.6718	4.2457	3.9290	3.5977	29.8909		
	S	166.962	146.538	127.054	145.516	155.237	155.612	149.587	160.519	150.547		
43	T	3.4913	3.0071	3.9539	3.8892	3.6661	4.2776	3.9256	3.6032	29.8140		
	S	166.192	144.204	131.746	146.384	155.479	154.452	149.717	160.274	150.936		
44	T	3.4940	2.9453	3.9392	3.8731	3.6593	4.2426	3.8970	3.6010	29.6515		
	S	166.064	147.230	132.237	146.993	155.767	155.726	150.815	160.372	151.763		
45	T	3.4893	2.9537	3.9442	3.8787	3.6590	4.2519	3.9216	3.5997	29.6981		
	S	166.288	146.811	132.070	146.781	155.780	155.385	149.869	160.430	151.525		
46	T	3.4861	3.0174	3.9411	3.8814	3.6532	4.2424	3.8909	3.5972	29.7097		
	S	166.440	143.712	132.174	146.679	156.028	155.733	151.052	160.542	151.466		
47	T	3.4829	2.9696	3.9075	3.8559	3.6416	4.2177	3.8897	3.5917	29.5566		
	S	166.593	146.025	133.310	147.649	156.525	156.645	151.098	160.787	152.250		
48	T	3.4866	2.9724	3.8649	3.8348	3.6348	4.2364	3.8627	3.5835	29.4761		
	S	166.416	145.888	134.779	148.461	156.817	155.954	152.155	161.155	152.666		
49	T	3.4754	2.9681	3.8988	3.8495	3.6366	4.2072	3.8655	3.5813	29.4824		
	S	166.953	146.099	133.608	147.894	156.740	157.036	152.044	161.254	152.633		
50	T	3.4848	2.9311	3.9681	3.8753	3.6478	4.4405	4.0155	3.6742	30.0373		
	S	166.502	147.943	131.274	146.909	156.259	148.785	146.365	157.177	149.814		
51	T	3.5282	3.0415	3.9488	3.8811	3.6597	4.3325	4.0636	3.6841	30.1395		
	S	164.454	142.573	131.916	146.690	155.750	152.494	144.632	156.755	149.306		
52	T	3.5360	3.0761	3.9245	3.8602	3.6533	4.2698	3.9497	3.6200	29.8896		
	S	164.091	140.970	132.733	147.484	156.023	154.734	148.803	159.530	150.554		
53	T	3.5029	2.9832	3.8933	3.8526	3.6494	4.2765	3.9677	3.6325	29.7581		
	S	165.642	145.359	133.796	147.775	156.190	154.491	148.128	158.981	151.219		
54	T	3.5112	2.9828	3.8837	3.8480	3.6513	4.2955	3.9415	3.6220	29.7360		
	S	165.250	145.379	134.127	147.952	156.109	153.808	149.113	159.442	151.332		
55	T	3.5022	2.9733	3.8621	3.8392	3.6441	4.2611	3.9494	3.6332	29.6646		
	S	165.675	145.843	134.877	148.291	156.417	155.050	148.814	158.951	151.696		
56	T	3.5074	2.9889	3.8587	3.8398	3.6462	4.2728	3.8980	3.7957	29.8075		
	S	165.429	145.082	134.996	148.268	156.327	154.625	150.777	152.146	150.969		
57	T	4.3651	3.9669	5.5024	6.5840	4.9134	5.8455	5.1007	4.5116	40.7896		
	S	132.924	109.314	94.669	86.470	116.009	113.024	115.225	128.003	110.322		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 7 - Bogle, Christian (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	4.2530	3.7384	4.6502	4.1703	3.9190	5.1421	4.5944	4.1508	34.6182		
	S	136.428	115.995	112.019	136.517	145.445	128.485	127.923	139.130	129.989		
59	T	4.7330	4.5239	6.1859	8.4579	10.1862	7.9502	8.4770	7.9615	58.4756		
	S	122.592	95.855	84.209	67.312	55.958	83.103	69.332	72.537	76.955		
60	T	6.6823	5.4424	8.1058	9.8884	7.6931	8.8431	8.1030	8.8383	63.5964		
	S	86.830	79.677	64.264	57.574	74.092	74.712	72.532	65.341	70.759		
61	T	8.9836	6.8105	7.4639	6.9641	8.0767	10.1352	8.7804	8.8713	66.0857		
	S	64.587	63.672	69.790	81.750	70.573	65.187	66.936	65.098	68.093		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 79 - Malukas, David

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	4.2962	3.2953	3.9275	3.7733	3.5272	4.3431	3.8943	3.5290	30.5859		64.9561
	S	135.056	131.592	132.631	150.881	161.601	152.122	150.920	163.644	147.127		61.605
2	T	3.4357	2.9933	3.8561	3.7482	3.5414	4.1311	3.8120	3.4950	29.0128		
	S	168.882	144.869	135.087	151.891	160.953	159.929	154.178	165.236	155.104		
3	T	3.4159	2.9912	3.8404	3.7406	3.5367	4.0667	3.7434	3.4612	28.7961		
	S	169.861	144.971	135.639	152.200	161.167	162.461	157.004	166.850	156.271		
4	T	3.4099	2.9542	3.8421	3.7300	3.5184	4.0405	3.7347	3.4336	28.6634		
	S	170.160	146.786	135.579	152.632	162.005	163.515	157.369	168.191	156.995		
5	T	3.4326	3.0636	3.8162	3.7147	3.4986	4.0300	3.7278	3.4357	28.7192		
	S	169.034	141.545	136.499	153.261	162.922	163.941	157.661	168.088	156.690		
6	T	3.4295	3.0310	3.7742	3.7000	3.4849	4.0170	3.7603	3.4502	28.6471		
	S	169.187	143.067	138.018	153.870	163.563	164.471	156.298	167.382	157.084		
7	T	3.4263	3.0560	3.7587	3.7041	3.4913	4.0221	3.7135	3.4404	28.6124		
	S	169.345	141.897	138.588	153.699	163.263	164.263	158.268	167.858	157.274		
8	T	3.3992	2.9607	3.8110	3.7255	3.5091	4.0284	3.7278	3.4468	28.6085		
	S	170.695	146.464	136.686	152.817	162.435	164.006	157.661	167.547	157.296		
9	T	3.4005	2.9650	3.8676	3.7536	3.5294	4.0427	3.7223	3.4467	28.7278		
	S	170.630	146.252	134.685	151.673	161.501	163.426	157.894	167.552	156.643		
10	T	3.3817	2.9238	3.7893	3.7181	3.5164	4.0426	3.7281	3.4429	28.5429		
	S	171.579	148.313	137.468	153.121	162.098	163.430	157.648	167.737	157.657		
11	T	3.3835	2.9913	3.8298	3.7340	3.5249	4.0529	3.7232	3.4488	28.6884		
	S	171.487	144.966	136.015	152.469	161.707	163.015	157.855	167.450	156.858		
12	T	3.3832	2.9745	3.7986	3.7182	3.5127	4.0475	3.7267	3.4475	28.6089		
	S	171.503	145.785	137.132	153.117	162.268	163.232	157.707	167.513	157.294		
13	T	3.3982	2.9563	3.7789	3.7113	3.5098	4.0545	3.7346	3.4469	28.5905		
	S	170.745	146.682	137.847	153.401	162.402	162.950	157.374	167.542	157.395		
14	T	3.3723	2.9444	3.8114	3.7160	3.5179	4.0444	3.7196	3.4424	28.5684		
	S	172.057	147.275	136.671	153.207	162.028	163.357	158.008	167.761	157.517		
15	T	3.3825	2.9372	3.8438	3.7590	3.5496	4.0647	3.7321	3.4510	28.7199		
	S	171.538	147.636	135.519	151.455	160.581	162.541	157.479	167.343	156.686		
16	T	3.3783	2.9173	3.7770	3.7099	3.5183	4.0574	3.7178	3.4439	28.5199		
	S	171.751	148.643	137.916	153.459	162.010	162.834	158.085	167.688	157.785		
17	T	3.3782	2.9382	3.7744	3.7137	3.5081	4.0491	3.7183	3.4392	28.5192		
	S	171.756	147.586	138.011	153.302	162.481	163.168	158.063	167.917	157.788		
18	T	3.3845	2.9857	3.8084	3.7210	3.5274	4.0580	3.7261	3.4379	28.6490		
	S	171.437	145.238	136.779	153.001	161.592	162.810	157.733	167.980	157.074		
19	T	3.3760	2.9536	3.8568	3.7308	3.5334	4.0656	3.7213	3.4455	28.6830		
	S	171.868	146.816	135.063	152.599	161.318	162.505	157.936	167.610	156.887		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 79 - Malukas, David

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	3.3775	2.9466	3.8035	3.7200	3.5316	4.0611	3.7234	3.4387	28.6024		
	S	171.792	147.165	136.955	153.043	161.400	162.685	157.847	167.941	157.329		
21	T	3.3793	2.9567	3.8132	3.7648	3.5568	4.0742	3.7395	3.4416	28.7261		
	S	171.700	146.662	136.607	151.221	160.256	162.162	157.167	167.800	156.652		
22	T	3.3708	2.9333	3.8370	3.7347	3.5381	4.0642	3.7184	3.4333	28.6298		
	S	172.133	147.832	135.759	152.440	161.103	162.561	158.059	168.206	157.179		
23	T	3.3648	2.9366	3.8347	3.7366	3.5473	4.0632	3.7326	3.4449	28.6607		
	S	172.440	147.666	135.841	152.363	160.686	162.601	157.458	167.639	157.009		
24	T	3.3757	2.9444	3.8183	3.7297	3.5267	4.0454	3.7367	3.4458	28.6227		
	S	171.884	147.275	136.424	152.644	161.624	163.317	157.285	167.595	157.218		
25	T	3.3732	2.9467	3.8746	3.7510	3.5466	4.0633	3.7214	3.4441	28.7209		
	S	172.011	147.160	134.442	151.778	160.717	162.597	157.932	167.678	156.680		
26	T	3.3728	2.9436	3.8992	3.7596	3.5507	4.0699	3.7329	3.4457	28.7744		
	S	172.031	147.315	133.594	151.431	160.532	162.334	157.445	167.600	156.389		
27	T	3.3769	2.9586	3.8974	3.7110	3.4955	4.1011	3.7665	3.4640	28.7710		
	S	171.822	146.568	133.656	153.414	163.067	161.099	156.041	166.715	156.407		
28	T	3.3748	2.9348	3.7962	3.7167	3.5052	4.0459	3.7181	3.4357	28.5274		
	S	171.929	147.757	137.219	153.178	162.616	163.297	158.072	168.088	157.743		
29	T	3.3938	3.0036	3.8136	3.7259	3.5190	4.0494	3.7211	3.4379	28.6643		
	S	170.967	144.372	136.592	152.800	161.978	163.155	157.944	167.980	156.990		
30	T	3.3745	2.9620	3.8121	3.7156	3.5140	4.0594	3.7211	3.4363	28.5950		
	S	171.945	146.400	136.646	153.224	162.208	162.754	157.944	168.059	157.370		
31	T	3.3708	2.9685	3.7457	3.6851	3.4775	4.0417	3.7587	3.4371	28.4851		
	S	172.133	146.079	139.069	154.492	163.911	163.466	156.365	168.020	157.977		
32	T	3.5894	3.4166	5.5872	7.6561	8.9723	10.6803	9.4088	8.1476	57.4583		
	S	161.650	126.920	93.233	74.361	63.529	61.860	62.466	70.880	78.318		
33	T	8.3388	6.6617	8.3581	9.9842	9.9031				85.6428	828.8771	68.1582
	S	69.582	65.094	62.324	57.022	57.558				52.544	1.292	57.550
34	T		8.8308	8.7134	8.0637	8.0762	8.3093	8.8044	7.6676	872.4011		61.0086
	S		49.105	59.783	70.603	70.578	79.511	66.754	75.317	5.158		65.591
35	T	7.7969	5.7421	6.9930	8.1894	8.0674	10.0950	6.8986	4.1317	57.9141		
	S	74.418	75.519	74.490	69.519	70.655	65.446	85.195	139.773	77.701		
36	T	3.6941	3.2394	3.9870	3.8032	3.5659	4.1328	3.8434	3.5062	29.7720		
	S	157.069	133.863	130.652	149.695	159.847	159.863	152.919	164.708	151.149		
37	T	3.3994	2.9294	3.8857	3.7367	3.5199	4.0556	3.7778	3.4691	28.7736		
	S	170.685	148.029	134.058	152.359	161.936	162.906	155.574	166.470	156.393		
38	T	3.3887	2.9741	3.8725	3.7204	3.4942	4.0394	3.7512	3.4318	28.6723		
	S	171.224	145.804	134.515	153.026	163.127	163.559	156.677	168.279	156.946		

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car 79 - Malukas, David

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	3.3716	2.9410	3.7843	3.6616	3.5047	4.1413	3.8331	3.5206	28.7582		
	S	172.093	147.445	137.650	155.483	162.639	159.535	153.329	164.035	156.477		
40	T	3.4505	2.9145	3.8230	3.7405	3.5826	4.1740	3.8305	3.5150	29.0306		
	S	168.157	148.786	136.257	152.204	159.102	158.285	153.434	164.296	155.009		
41	T	3.5059	3.0069	3.7381	3.7251	3.5583	4.0967	3.7725	3.4940	28.8975		
	S	165.500	144.214	139.351	152.833	160.189	161.272	155.793	165.283	155.723		
42	T	3.4170	2.8641	3.7602	3.7302	3.5542	4.1123	3.7723	3.4944	28.7047		
	S	169.806	151.404	138.532	152.624	160.374	160.660	155.801	165.264	156.769		
43	T	3.4119	2.8443	3.7562	3.7260	3.5537	4.1047	3.7806	3.4968	28.6742		
	S	170.060	152.458	138.680	152.796	160.396	160.957	155.459	165.151	156.936		
44	T	3.4144	2.8503	3.7151	3.7173	3.5501	4.1019	3.7642	3.4941	28.6074		
	S	169.935	152.137	140.214	153.154	160.559	161.067	156.136	165.279	157.302		
45	T	3.4118	2.8477	3.7045	3.7245	3.5456	4.0976	3.7613	3.4905	28.5835		
	S	170.065	152.276	140.615	152.858	160.763	161.236	156.256	165.449	157.433		
46	T	3.4172	2.8468	3.7103	3.7187	3.5499	4.0954	3.7715	3.4921	28.6019		
	S	169.796	152.324	140.395	153.096	160.568	161.323	155.834	165.373	157.332		
47	T	3.4086	2.8494	3.7680	3.7337	3.5555	4.0987	3.7619	3.4910	28.6668		
	S	170.225	152.185	138.246	152.481	160.315	161.193	156.231	165.425	156.976		
48	T	3.4101	2.8415	3.7176	3.7164	3.5451	4.0929	3.7613	3.4907	28.5756		
	S	170.150	152.608	140.120	153.191	160.785	161.421	156.256	165.440	157.477		
49	T	3.4145	2.8462	3.7085	3.7111	3.5397	4.0910	3.7493	3.4902	28.5505		
	S	169.930	152.356	140.464	153.410	161.031	161.496	156.757	165.463	157.615		
50	T	3.4115	2.8597	3.7358	3.7190	3.5357	4.0864	3.7522	3.4899	28.5902		
	S	170.080	151.637	139.437	153.084	161.213	161.678	156.635	165.478	157.397		
51	T	3.4090	2.8486	3.7325	3.7063	3.5299	4.0867	3.7517	3.4869	28.5516		
	S	170.205	152.228	139.560	153.608	161.478	161.666	156.656	165.620	157.609		
52	T	3.4143	2.8530	3.7618	3.7174	3.5388	4.0862	3.7511	3.4850	28.6076		
	S	169.940	151.993	138.473	153.150	161.072	161.686	156.681	165.710	157.301		
53	T	3.4076	2.8285	3.7070	3.7078	3.5388	4.0974	3.7533	3.4836	28.5240		
	S	170.274	153.310	140.520	153.546	161.072	161.244	156.589	165.777	157.762		
54	T	3.4045	2.8329	3.7124	3.7112	3.5454	4.0856	3.7422	3.4829	28.5171		
	S	170.430	153.072	140.316	153.405	160.772	161.710	157.054	165.810	157.800		
55	T	3.4066	2.8284	3.7542	3.7221	3.5484	4.1000	3.7529	3.4834	28.5960		
	S	170.324	153.315	138.754	152.956	160.636	161.142	156.606	165.786	157.365		
56	T	3.4019	2.8317	3.7930	3.7321	3.5527	4.0894	3.7522	3.4792	28.6322		
	S	170.560	153.136	137.334	152.546	160.441	161.560	156.635	165.986	157.166		
57	T	3.3889	2.8251	3.7692	3.7266	3.5460	4.0883	3.7453	3.4784	28.5678		
	S	171.214	153.494	138.201	152.771	160.745	161.603	156.924	166.025	157.520		

Event: Cooper Tires Indy Lights of St. Louis
 Track: World Wide Technology Raceway
 Report: Section Data Report
 Session: Race 2

Round 13 / 14
 1.25 mile(s)
 Indy Lights
 August 21, 2021



Section Data for Car 79 - Malukas, David

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI	
58	T	3.3957	2.8413	3.8236	3.7311	3.5450	4.0765	3.7389	3.8858	29.0379			
	S	170.871	152.619	136.235	152.587	160.790	162.071	157.193	148.618	154.970			
59	T	5.0173	4.3379	5.5394	7.7007	8.9764	10.4470	8.6934	8.3659	59.0780			
	S	115.645	99.965	94.037	73.931	63.500	63.241	67.606	69.030	76.170			
60	T	8.2273	6.0058	7.4541	7.9946	7.9831	9.6286	8.4817	8.0268	63.8020			
	S	70.525	72.203	69.882	71.213	71.401	68.617	69.294	71.946	70.531			
61	T	8.1632	6.2727	7.8015	8.3455	8.0710	9.6412	8.4698	8.2803	65.0452			
	S	71.078	69.131	66.770	68.219	70.623	68.527	69.391	69.744	69.183			
62	T	8.0586	6.1623	8.0257	8.2986	8.2193	9.9921	8.5287	8.3462	65.6315			
	S	72.001	70.369	64.905	68.604	69.349	66.120	68.912	69.193	68.565			
63	T	8.5861											
	S	67.578											

Event: Cooper Tires Indy Lights of St. Louis
Track: World Wide Technology Raceway
Report: Section Data Report
Session: Race 2

Round 13 / 14
1.25 mile(s)
Indy Lights
August 21, 2021



Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to T1	0.161174 miles
T1 to SS1	0.120455 miles
SS1 to T2	0.144697 miles
T2 to BS	0.158144 miles
BS to T3	0.158333 miles
T3 to SS2	0.183523 miles
SS2 to T4	0.163258 miles
T4 to SF	0.160417 miles
T1 to T2	0.265152 miles
T2 to T3	0.316477 miles
T3 to T4	0.346780 miles
Lap	1.250000 miles
PI to PO	0.297538 miles
PO to SF	1.111553 miles
SF to PI	1.089583 miles
PO to T2	0.287879 miles
T3 to PI	0.346780 miles
PO to PI	0.951136 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
T	Section Time Data
S	Section Speed Data

