

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 11 - Jones, Ed

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	5.3578	4.2541	4.0200	5.3137	5.5764	5.2101	4.0036	3.2730	37.0087	36.6672
	S	93.916	98.568	104.817	90.332	89.134	86.240	111.377	142.280	99.414	75.253
2	T	3.3393	2.8707	2.7956	3.0398	3.0888	2.7539	2.7751	2.8688	23.5320	
	S	150.685	146.068	150.724	157.905	160.919	163.157	160.683	162.326	156.349	
3	T	3.0303	2.6754	2.7100	2.9899	3.0731	2.7649	2.7841	2.8812	22.9089	
	S	166.050	156.731	155.485	160.540	161.741	162.508	160.163	161.628	160.601	
4	T	3.0324	2.6680	2.7033	2.9820	3.0555	2.7551	2.7753	2.8657	22.8373	
	S	165.935	157.166	155.870	160.965	162.672	163.086	160.671	162.502	161.105	
5	T	3.0183	2.6311	2.6829	2.9596	3.0453	2.7478	2.7674	2.8616	22.7140	
	S	166.711	159.370	157.055	162.184	163.217	163.519	161.130	162.735	161.979	
6	T	3.0100	2.6404	2.6932	2.9595	3.0386	2.7411	2.7644	2.8548	22.7020	
	S	167.170	158.809	156.455	162.189	163.577	163.919	161.305	163.122	162.065	
7	T	3.0075	2.6268	2.6821	2.9564	3.0339	2.7498	2.7699	2.8614	22.6878	
	S	167.309	159.631	157.102	162.359	163.831	163.400	160.984	162.746	162.166	
8	T	3.0013	2.6628	2.7000	2.9653	3.0526	2.7548	2.7759	2.8630	22.7757	
	S	167.655	157.473	156.061	161.872	162.827	163.104	160.636	162.655	161.541	
9	T	2.9991	2.6479	2.7158	2.9799	3.0662	2.7699	2.7777	2.8641	22.8206	
	S	167.778	158.359	155.153	161.079	162.105	162.215	160.532	162.593	161.223	
10	T	3.0022	2.6611	2.7207	2.9864	3.0576	2.7606	2.7748	2.8623	22.8257	
	S	167.605	157.573	154.873	160.728	162.561	162.761	160.700	162.695	161.187	
11	T	3.0038	2.6753	2.7288	3.0052	3.0762	2.7669	2.7883	2.8676	22.9121	
	S	167.515	156.737	154.414	159.723	161.578	162.390	159.922	162.394	160.579	
12	T	3.0213	2.7177	2.7374	3.0102	3.0779	2.7742	2.7909	2.8742	23.0038	
	S	166.545	154.292	153.928	159.457	161.489	161.963	159.773	162.021	159.939	
13	T	3.0195	2.7343	2.7668	3.0207	3.0822	2.7757	2.7958	2.8696	23.0646	
	S	166.644	153.355	152.293	158.903	161.263	161.876	159.493	162.281	159.517	
14	T	3.0176	2.7092	2.7377	2.9874	3.0566	2.7541	2.7837	2.8678	22.9141	
	S	166.749	154.776	153.912	160.674	162.614	163.145	160.186	162.383	160.565	
15	T	3.0185	2.6904	2.7245	2.9813	3.0412	2.7491	2.7866	2.8647	22.8563	
	S	166.700	155.857	154.657	161.003	163.437	163.442	160.019	162.559	160.971	
16	T	3.0148	2.6686	2.7289	2.9943	3.0503	2.7630	2.7874	2.8639	22.8712	
	S	166.904	157.130	154.408	160.304	162.950	162.620	159.974	162.604	160.866	
17	T	3.0029	2.6754	2.7473	3.0090	3.0668	2.7609	2.8091	2.8778	22.9492	
	S	167.566	156.731	153.374	159.521	162.073	162.743	158.738	161.819	160.319	
18	T	3.0133	2.6791	2.7462	3.0046	3.0585	2.7581	2.8240	2.8839	22.9677	
	S	166.987	156.515	153.435	159.755	162.513	162.909	157.900	161.476	160.190	
19	T	3.0143	2.7009	2.7515	3.0082	3.0565	2.7628	2.8186	2.8887	23.0015	
	S	166.932	155.251	153.140	159.563	162.619	162.631	158.203	161.208	159.955	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 11 - Jones, Ed

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0139	2.7150	2.7816	3.0283	3.0662	2.7599	2.8177	2.8920	23.0746	
	S	166.954	154.445	151.482	158.504	162.105	162.802	158.253	161.024	159.448	
21	T	3.0205	2.7157	2.7665	3.0101	3.0626	2.7669	2.8103	2.8793	23.0319	
	S	166.589	154.405	152.309	159.463	162.295	162.390	158.670	161.734	159.744	
22	T	3.0248	2.7104	2.7718	3.0045	3.0595	2.7533	2.7952	2.8751	22.9946	
	S	166.352	154.707	152.018	159.760	162.460	163.193	159.527	161.971	160.003	
23	T	3.0204	2.7049	2.7634	3.0001	3.0505	2.7609	2.8127	2.8927	23.0056	
	S	166.595	155.022	152.480	159.994	162.939	162.743	158.535	160.985	159.926	
24	T	3.0412	2.7128	2.7904	3.0297	3.0651	2.7704	2.8285	2.8929	23.1310	
	S	165.455	154.570	151.005	158.431	162.163	162.185	157.649	160.974	159.059	
25	T	3.0473	2.7376	2.7577	3.0132	3.0602	2.7720	2.8035	2.8816	23.0731	
	S	165.124	153.170	152.795	159.299	162.423	162.092	159.055	161.605	159.458	
26	T	3.0292	2.7236	2.7720	3.0148	3.0730	2.7732	2.8301	2.8951	23.1110	
	S	166.111	153.957	152.007	159.214	161.746	162.022	157.560	160.852	159.197	
27	T	3.0424	2.7640	2.7920	3.0290	3.0831	2.7755	2.8163	2.8878	23.1901	
	S	165.390	151.707	150.918	158.468	161.216	161.887	158.332	161.258	158.654	
28	T	3.0359	2.7493	2.8019	3.0440	3.1053	2.7886	2.8170	2.8923	23.2343	
	S	165.744	152.518	150.385	157.687	160.064	161.127	158.293	161.007	158.352	
29	T	3.0415	2.7473	2.7758	3.0397	3.0951	2.7826	2.8138	2.8956	23.1914	
	S	165.439	152.629	151.799	157.910	160.591	161.474	158.473	160.824	158.645	
30	T	3.0494	2.7342	2.7734	3.0336	3.0753	2.7727	2.8263	2.9089	23.1738	
	S	165.010	153.360	151.930	158.227	161.625	162.051	157.772	160.088	158.766	
31	T	3.0599	2.7698	2.7857	3.0285	3.0623	2.7616	2.8809	2.9388	23.2875	
	S	164.444	151.389	151.260	158.494	162.311	162.702	154.782	158.460	157.990	
32	T	3.0727	2.7678	2.8253	3.0484	3.0701	2.7608	2.8536	2.9158	23.3145	
	S	163.759	151.499	149.139	157.459	161.899	162.749	156.262	159.710	157.807	
33	T	3.0629	2.7491	2.8053	3.0341	3.0542	2.7564	2.8367	2.9063	23.2050	
	S	164.283	152.529	150.203	158.201	162.742	163.009	157.193	160.232	158.552	
34	T	3.0448	2.7704	2.8139	3.0309	3.0605	2.7711	2.9611	3.6199	24.0726	
	S	165.260	151.357	149.744	158.368	162.407	162.144	150.589	128.645	152.838	
35	T	4.0428	3.8060	3.5845	3.6260	4.0243	4.4290	5.3739	7.3319	36.2184	
	S	124.464	110.173	117.552	132.377	123.511	101.449	82.977	63.514	101.584	
36	T	5.4889	4.1754	3.9958	4.0390	4.4007	5.1546	7.2629	7.9031	42.4204	
	S	91.673	100.426	105.452	118.841	112.947	87.168	61.396	58.924	86.732	
37	T	7.2425	6.6188	6.6670	6.9420	7.0364	6.4081	6.5240	6.4075	53.8463	
	S	69.476	63.353	63.201	69.144	70.639	70.117	68.349	72.678	68.328	
38	T	7.1898	6.4082	6.1137	6.8654	6.9241	6.1031	6.3859	6.5599	52.5501	
	S	69.986	65.435	68.921	69.916	71.785	73.621	69.827	70.989	70.013	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 11 - Jones, Ed

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	6.6259	6.1271	5.6873	6.4464	6.1043	4.5424	3.3683	3.1497	42.0514	
	S	75.942	68.437	74.089	74.460	81.425	98.916	132.384	147.849	87.493	
40	T	3.2266	2.8782	2.8118	3.0680	3.1229	2.8230	2.8921	2.9339	23.7565	
	S	155.948	145.688	149.855	156.453	159.162	159.163	154.182	158.724	154.871	
41	T	3.0748	2.7660	2.7926	3.0460	3.0927	2.7877	2.8266	2.8978	23.2842	
	S	163.647	151.597	150.886	157.583	160.716	161.179	157.755	160.702	158.013	
42	T	3.0493	2.7370	2.7839	3.0355	3.0765	2.7765	2.8448	2.9131	23.2166	
	S	165.016	153.204	151.357	158.128	161.562	161.829	156.746	159.858	158.473	
43	T	3.0484	2.7463	2.7904	3.0347	3.0797	2.7728	2.8393	2.8963	23.2079	
	S	165.064	152.685	151.005	158.170	161.394	162.045	157.049	160.785	158.532	
44	T	3.0428	2.7564	2.8051	3.0370	3.0791	2.7836	2.9040	2.9581	23.3661	
	S	165.368	152.125	150.213	158.050	161.426	161.416	153.550	157.426	157.459	
45	T	3.0898	2.7801	2.8263	3.0518	3.0894	2.7879	2.8606	2.9171	23.4030	
	S	162.853	150.828	149.087	157.284	160.887	161.167	155.880	159.638	157.211	
46	T	3.0631	2.7484	2.7921	3.0246	3.0761	2.7780	2.8655	2.9299	23.2777	
	S	164.272	152.568	150.913	158.698	161.583	161.742	155.613	158.941	158.057	
47	T	3.0644	2.7564	2.7916	3.0273	3.0727	2.7813	2.9032	2.9564	23.3533	
	S	164.203	152.125	150.940	158.557	161.762	161.550	153.593	157.516	157.545	
48	T	3.0890	2.7681	2.8015	3.0327	3.0868	2.7947	2.8768	2.9406	23.3902	
	S	162.895	151.482	150.406	158.274	161.023	160.775	155.002	158.363	157.297	
49	T	3.0688	2.7599	2.7956	3.0294	3.0871	2.7787	2.8801	2.9446	23.3442	
	S	163.967	151.932	150.724	158.447	161.007	161.701	154.825	158.148	157.607	
50	T	3.0648	2.7715	2.8461	3.0613	3.1072	2.7923	2.8555	2.9158	23.4145	
	S	164.181	151.296	148.049	156.796	159.966	160.913	156.158	159.710	157.133	
51	T	3.0536	2.7340	2.7992	3.0301	3.0876	2.7949	2.8851	2.9466	23.3311	
	S	164.783	153.372	150.530	158.410	160.981	160.764	154.556	158.040	157.695	
52	T	3.0751	2.8004	2.8273	3.0521	3.0997	2.7819	2.8347	2.9153	23.3865	
	S	163.631	149.735	149.034	157.268	160.353	161.515	157.304	159.737	157.322	
53	T	3.0635	2.7781	2.8310	3.0472	3.1017	2.7895	2.9000	2.9536	23.4646	
	S	164.251	150.937	148.839	157.521	160.249	161.075	153.762	157.666	156.798	
54	T	3.0857	2.7690	2.8129	3.0409	3.1025	2.7990	2.8452	2.9121	23.3673	
	S	163.069	151.433	149.797	157.848	160.208	160.528	156.724	159.913	157.451	
55	T	3.0505	2.7435	2.8076	3.0348	3.0963	2.7846	2.8283	2.9028	23.2484	
	S	164.951	152.841	150.080	158.165	160.529	161.358	157.660	160.425	158.256	
56	T	3.0479	2.7353	2.8288	3.0423	3.0918	2.7824	2.8446	2.9110	23.2841	
	S	165.092	153.299	148.955	157.775	160.762	161.486	156.757	159.973	158.013	
57	T	3.0567	2.7450	2.8074	3.0413	3.1007	2.7756	2.8546	2.9193	23.3006	
	S	164.616	152.757	150.090	157.827	160.301	161.881	156.208	159.518	157.902	

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 11 - Jones, Ed

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.0613	2.8106	2.8350	3.0612	3.1042	2.7941	2.9136	2.9523	23.5323	
	S	164.369	149.192	148.629	156.801	160.120	160.810	153.044	157.735	156.347	
59	T	3.0762	2.7572	2.8214	3.0582	3.1018	2.7879	2.8455	2.9111	23.3593	
	S	163.573	152.081	149.346	156.955	160.244	161.167	156.707	159.968	157.505	
60	T	3.0479	2.7658	2.8273	3.0599	3.0979	2.7907	2.9002	2.9437	23.4334	
	S	165.092	151.608	149.034	156.867	160.446	161.006	153.752	158.196	157.007	
61	T	3.0726	2.7738	2.8311	3.0555	3.0865	2.7786	2.8876	2.9416	23.4273	
	S	163.764	151.171	148.834	157.093	161.039	161.707	154.422	158.309	157.048	
62	T	3.0689	2.8007	2.8239	3.0554	3.0859	2.7960	2.8689	2.9327	23.4324	
	S	163.962	149.719	149.213	157.098	161.070	160.700	155.429	158.789	157.013	
63	T	3.0661	2.7503	2.7989	3.0306	3.0750	2.7675	2.8421	2.9112	23.2417	
	S	164.112	152.463	150.546	158.384	161.641	162.355	156.895	159.962	158.302	
64	T	3.0460	2.7555	2.8220	3.0443	3.0896	2.7783	2.8374	2.9039	23.2770	
	S	165.195	152.175	149.314	157.671	160.877	161.724	157.155	160.364	158.062	
65	T	3.0569	2.7378	2.8057	3.0408	3.0865	2.7833	2.8479	2.9208	23.2797	
	S	164.606	153.159	150.181	157.853	161.039	161.434	156.575	159.436	158.043	
66	T	3.0594	2.7659	2.8151	3.0385	3.0854	2.7677	2.8617	2.9206	23.3143	
	S	164.471	151.603	149.680	157.972	161.096	162.344	155.820	159.447	157.809	
67	T	3.0561	2.7211	2.8024	3.0277	3.0768	2.7694	2.8537	2.9167	23.2239	
	S	164.649	154.099	150.358	158.536	161.546	162.244	156.257	159.660	158.423	
68	T	3.0561	2.7344	2.8100	3.0297	3.0681	2.7661	2.8236	2.9008	23.1888	
	S	164.649	153.349	149.951	158.431	162.004	162.437	157.923	160.536	158.663	
69	T	3.0478	2.7252	2.8027	3.0323	3.0603	2.7605	2.8477	2.9114	23.1879	
	S	165.097	153.867	150.342	158.295	162.417	162.767	156.586	159.951	158.669	
70	T	3.0554	2.7402	2.8291	3.0457	3.0688	2.7878	2.9003	2.9549	23.3822	
	S	164.686	153.025	148.939	157.599	161.967	161.173	153.746	157.596	157.350	
71	T	3.0783	2.7420	2.7901	3.0264	3.0549	2.7799	2.8745	2.9369	23.2830	
	S	163.461	152.924	151.021	158.604	162.704	161.631	155.126	158.562	158.021	
72	T	3.0769	2.7503	2.8105	3.0330	3.0569	2.7878	2.9120	2.9551	23.3825	
	S	163.536	152.463	149.925	158.259	162.598	161.173	153.129	157.586	157.348	
73	T	3.0835	2.7464	2.8049	3.0272	3.0551	2.7679	2.8847	2.9453	23.3150	
	S	163.186	152.679	150.224	158.562	162.694	162.332	154.578	158.110	157.804	
74	T	3.0728	2.7411	2.8112	3.0160	3.0485	2.7754	2.8943	2.9500	23.3093	
	S	163.754	152.974	149.887	159.151	163.046	161.893	154.065	157.858	157.843	
75	T	3.0775	2.7533	2.8078	3.0261	3.0614	2.7700	2.8780	2.9305	23.3046	
	S	163.504	152.297	150.069	158.620	162.359	162.209	154.938	158.909	157.874	
76	T	3.0632	2.7421	2.7910	3.0132	3.0537	2.7646	2.8948	2.9433	23.2659	
	S	164.267	152.919	150.972	159.299	162.768	162.526	154.038	158.217	158.137	

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 11 - Jones, Ed

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0687	2.7537	2.8350	3.0521	3.0891	2.7937	2.8811	2.9341	23.4075	
	S	163.973	152.274	148.629	157.268	160.903	160.833	154.771	158.714	157.180	
78	T	3.0717	2.7521	2.8202	3.0471	3.0828	2.7947	2.9195	2.9571	23.4452	
	S	163.812	152.363	149.409	157.526	161.232	160.775	152.735	157.479	156.928	
79	T	3.0859	2.7994	2.8365	3.0591	3.0906	2.7731	2.8373	2.9047	23.3866	
	S	163.059	149.789	148.551	156.908	160.825	162.027	157.160	160.320	157.321	
80	T	3.0484	2.7451	2.8281	3.0422	3.0827	2.7877	2.8696	2.9256	23.3294	
	S	165.064	152.752	148.992	157.780	161.237	161.179	155.391	159.175	157.707	
81	T	3.0646	2.7718	2.8415	3.0464	3.0917	2.7962	2.9060	2.9585	23.4767	
	S	164.192	151.280	148.289	157.563	160.768	160.689	153.445	157.405	156.717	
82	T	3.0816	2.7859	2.8406	3.0602	3.0996	2.8023	2.9325	2.9739	23.5766	
	S	163.286	150.514	148.336	156.852	160.358	160.339	152.058	156.589	156.053	
83	T	3.0911	2.7792	2.8453	3.0671	3.1150	2.8228	2.9503	2.9764	23.6472	
	S	162.784	150.877	148.091	156.499	159.565	159.175	151.141	156.458	155.587	
84	T	3.0960	2.7639	2.8278	3.0581	3.1044	2.8143	2.9273	2.9747	23.5665	
	S	162.527	151.713	149.008	156.960	160.110	159.655	152.328	156.547	156.120	
85	T	3.0918	2.7917	2.8457	3.0700	3.1067	2.8174	2.9365	2.9803	23.6401	
	S	162.747	150.202	148.070	156.351	159.991	159.480	151.851	156.253	155.634	
86	T	3.0965	2.7955	2.8670	3.0822	3.1039	2.8082	2.9646	3.0134	23.7313	
	S	162.500	149.998	146.970	155.733	160.136	160.002	150.412	154.537	155.036	
87	T	3.1158	2.8036	2.8626	3.0761	3.1071	2.8260	2.9734	2.9995	23.7641	
	S	161.494	149.564	147.196	156.041	159.971	158.994	149.966	155.253	154.822	
88	T	3.1118	2.8129	2.8638	3.0672	3.1058	2.8294	2.9595	2.9973	23.7477	
	S	161.701	149.070	147.134	156.494	160.038	158.803	150.671	155.367	154.929	
89	T	3.1134	2.8221	2.8823	3.0707	3.1038	2.8498	2.9682	3.0026	23.8129	
	S	161.618	148.584	146.190	156.316	160.141	157.667	150.229	155.093	154.504	
90	T	3.1241	2.8603	2.9058	3.0962	3.1196	2.8751	3.0161	3.0308	24.0280	
	S	161.065	146.599	145.008	155.028	159.330	156.279	147.843	153.650	153.121	
91	T	3.5932	4.0248	4.2869	4.8828						
	S	140.037	104.184	98.291	98.304						

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 13 - Claman De Melo, Zachary (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	6.0620	4.7264	3.8295	4.5370	5.0946	5.0000	4.2941	3.3801	36.9237	33.1103
	S	83.006	88.718	110.031	105.797	97.563	89.864	103.843	137.771	99.643	83.337
2	T	3.3341	3.1223	2.8344	3.0251	3.0475	2.8723	2.9053	2.8892	24.0302	
	S	150.920	134.298	148.661	158.672	163.099	156.431	153.482	161.180	153.107	
3	T	3.0667	3.0359	2.8769	3.0437	3.0714	2.8336	2.8336	2.8725	23.6343	
	S	164.080	138.120	146.464	157.702	161.830	158.568	157.365	162.117	155.672	
4	T	3.0060	2.7388	2.7683	2.9548	2.9922	2.7626	2.8262	2.8499	22.8988	
	S	167.393	153.103	152.210	162.447	166.114	162.643	157.777	163.403	160.672	
5	T	3.0015	2.8271	2.8339	3.0031	3.0149	2.7604	2.8774	2.8798	23.1981	
	S	167.644	148.321	148.687	159.834	164.863	162.773	154.970	161.706	158.599	
6	T	3.0213	2.7872	2.7510	2.9485	2.9732	2.7697	2.8534	2.8589	22.9632	
	S	166.545	150.444	153.167	162.794	167.175	162.226	156.273	162.888	160.222	
7	T	2.9938	2.7862	2.7720	2.9617	2.9911	2.7756	2.8593	2.8620	23.0017	
	S	168.075	150.498	152.007	162.069	166.175	161.881	155.951	162.712	159.953	
8	T	3.0071	2.7806	2.7492	2.9536	2.9972	2.7332	2.8382	2.8533	22.9124	
	S	167.332	150.801	153.268	162.513	165.837	164.393	157.110	163.208	160.577	
9	T	2.9721	2.7344	2.7502	2.9548	2.9923	2.7692	2.8546	2.8634	22.8910	
	S	169.302	153.349	153.212	162.447	166.108	162.256	156.208	162.632	160.727	
10	T	2.9926	2.8229	2.8237	2.9944	3.0115	2.7402	2.8674	2.8702	23.1229	
	S	168.142	148.542	149.224	160.299	165.049	163.973	155.510	162.247	159.115	
11	T	2.9974	2.7652	2.7668	2.9740	3.0011	2.7657	2.8906	2.8759	23.0367	
	S	167.873	151.641	152.293	161.398	165.621	162.461	154.262	161.925	159.710	
12	T	2.9969	2.7813	2.7765	2.9760	3.0038	2.7567	2.8501	2.8639	23.0052	
	S	167.901	150.763	151.761	161.290	165.472	162.991	156.454	162.604	159.929	
13	T	2.9862	2.7713	2.8233	2.9870	3.0053	2.7777	2.9166	2.9001	23.1675	
	S	168.503	151.307	149.245	160.696	165.390	161.759	152.887	160.574	158.809	
14	T	3.0002	2.7593	2.7891	2.9507	2.9826	2.7363	2.9174	2.9077	23.0433	
	S	167.716	151.965	151.075	162.673	166.648	164.206	152.845	160.155	159.665	
15	T	3.0033	2.8167	2.8255	2.9871	3.0055	2.7380	2.8616	2.8728	23.1105	
	S	167.543	148.869	149.129	160.691	165.379	164.105	155.825	162.100	159.200	
16	T	2.9928	2.7712	2.7863	2.9809	3.0018	2.7272	2.8215	2.8473	22.9290	
	S	168.131	151.313	151.227	161.025	165.582	164.754	158.040	163.552	160.461	
17	T	2.9748	2.7414	2.7568	2.9660	2.9920	2.7700	2.8645	2.8652	22.9307	
	S	169.148	152.958	152.845	161.834	166.125	162.209	155.668	162.530	160.449	
18	T	2.9974	2.8094	2.8090	2.9891	3.0033	2.7427	2.8876	2.8917	23.1302	
	S	167.873	149.255	150.005	160.583	165.500	163.823	154.422	161.041	159.065	
19	T	2.9925	2.7962	2.8149	2.9966	3.0052	2.7592	2.8575	2.8678	23.0899	
	S	168.148	149.960	149.690	160.181	165.395	162.844	156.049	162.383	159.342	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 13 - Claman De Melo, Zachary (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	2.9988	2.8640	2.8100	2.9884	3.0042	2.7161	2.9090	2.8967	23.1872	
	S	167.795	146.410	149.951	160.621	165.450	165.428	153.286	160.763	158.674	
21	T	3.0138	2.8309	2.7862	2.9700	2.9942	2.7500	2.8822	2.8773	23.1046	
	S	166.960	148.122	151.232	161.616	166.003	163.388	154.712	161.847	159.241	
22	T	3.0130	2.8247	2.7904	2.9662	2.9919	2.7470	2.9069	2.8971	23.1372	
	S	167.004	148.447	151.005	161.823	166.130	163.567	153.397	160.741	159.017	
23	T	3.0079	2.7745	2.7592	2.9534	2.9793	2.7780	2.8701	2.8787	23.0011	
	S	167.287	151.133	152.712	162.524	166.833	161.742	155.364	161.768	159.958	
24	T	3.0099	2.8247	2.7880	2.9752	2.9896	2.8113	2.8912	2.8814	23.1713	
	S	167.176	148.447	151.135	161.333	166.258	159.826	154.230	161.616	158.783	
25	T	3.0138	2.8463	2.8212	2.9934	3.0041	2.8363	2.9492	2.9181	23.3824	
	S	166.960	147.320	149.356	160.352	165.456	158.417	151.197	159.584	157.349	
26	T	3.0191	2.8829	2.8483	3.0143	3.0157	2.7921	2.9480	2.9175	23.4379	
	S	166.666	145.450	147.935	159.241	164.819	160.925	151.259	159.617	156.977	
27	T	3.0395	2.8682	2.8099	2.9925	3.0099	2.7736	2.9354	2.9142	23.3432	
	S	165.548	146.196	149.957	160.401	165.137	161.998	151.908	159.797	157.613	
28	T	3.0252	2.8784	2.8601	3.0312	3.0363	2.8210	2.9409	2.9155	23.5086	
	S	166.330	145.678	147.325	158.353	163.701	159.276	151.624	159.726	156.504	
29	T	3.0476	2.9022	2.8454	3.0040	3.0174	2.9888	3.0654	2.9865	23.8573	
	S	165.108	144.483	148.086	159.787	164.726	150.334	145.466	155.929	154.217	
30	T	3.0843	3.3729	3.5583	3.4146	3.2516	3.1488	3.2059	3.0623	26.0987	
	S	163.143	124.320	118.417	140.572	152.862	142.695	139.090	152.069	140.973	
31	T	3.1284	2.9460	2.9224	3.0611	3.0406	2.9532	3.0171	2.9633	24.0321	
	S	160.843	142.335	144.184	156.806	163.470	152.146	147.794	157.150	153.095	
32	T	3.0850	2.8663	2.8163	2.9916	2.9965	2.7998	2.9376	2.9153	23.4084	
	S	163.106	146.292	149.616	160.449	165.875	160.482	151.794	159.737	157.174	
33	T	3.0428	2.8800	2.8357	2.9998	2.9984	2.8329	2.9736	2.9375	23.5007	
	S	165.368	145.597	148.592	160.010	165.770	158.607	149.956	158.530	156.557	
34	T	3.0418	2.8888	2.8619	3.0201	3.1950	3.5783	4.1279	5.9011	28.6149	
	S	165.423	145.153	147.232	158.935	155.570	125.567	108.023	78.914	128.576	
35	T	4.3896	3.6329	3.2710	3.6860	4.0767	4.3718	4.5753	4.9336	32.9369	
	S	114.631	115.422	128.818	130.222	121.923	102.776	97.460	94.390	111.705	
36	T	4.8873	4.1455	3.4300	4.1487	4.0859	3.8161	4.5551	7.5725	36.6411	
	S	102.957	101.150	122.847	115.699	121.649	117.743	97.893	61.496	100.412	
37	T	6.7901	4.6944	6.8300	7.3571	7.3058	5.4931	8.0442	5.4373	51.9520	
	S	74.105	89.323	61.693	65.243	68.034	81.797	55.433	85.646	70.819	
38	T	7.0326	5.5993	6.7213	6.3595	7.5642	5.4711	6.3525	6.6873	51.7878	
	S	71.550	74.888	62.691	75.477	65.710	82.126	70.194	69.637	71.044	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 13 - Claman De Melo, Zachary (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	6.1030	6.1968	5.1954	5.8891	5.8339	4.2547	3.4632	3.1514	40.0875	
	S	82.448	67.667	81.103	81.506	85.200	105.605	128.757	147.770	91.779	
40	T	3.2452	3.1495	2.9510	3.0964	3.1563	3.4631	3.2486	3.0704	25.3805	
	S	155.054	133.138	142.787	155.018	157.477	129.745	137.262	151.668	144.962	
41	T	3.2495	3.0760	2.9230	3.0584	3.0303	2.8867	3.0516	2.9758	24.2513	
	S	154.849	136.319	144.155	156.944	164.025	155.651	146.123	156.489	151.711	
42	T	3.1189	2.9872	2.9011	3.0481	3.0274	2.9050	3.0184	2.9565	23.9626	
	S	161.333	140.372	145.243	157.475	164.182	154.671	147.731	157.511	153.539	
43	T	3.0598	2.9412	2.8864	3.0446	3.0285	2.8071	2.9909	2.9360	23.6945	
	S	164.450	142.567	145.982	157.656	164.123	160.065	149.089	158.611	155.277	
44	T	3.0461	2.9088	2.8651	3.0244	3.0070	2.8331	2.9722	2.9241	23.5808	
	S	165.189	144.155	147.068	158.709	165.296	158.596	150.027	159.256	156.025	
45	T	3.0397	2.9161	2.8651	3.0085	3.0083	2.8797	2.9943	2.9364	23.6481	
	S	165.537	143.794	147.068	159.548	165.225	156.030	148.920	158.589	155.581	
46	T	3.0694	2.9171	2.8739	3.0247	3.0255	2.8881	2.9879	2.9313	23.7179	
	S	163.935	143.745	146.617	158.693	164.285	155.576	149.239	158.865	155.123	
47	T	3.0381	2.8257	2.8220	2.9954	3.0238	2.8560	2.9489	2.9215	23.4314	
	S	165.624	148.394	149.314	160.245	164.378	157.324	151.212	159.398	157.020	
48	T	3.0304	2.8867	2.8799	3.0279	3.0436	2.8401	2.9384	2.9216	23.5686	
	S	166.045	145.259	146.312	158.525	163.308	158.205	151.753	159.393	156.106	
49	T	3.0359	2.8831	2.8479	3.0095	3.0243	2.8017	2.9468	2.9200	23.4692	
	S	165.744	145.440	147.956	159.495	164.351	160.373	151.320	159.480	156.767	
50	T	3.0249	2.8479	2.8352	2.9987	3.0319	2.8217	2.9342	2.9165	23.4110	
	S	166.347	147.238	148.619	160.069	163.939	159.237	151.970	159.671	157.157	
51	T	3.0369	2.8494	2.8175	2.9907	3.0222	2.7909	2.9020	2.8940	23.3036	
	S	165.690	147.160	149.552	160.497	164.465	160.994	153.656	160.913	157.881	
52	T	3.0205	2.7901	2.7805	2.9580	3.0073	2.7614	2.9254	2.9265	23.1697	
	S	166.589	150.288	151.542	162.271	165.280	162.714	152.427	159.126	158.794	
53	T	3.0283	2.8162	2.8189	2.9822	3.0134	2.7788	2.8965	2.8923	23.2266	
	S	166.160	148.895	149.478	160.955	164.945	161.695	153.948	161.007	158.405	
54	T	3.0122	2.8316	2.8705	3.0140	3.0377	2.7624	2.9277	2.9405	23.3966	
	S	167.048	148.085	146.791	159.256	163.626	162.655	152.307	158.368	157.254	
55	T	3.0394	2.8421	2.8311	2.9921	3.0169	2.7947	2.9099	2.8979	23.3241	
	S	165.553	147.538	148.834	160.422	164.754	160.775	153.239	160.696	157.742	
56	T	3.0183	2.8213	2.8057	2.9806	3.0082	2.8028	2.9279	2.9111	23.2759	
	S	166.711	148.626	150.181	161.041	165.230	160.310	152.297	159.968	158.069	
57	T	3.0216	2.8945	2.9007	3.0466	3.0374	2.7806	2.9539	2.9284	23.5637	
	S	166.529	144.867	145.263	157.552	163.642	161.590	150.956	159.022	156.138	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 13 - Claman De Melo, Zachary (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.0225	2.8029	2.7959	2.9773	2.9948	2.8050	2.9928	2.9396	23.3308	
	S	166.479	149.602	150.708	161.219	165.969	160.185	148.994	158.417	157.697	
59	T	3.0372	2.8311	2.8030	2.9856	2.9930	2.8224	2.9743	2.9402	23.3868	
	S	165.673	148.111	150.326	160.771	166.069	159.197	149.921	158.384	157.320	
60	T	3.0354	2.8249	2.7953	2.9816	2.9896	2.8266	3.0397	2.9739	23.4670	
	S	165.771	148.436	150.740	160.987	166.258	158.961	146.695	156.589	156.782	
61	T	3.0455	2.8207	2.8301	2.9936	2.9918	2.8605	3.0272	2.9547	23.5241	
	S	165.222	148.657	148.886	160.342	166.136	157.077	147.301	157.607	156.401	
62	T	3.0413	2.8384	2.8135	2.9760	2.9807	2.8466	2.9721	2.9336	23.4022	
	S	165.450	147.730	149.765	161.290	166.755	157.844	150.032	158.741	157.216	
63	T	3.0293	2.9153	2.8971	3.0329	3.0197	2.7956	2.9686	2.9309	23.5894	
	S	166.105	143.834	145.443	158.264	164.601	160.723	150.209	158.887	155.968	
64	T	3.0332	2.8327	2.8253	3.0002	3.0068	2.7640	2.9609	2.9274	23.3505	
	S	165.892	148.028	149.139	159.989	165.307	162.561	150.600	159.077	157.564	
65	T	3.0333	2.7974	2.7858	2.9730	2.9937	2.7693	2.9274	2.9105	23.1904	
	S	165.886	149.896	151.254	161.453	166.030	162.250	152.323	160.000	158.652	
66	T	3.0138	2.8455	2.8267	2.9899	2.9998	2.7932	2.9563	2.9143	23.3395	
	S	166.960	147.362	149.066	160.540	165.693	160.861	150.834	159.792	157.638	
67	T	3.0194	2.8165	2.9004	3.0252	3.0127	2.7790	2.9633	2.9374	23.4539	
	S	166.650	148.879	145.278	158.667	164.983	161.683	150.478	158.535	156.869	
68	T	3.0389	2.7988	2.8227	2.9870	2.9883	2.7816	2.9782	2.9578	23.3533	
	S	165.581	149.821	149.277	160.696	166.331	161.532	149.725	157.442	157.545	
69	T	3.0489	2.8057	2.7956	2.9711	2.9774	2.8074	3.0193	2.9615	23.3869	
	S	165.037	149.452	150.724	161.556	166.939	160.048	147.687	157.245	157.319	
70	T	3.0451	2.8091	2.8462	3.0018	2.9934	2.8088	2.9950	2.9857	23.4851	
	S	165.243	149.271	148.044	159.904	166.047	159.968	148.885	155.971	156.661	
71	T	3.0722	2.8276	2.8347	2.9827	2.9845	2.8073	2.9765	2.9432	23.4287	
	S	163.786	148.295	148.645	160.928	166.542	160.053	149.810	158.223	157.038	
72	T	3.0375	2.8409	2.8512	2.9958	2.9884	2.7894	3.0186	2.9730	23.4948	
	S	165.657	147.600	147.785	160.224	166.325	161.081	147.721	156.637	156.596	
73	T	3.0512	2.7922	2.7937	2.9648	2.9783	2.8360	3.0254	2.9581	23.3997	
	S	164.913	150.175	150.826	161.899	166.889	158.434	147.389	157.426	157.233	
74	T	3.0463	2.8670	2.8375	2.9864	2.9887	2.7818	2.9893	2.9404	23.4374	
	S	165.178	146.257	148.498	160.728	166.308	161.521	149.169	158.373	156.980	
75	T	3.0416	2.8634	2.8650	2.9995	3.0008	2.7908	2.9892	2.9564	23.5067	
	S	165.434	146.441	147.073	160.026	165.638	161.000	149.174	157.516	156.517	
76	T	3.0551	2.8434	2.8104	2.9756	2.9919	2.8052	2.9799	2.9577	23.4192	
	S	164.703	147.471	149.930	161.312	166.130	160.173	149.639	157.447	157.102	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 13 - Claman De Melo, Zachary (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0518	2.8442	2.8807	3.0225	3.0172	2.8016	2.9784	2.9484	23.5448	
	S	164.881	147.429	146.271	158.809	164.737	160.379	149.715	157.944	156.264	
78	T	3.0524	2.8630	2.8684	3.0203	3.0289	2.7716	2.9595	2.9249	23.4890	
	S	164.848	146.461	146.898	158.924	164.101	162.115	150.671	159.213	156.635	
79	T	3.0463	2.8245	2.8364	2.9968	3.0071	2.8125	3.0117	2.9480	23.4833	
	S	165.178	148.457	148.556	160.170	165.291	159.758	148.059	157.965	156.673	
80	T	3.0463	2.8954	2.8493	3.0114	3.0138	2.8382	2.9923	2.9478	23.5945	
	S	165.178	144.822	147.883	159.394	164.923	158.311	149.019	157.976	155.935	
81	T	3.0452	2.8118	2.8675	3.0089	3.0293	2.8558	3.0220	2.9559	23.5964	
	S	165.238	149.128	146.945	159.526	164.079	157.335	147.555	157.543	155.922	
82	T	3.0469	2.8688	2.8907	3.0300	3.0481	2.8011	3.0057	2.9658	23.6571	
	S	165.146	146.165	145.765	158.415	163.067	160.408	148.355	157.017	155.522	
83	T	3.0592	2.8512	2.8621	3.0187	3.0401	2.8102	2.9930	2.9529	23.5874	
	S	164.482	147.067	147.222	159.008	163.496	159.888	148.984	157.703	155.982	
84	T	3.0599	2.8929	2.9116	3.0574	3.0579	2.8104	2.9721	2.9415	23.7037	
	S	164.444	144.947	144.719	156.996	162.545	159.877	150.032	158.314	155.216	
85	T	3.0537	2.8516	2.8439	3.0015	3.0291	2.8425	2.9953	2.9515	23.5691	
	S	164.778	147.047	148.164	159.920	164.090	158.071	148.870	157.778	156.103	
86	T	3.0509	2.8821	2.8959	3.0347	3.0440	2.8461	3.0126	2.9834	23.7497	
	S	164.929	145.491	145.504	158.170	163.287	157.872	148.015	156.091	154.916	
87	T	3.0766	2.8750	2.8726	3.0200	3.0364	2.8282	3.0161	2.9831	23.7080	
	S	163.552	145.850	146.684	158.940	163.696	158.871	147.843	156.107	155.188	
88	T	3.0774	2.8867	2.9200	3.0442	3.0485	2.8214	2.9724	2.9617	23.7323	
	S	163.509	145.259	144.303	157.676	163.046	159.254	150.017	157.234	155.029	
89	T	3.0684	2.8168	2.8380	2.9969	3.0280	2.8468	3.0320	2.9993	23.6262	
	S	163.989	148.863	148.472	160.165	164.150	157.833	147.068	155.263	155.725	
90	T	3.0900	2.8936	2.9130	3.0423	3.0543	2.9404	3.1206	3.0532	24.1074	
	S	162.842	144.912	144.649	157.775	162.736	152.809	142.892	152.522	152.617	
91	T	3.3975	3.5974	3.6210	5.4931						
	S	148.104	116.561	116.367	87.382						

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 14 - Rosenqvist, Felix (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	6.1654	4.9908	3.5467	4.1967	4.6320	4.5393	4.2731	3.3980	35.7420	32.6648
	S	81.614	84.018	118.804	114.375	107.307	98.984	104.353	137.046	102.938	84.474
2	T	3.4206	3.3543	2.9936	3.2513	3.2538	3.1474	3.1585	3.0257	25.6052	
	S	147.104	125.009	140.755	147.633	152.758	142.759	141.178	153.909	143.690	
3	T	3.2057	3.0502	2.9112	3.0501	3.0975	3.1913	3.0994	2.9828	24.5882	
	S	156.965	137.472	144.739	157.371	160.467	140.795	143.870	156.122	149.633	
4	T	3.1566	3.0649	2.9006	3.0507	3.0343	2.9077	2.9385	2.9332	23.9865	
	S	159.407	136.813	145.268	157.341	163.809	154.527	151.748	158.762	153.386	
5	T	3.1111	2.8243	2.7836	3.0164	3.0480	2.8102	2.8892	2.9166	23.3994	
	S	161.738	148.468	151.374	159.130	163.073	159.888	154.337	159.666	157.235	
6	T	3.0738	2.8199	2.7867	3.0321	3.0456	2.8165	2.8861	2.9217	23.3824	
	S	163.701	148.700	151.205	158.306	163.201	159.531	154.503	159.387	157.349	
7	T	3.0731	2.7612	2.7616	3.0133	3.0591	2.7688	2.8095	2.8812	23.1278	
	S	163.738	151.861	152.580	159.293	162.481	162.279	158.715	161.628	159.081	
8	T	3.0281	2.8206	2.7849	3.0481	3.1011	2.7845	2.7917	2.8722	23.2312	
	S	166.171	148.663	151.303	157.475	160.280	161.364	159.727	162.134	158.373	
9	T	3.0096	2.8093	2.7989	3.0547	3.0928	2.7661	2.8661	2.9149	23.3124	
	S	167.193	149.261	150.546	157.134	160.711	162.437	155.581	159.759	157.822	
10	T	3.0498	2.7546	2.7613	3.0394	3.1022	2.7859	2.7943	2.8762	23.1637	
	S	164.989	152.225	152.596	157.925	160.224	161.283	159.578	161.909	158.835	
11	T	3.0494	2.7494	2.7559	3.0438	3.0984	2.7813	2.8152	2.8903	23.1837	
	S	165.010	152.513	152.895	157.697	160.420	161.550	158.394	161.119	158.698	
12	T	3.0444	2.8216	2.7912	3.0506	3.1015	2.7919	2.8123	2.8861	23.2996	
	S	165.281	148.610	150.961	157.346	160.260	160.936	158.557	161.353	157.908	
13	T	3.0548	2.7715	2.7649	3.0176	3.0747	2.7730	2.8025	2.8741	23.1331	
	S	164.719	151.296	152.397	159.066	161.657	162.033	159.112	162.027	159.045	
14	T	3.0289	2.7571	2.7778	3.0186	3.0611	2.7611	2.8266	2.8974	23.1286	
	S	166.127	152.087	151.690	159.014	162.375	162.732	157.755	160.724	159.076	
15	T	3.0489	2.8054	2.8077	3.0391	3.0728	2.7721	2.8367	2.9022	23.2849	
	S	165.037	149.468	150.074	157.941	161.757	162.086	157.193	160.458	158.008	
16	T	3.0398	2.7804	2.7840	3.0384	3.0699	2.7792	2.8155	2.8850	23.1922	
	S	165.531	150.812	151.352	157.977	161.909	161.672	158.377	161.415	158.640	
17	T	3.0445	2.8227	2.8058	3.0509	3.0827	2.7588	2.8766	2.9248	23.3668	
	S	165.276	148.552	150.176	157.330	161.237	162.867	155.013	159.218	157.454	
18	T	3.0655	2.7776	2.7915	3.0369	3.0704	2.7629	2.8444	2.9022	23.2514	
	S	164.144	150.964	150.945	158.055	161.883	162.626	156.768	160.458	158.236	
19	T	3.0431	2.8470	2.8252	3.0631	3.0877	2.7760	2.8699	2.9222	23.4342	
	S	165.352	147.284	149.145	156.704	160.976	161.858	155.375	159.360	157.001	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 14 - Rosenqvist, Felix (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0542	2.7787	2.8009	3.0375	3.0771	2.7854	2.8600	2.9077	23.3015	
	S	164.751	150.904	150.439	158.024	161.530	161.312	155.913	160.155	157.895	
21	T	3.0488	2.7649	2.8136	3.0326	3.0837	2.7671	2.8202	2.8889	23.2198	
	S	165.043	151.658	149.760	158.280	161.185	162.379	158.113	161.197	158.451	
22	T	3.0524	2.7676	2.7791	3.0089	3.0509	2.7630	2.8414	2.9192	23.1825	
	S	164.848	151.510	151.619	159.526	162.918	162.620	156.933	159.524	158.706	
23	T	3.0804	2.8001	2.8153	3.0564	3.0832	2.7774	2.9018	2.9424	23.4570	
	S	163.350	149.751	149.669	157.047	161.211	161.777	153.667	158.266	156.849	
24	T	3.0972	2.7934	2.7867	3.0419	3.0714	2.7924	2.8884	2.9301	23.4015	
	S	162.464	150.110	151.205	157.796	161.830	160.908	154.380	158.930	157.221	
25	T	3.0796	2.7717	2.7874	3.0436	3.0820	2.7920	2.8902	2.9369	23.3834	
	S	163.392	151.286	151.167	157.708	161.274	160.931	154.284	158.562	157.342	
26	T	3.0834	2.7695	2.7862	3.0301	3.0826	2.7861	2.8787	2.9302	23.3468	
	S	163.191	151.406	151.232	158.410	161.242	161.271	154.900	158.925	157.589	
27	T	3.0818	2.8059	2.8171	3.0562	3.1084	2.7971	2.8304	2.9035	23.4004	
	S	163.276	149.442	149.574	157.057	159.904	160.637	157.543	160.386	157.228	
28	T	3.0592	2.7737	2.7895	3.0437	3.1045	2.7888	2.8637	2.9259	23.3490	
	S	164.482	151.176	151.053	157.702	160.105	161.115	155.711	159.158	157.574	
29	T	3.0780	2.7720	2.7970	3.0478	3.0904	2.7838	2.8694	2.9305	23.3689	
	S	163.477	151.269	150.648	157.490	160.835	161.405	155.402	158.909	157.440	
30	T	3.0826	2.8143	2.9147	3.1124	3.1166	2.8069	2.9047	2.9457	23.6979	
	S	163.233	148.996	144.565	154.221	159.483	160.076	153.513	158.089	155.254	
31	T	3.0874	2.7891	2.8084	3.0544	3.0771	2.7743	2.8774	2.9303	23.3984	
	S	162.979	150.342	150.037	157.150	161.530	161.957	154.970	158.919	157.242	
32	T	3.0775	2.8421	2.8332	3.0657	3.0823	2.7883	2.8672	2.9358	23.4921	
	S	163.504	147.538	148.724	156.571	161.258	161.144	155.521	158.622	156.614	
33	T	3.0962	2.7736	2.7830	3.0223	3.0537	2.7885	2.9059	2.9466	23.3698	
	S	162.516	151.182	151.406	158.819	162.768	161.133	153.450	158.040	157.434	
34	T	3.0877	2.8169	2.8163	3.3389	3.9618	4.1828	4.6103	5.6951	30.5098	
	S	162.964	148.858	149.616	143.760	125.460	107.420	96.720	81.769	120.591	
35	T	5.4950	3.8204	3.4785	3.7199	3.7261	3.6555	4.3211	4.8446	33.0611	
	S	91.571	109.758	121.134	129.035	133.396	122.916	103.194	96.124	111.285	
36	T	4.7656	3.4061	3.1439	3.3741	3.8682	3.6562	3.7571	7.2078	33.1790	
	S	105.586	123.108	134.026	142.260	128.495	122.892	118.685	64.608	110.889	
37	T	7.0547	4.9034	6.1303	7.3493	7.9365	5.8702	7.0050	6.1560	52.4054	
	S	71.326	85.516	68.735	65.312	62.628	76.542	63.656	75.647	70.207	
38	T	6.0036	5.5133	6.6847	6.9941	7.6733	5.1762	6.0402	6.8275	50.9129	
	S	83.813	76.056	63.034	68.629	64.776	86.805	73.824	68.207	72.265	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 14 - Rosenqvist, Felix (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	7.2381	5.0449	4.4899	5.1704	5.9043	3.5782	3.1946	3.0388	37.6592	
	S	69.519	83.117	93.847	92.836	84.184	125.571	139.582	153.245	97.697	
40	T	3.3324	3.2366	3.0737	3.1319	3.2001	3.2439	3.3015	3.1414	25.6615	
	S	150.997	129.555	137.087	153.261	155.322	138.512	135.063	148.240	143.374	
41	T	3.2994	3.1041	2.9811	3.0924	3.1119	3.1613	3.2213	3.1120	25.0835	
	S	152.507	135.085	141.345	155.219	159.724	142.131	138.426	149.641	146.678	
42	T	3.2822	3.0629	2.9622	3.1012	3.0782	2.9783	3.1344	3.0805	24.6799	
	S	153.307	136.902	142.247	154.778	161.473	150.864	142.263	151.171	149.077	
43	T	3.2145	2.9232	2.8670	3.0842	3.0796	2.8427	3.0064	3.0039	24.0215	
	S	156.535	143.445	146.970	155.632	161.399	158.060	148.320	155.026	153.163	
44	T	3.1260	2.8535	2.8475	3.0665	3.0853	2.8414	3.0009	3.0040	23.8251	
	S	160.967	146.949	147.977	156.530	161.101	158.133	148.592	155.020	154.425	
45	T	3.1459	2.8899	2.8465	3.0693	3.0815	2.7994	2.9165	2.9539	23.7029	
	S	159.949	145.098	148.029	156.387	161.300	160.505	152.892	157.650	155.222	
46	T	3.0965	2.7816	2.8018	3.0421	3.0774	2.7791	2.9015	2.9444	23.4244	
	S	162.500	150.747	150.390	157.785	161.515	161.678	153.683	158.158	157.067	
47	T	3.0851	2.8595	2.8583	3.0875	3.1256	2.8144	2.8336	2.9063	23.5703	
	S	163.101	146.640	147.418	155.465	159.024	159.650	157.365	160.232	156.095	
48	T	3.0579	2.8039	2.8328	3.0510	3.0984	2.7910	2.8441	2.9026	23.3817	
	S	164.552	149.548	148.745	157.325	160.420	160.988	156.784	160.436	157.354	
49	T	3.0527	2.8795	2.8725	3.0847	3.1161	2.7990	2.8952	2.9374	23.6371	
	S	164.832	145.622	146.689	155.606	159.509	160.528	154.017	158.535	155.654	
50	T	3.0982	2.8297	2.8267	3.0581	3.1123	2.8043	2.8600	2.9295	23.5188	
	S	162.411	148.185	149.066	156.960	159.704	160.225	155.913	158.963	156.437	
51	T	3.0977	2.8986	2.8807	3.0864	3.1303	2.8088	2.9138	2.9639	23.7802	
	S	162.437	144.662	146.271	155.521	158.785	159.968	153.034	157.118	154.717	
52	T	3.1090	2.8750	2.8582	3.0859	3.1301	2.7985	2.8701	2.9360	23.6628	
	S	161.847	145.850	147.423	155.546	158.795	160.557	155.364	158.611	155.485	
53	T	3.0881	2.8120	2.8133	3.0460	3.0958	2.7974	2.9376	2.9677	23.5579	
	S	162.942	149.117	149.776	157.583	160.555	160.620	151.794	156.917	156.177	
54	T	3.1085	2.8916	2.8812	3.0862	3.1215	2.8889	3.0271	3.0236	24.0286	
	S	161.873	145.013	146.246	155.531	159.233	155.533	147.306	154.016	153.118	
55	T	3.1350	2.8379	2.8445	3.0564	3.1022	2.8111	2.9556	2.9798	23.7225	
	S	160.505	147.757	148.133	157.047	160.224	159.837	150.870	156.279	155.093	
56	T	3.1133	2.8686	2.8641	3.0855	3.1113	2.7999	2.9267	2.9559	23.7253	
	S	161.624	146.175	147.119	155.566	159.755	160.477	152.359	157.543	155.075	
57	T	3.0990	2.8732	2.8714	3.0922	3.1168	2.7946	2.9324	2.9574	23.7370	
	S	162.369	145.941	146.745	155.229	159.473	160.781	152.063	157.463	154.999	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 14 - Rosenqvist, Felix (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.1006	2.8274	2.8350	3.0694	3.0852	2.8059	2.9883	2.9868	23.6986	
	S	162.286	148.305	148.629	156.382	161.106	160.133	149.219	155.913	155.250	
59	T	3.1255	2.8515	2.8484	3.0903	3.1117	2.7990	2.9125	2.9470	23.6859	
	S	160.993	147.052	147.930	155.324	159.734	160.528	153.102	158.019	155.333	
60	T	3.0983	2.8597	2.8533	3.0927	3.0998	2.8066	2.8856	2.9310	23.6270	
	S	162.406	146.630	147.676	155.204	160.348	160.093	154.529	158.881	155.720	
61	T	3.0741	2.7960	2.8134	3.0448	3.0670	2.7751	2.8842	2.9249	23.3795	
	S	163.685	149.971	149.770	157.645	162.062	161.911	154.604	159.213	157.369	
62	T	3.0748	2.8859	2.8736	3.0909	3.0934	2.7962	2.8858	2.9384	23.6390	
	S	163.647	145.299	146.633	155.294	160.679	160.689	154.519	158.481	155.641	
63	T	3.0831	2.8496	2.8442	3.0679	3.0971	2.8148	2.9121	2.9492	23.6180	
	S	163.207	147.150	148.148	156.458	160.487	159.627	153.123	157.901	155.779	
64	T	3.1019	2.7992	2.8094	3.0512	3.0947	2.8001	2.8976	2.9378	23.4919	
	S	162.218	149.799	149.983	157.315	160.612	160.465	153.889	158.514	156.616	
65	T	3.1127	2.7999	2.8142	3.0546	3.0958	2.7856	2.8686	2.9234	23.4548	
	S	161.655	149.762	149.728	157.140	160.555	161.300	155.445	159.294	156.863	
66	T	3.0895	2.7779	2.8245	3.0463	3.0860	2.7808	2.8715	2.9264	23.4029	
	S	162.869	150.948	149.182	157.568	161.065	161.579	155.288	159.131	157.211	
67	T	3.0851	2.7883	2.8119	3.0433	3.0763	2.7791	2.8317	2.9007	23.3164	
	S	163.101	150.385	149.850	157.723	161.572	161.678	157.471	160.541	157.795	
68	T	3.0686	2.7536	2.7877	3.0319	3.0578	2.8117	2.8609	2.9184	23.2906	
	S	163.978	152.280	151.151	158.316	162.550	159.803	155.864	159.567	157.969	
69	T	3.0763	2.7500	2.7911	3.0319	3.0598	2.7853	2.8706	2.9285	23.2935	
	S	163.567	152.479	150.967	158.316	162.444	161.318	155.337	159.017	157.950	
70	T	3.0815	2.7703	2.7975	3.0337	3.0636	2.7845	2.9070	2.9462	23.3843	
	S	163.291	151.362	150.621	158.222	162.242	161.364	153.392	158.062	157.336	
71	T	3.0941	2.8095	2.8173	3.0446	3.0638	2.7745	2.8611	2.9256	23.3905	
	S	162.626	149.250	149.563	157.656	162.232	161.946	155.853	159.175	157.295	
72	T	3.0849	2.7837	2.8101	3.0333	3.0671	2.7751	2.8719	2.9368	23.3629	
	S	163.111	150.633	149.946	158.243	162.057	161.911	155.267	158.568	157.480	
73	T	3.1006	2.7934	2.8156	3.0355	3.0591	2.7791	2.8844	2.9349	23.4026	
	S	162.286	150.110	149.653	158.128	162.481	161.678	154.594	158.670	157.213	
74	T	3.1040	2.8110	2.8163	3.0347	3.0717	2.8570	2.9124	2.9551	23.5622	
	S	162.108	149.170	149.616	158.170	161.814	157.269	153.107	157.586	156.148	
75	T	3.1030	2.7968	2.8445	3.0566	3.0887	2.8247	2.9982	3.0244	23.7369	
	S	162.160	149.928	148.133	157.037	160.924	159.068	148.726	153.975	154.999	
76	T	3.1523	2.8577	2.8482	3.0714	3.1159	2.8377	2.9764	2.9956	23.8552	
	S	159.624	146.733	147.940	156.280	159.519	158.339	149.815	155.455	154.231	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 14 - Rosenqvist, Felix (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.1344	2.8443	2.8776	3.0981	3.1351	2.8331	2.9821	2.9951	23.8998	
	S	160.536	147.424	146.429	154.933	158.542	158.596	149.529	155.481	153.943	
78	T	3.1303	2.8606	2.8773	3.0926	3.1266	2.8513	2.9535	2.9701	23.8623	
	S	160.746	146.584	146.444	155.209	158.973	157.584	150.977	156.790	154.185	
79	T	3.1284	2.8464	2.8591	3.0842	3.1261	2.8942	3.0062	3.0100	23.9546	
	S	160.843	147.315	147.376	155.632	158.999	155.248	148.330	154.711	153.591	
80	T	3.1520	2.8769	2.8576	3.0844	3.1342	2.9336	3.0351	3.0220	24.0958	
	S	159.639	145.753	147.454	155.621	158.588	153.163	146.918	154.097	152.691	
81	T	3.1587	2.8911	2.8809	3.0978	3.1469	2.8976	2.9647	2.9865	24.0242	
	S	159.301	145.038	146.261	154.948	157.948	155.066	150.407	155.929	153.146	
82	T	3.1448	2.8702	2.8479	3.0795	3.1387	2.8528	2.9356	2.9754	23.8449	
	S	160.005	146.094	147.956	155.869	158.360	157.501	151.897	156.511	154.297	
83	T	3.1245	2.8379	2.8469	3.0778	3.1402	2.8622	2.9456	2.9788	23.8139	
	S	161.044	147.757	148.008	155.955	158.285	156.984	151.382	156.332	154.498	
84	T	3.1392	2.8640	2.8888	3.1124	3.1542	2.8483	2.9569	2.9974	23.9612	
	S	160.290	146.410	145.861	154.221	157.582	157.750	150.803	155.362	153.548	
85	T	3.1538	2.8599	2.8643	3.0887	3.1383	2.8920	2.9938	3.0033	23.9941	
	S	159.548	146.620	147.109	155.405	158.380	155.366	148.945	155.057	153.338	
86	T	3.1406	2.8466	2.8453	3.0709	3.1366	2.8675	3.0040	3.0248	23.9363	
	S	160.219	147.305	148.091	156.306	158.466	156.693	148.439	153.954	153.708	
87	T	3.1540	2.8601	2.8693	3.0890	3.1456	2.9139	3.0140	3.0309	24.0768	
	S	159.538	146.610	146.852	155.390	158.013	154.198	147.946	153.645	152.811	
88	T	3.1677	2.8464	2.8328	3.0684	3.1277	2.8584	2.9327	2.9739	23.8080	
	S	158.848	147.315	148.745	156.433	158.917	157.192	152.048	156.589	154.536	
89	T	3.1234	2.8147	2.8350	3.0685	3.1276	2.8696	2.9917	3.0018	23.8323	
	S	161.101	148.974	148.629	156.428	158.922	156.579	149.049	155.134	154.379	
90	T	3.1420	2.8724	2.8847	3.1024	3.1470	2.8613	2.9928	3.0216	24.0242	
	S	160.147	145.982	146.068	154.719	157.943	157.033	148.994	154.117	153.146	
91	T	3.4826									
	S	144.485									

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 17 - Negrao, Andre (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	5.7917	4.9305	3.6862	4.4130	5.1790	5.0570	4.0409	3.3184	36.4167	33.2239
	S	86.880	85.046	114.308	108.769	95.973	88.851	110.349	140.333	101.031	83.052
2	T	3.3218	2.9242	2.8395	3.0034	3.1042	2.9589	2.8549	2.9006	23.9075	
	S	151.479	143.396	148.394	159.818	160.120	151.853	156.191	160.547	153.893	
3	T	3.0592	2.7079	2.7130	2.9446	3.0449	2.8634	2.8290	2.8677	23.0297	
	S	164.482	154.850	155.313	163.010	163.239	156.918	157.621	162.388	159.759	
4	T	3.0472	2.7148	2.6990	2.9405	3.0185	2.7845	2.8074	2.8583	22.8702	
	S	165.130	154.456	156.118	163.237	164.666	161.364	158.834	162.923	160.873	
5	T	3.0072	2.6663	2.6801	2.9204	2.9907	2.7381	2.7884	2.8417	22.6329	
	S	167.326	157.266	157.219	164.361	166.197	164.099	159.916	163.874	162.560	
6	T	2.9970	2.6813	2.7027	2.9216	3.0029	2.7797	2.8080	2.8583	22.7515	
	S	167.895	156.386	155.905	164.293	165.522	161.643	158.800	162.923	161.712	
7	T	3.0304	2.6830	2.6872	2.9313	3.0134	2.7756	2.7952	2.8464	22.7625	
	S	166.045	156.287	156.804	163.749	164.945	161.881	159.527	163.604	161.634	
8	T	3.0688	2.7050	2.7055	2.9419	3.0217	2.7872	2.8154	2.8644	22.9099	
	S	163.967	155.016	155.743	163.159	164.492	161.208	158.383	162.576	160.594	
9	T	3.0198	2.7136	2.7128	2.9615	3.0326	2.7679	2.8029	2.8599	22.8710	
	S	166.628	154.525	155.324	162.080	163.901	162.332	159.089	162.831	160.867	
10	T	3.0375	2.6737	2.6998	2.9428	3.0202	2.8371	2.8270	2.8699	22.9080	
	S	165.657	156.831	156.072	163.110	164.574	158.372	157.733	162.264	160.608	
11	T	3.0269	2.7291	2.7119	2.9601	3.0328	2.7717	2.8137	2.8668	22.9130	
	S	166.237	153.647	155.376	162.156	163.890	162.109	158.478	162.439	160.573	
12	T	3.0298	2.6524	2.6839	2.9439	3.0207	2.8432	2.9120	2.9180	23.0039	
	S	166.078	158.090	156.997	163.049	164.546	158.033	153.129	159.589	159.938	
13	T	3.0790	2.7229	2.7319	2.9705	3.0378	2.7774	2.7868	2.8503	22.9566	
	S	163.424	153.997	154.238	161.589	163.620	161.777	160.008	163.380	160.268	
14	T	3.0361	2.6620	2.6935	2.9323	3.0232	2.7623	2.8232	2.8660	22.7986	
	S	165.733	157.520	156.437	163.694	164.410	162.661	157.945	162.485	161.378	
15	T	3.0376	2.7037	2.7347	2.9733	3.1682	2.9236	2.8394	2.8759	23.2564	
	S	165.651	155.090	154.080	161.436	156.886	153.687	157.044	161.925	158.202	
16	T	3.0480	2.6933	2.7062	2.9538	3.0298	2.7701	2.8279	2.8588	22.8879	
	S	165.086	155.689	155.703	162.502	164.052	162.203	157.682	162.894	160.749	
17	T	3.0334	2.6883	2.7148	2.9510	3.0283	2.7902	2.8357	2.8789	22.9206	
	S	165.881	155.979	155.210	162.656	164.133	161.034	157.249	161.757	160.519	
18	T	3.0369	2.6737	2.7100	2.9440	3.0150	2.8582	2.8902	2.9126	23.0406	
	S	165.690	156.831	155.485	163.043	164.858	157.203	154.284	159.885	159.683	
19	T	3.0472	2.7119	2.7356	2.9654	3.0273	2.7758	2.8462	2.8816	22.9910	
	S	165.130	154.622	154.030	161.866	164.188	161.870	156.669	161.605	160.028	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 17 - Negrao, Andre (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0266	2.6781	2.6967	2.9451	3.0147	2.8798	2.9023	2.9162	23.0595	
	S	166.253	156.573	156.252	162.982	164.874	156.024	153.640	159.688	159.552	
21	T	3.0484	2.7268	2.7668	2.9755	3.0401	2.7850	2.8314	2.8716	23.0456	
	S	165.064	153.777	152.293	161.317	163.496	161.335	157.488	162.168	159.649	
22	T	3.0492	2.7220	2.7416	2.9622	3.0293	2.7610	2.8499	2.8825	22.9977	
	S	165.021	154.048	153.693	162.041	164.079	162.737	156.465	161.555	159.981	
23	T	3.0499	2.6893	2.6995	2.9413	3.0141	2.7546	2.8358	2.8789	22.8634	
	S	164.983	155.921	156.090	163.193	164.907	163.116	157.243	161.757	160.921	
24	T	3.0465	2.7307	2.7657	2.9720	3.0275	2.7851	2.8542	2.8894	23.0711	
	S	165.167	153.557	152.353	161.507	164.177	161.329	156.229	161.169	159.472	
25	T	3.0579	2.7146	2.7257	2.9656	3.0274	2.7988	2.8810	2.8929	23.0639	
	S	164.552	154.468	154.589	161.856	164.182	160.540	154.776	160.974	159.522	
26	T	3.0729	2.8152	2.7871	2.9939	3.0555	2.8427	2.8669	2.8983	23.3325	
	S	163.748	148.948	151.184	160.326	162.672	158.060	155.537	160.674	157.686	
27	T	3.0583	2.6807	2.6971	2.9369	3.0157	2.8087	2.8551	2.8916	22.9441	
	S	164.530	156.421	156.228	163.437	164.819	159.974	156.180	161.046	160.355	
28	T	3.0539	2.7800	2.7911	2.9968	3.0406	2.8081	2.8660	2.8920	23.2285	
	S	164.767	150.834	150.967	160.170	163.470	160.008	155.586	161.024	158.392	
29	T	3.0609	2.7953	2.8163	3.0190	3.0522	2.8471	2.8622	2.8950	23.3480	
	S	164.390	150.008	149.616	158.993	162.848	157.816	155.793	160.857	157.581	
30	T	3.0593	2.7554	2.7704	2.9953	3.0375	2.8277	2.8545	2.8928	23.1929	
	S	164.476	152.181	152.095	160.251	163.636	158.899	156.213	160.979	158.635	
31	T	3.0556	2.7529	2.8229	3.0075	3.0363	2.7777	2.8388	2.8819	23.1736	
	S	164.676	152.319	149.266	159.601	163.701	161.759	157.077	161.588	158.767	
32	T	3.0598	2.7804	3.6364	4.1296	3.5248	2.9774	2.9181	2.9210	25.9475	
	S	164.450	150.812	115.874	116.234	141.014	150.910	152.808	159.425	141.794	
33	T	3.0808	2.8022	2.7705	3.0005	3.0394	2.8627	2.9422	2.9446	23.4429	
	S	163.329	149.639	152.089	159.973	163.534	156.956	151.557	158.148	156.943	
34	T	3.1039	2.7989	2.7789	3.0065	3.0456	2.8034	3.0956	3.7726	24.4054	
	S	162.113	149.815	151.630	159.654	163.201	160.276	144.046	123.438	150.754	
35	T	3.6463	3.2866	3.2244	3.8723	4.2193	4.1056	5.2516	7.2004	34.8065	
	S	137.998	127.584	130.680	123.957	117.803	109.440	84.909	64.674	105.704	
36	T	5.5844	4.2602	4.1194	4.2290	4.0149	4.5939	6.9492	7.8644	41.6154	
	S	90.105	98.427	102.288	113.502	123.800	97.808	64.167	59.214	88.410	
37	T	6.8061	6.4283	6.6927	7.3520	7.1050	6.0142	7.0073	6.5722	53.9778	
	S	73.931	65.230	62.959	65.288	69.957	74.710	63.635	70.856	68.161	
38	T	6.4225	6.1889	6.3561	6.9108	6.9418	5.8256	6.5180	6.7193	51.8830	
	S	78.347	67.753	66.293	69.456	71.602	77.128	68.412	69.305	70.913	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 17 - Negrao, Andre (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	6.0369	6.2380	5.4045	6.2465	5.9780	4.4617	3.3744	3.1554	40.8954	
	S	83.351	67.220	77.965	76.843	83.146	100.706	132.145	147.582	89.966	
40	T	3.2003	2.9298	2.8377	2.9959	3.0613	3.0857	3.0468	2.9714	24.1289	
	S	157.230	143.122	148.488	160.219	162.364	145.613	146.354	156.721	152.481	
41	T	3.1191	2.8302	2.8122	3.0048	3.0442	2.8271	2.9206	2.9184	23.4766	
	S	161.323	148.158	149.834	159.744	163.276	158.933	152.678	159.567	156.718	
42	T	3.0762	2.7594	2.7814	3.0001	3.0328	2.7935	2.9117	2.9066	23.2617	
	S	163.573	151.960	151.493	159.994	163.890	160.844	153.144	160.215	158.166	
43	T	3.0763	2.8366	2.8163	2.9991	3.0297	2.7929	2.9109	2.9062	23.3680	
	S	163.567	147.824	149.616	160.048	164.058	160.879	153.186	160.237	157.446	
44	T	3.0634	2.8175	2.8031	2.9882	3.0297	2.7939	2.8677	2.8920	23.2555	
	S	164.256	148.826	150.321	160.631	164.058	160.821	155.494	161.024	158.208	
45	T	3.0713	2.8286	2.8231	3.0030	3.0337	2.7981	2.8906	2.9140	23.3624	
	S	163.834	148.242	149.256	159.840	163.841	160.580	154.262	159.808	157.484	
46	T	3.0796	2.8447	2.8427	3.0021	3.0458	2.7786	2.8783	2.8841	23.3559	
	S	163.392	147.403	148.227	159.888	163.190	161.707	154.921	161.465	157.528	
47	T	3.0841	2.8390	2.8075	2.9910	3.0419	2.8067	2.8803	2.9010	23.3515	
	S	163.154	147.699	150.085	160.481	163.400	160.088	154.814	160.524	157.557	
48	T	3.0683	2.8645	2.8322	3.0072	3.0378	2.7814	2.8989	2.9038	23.3941	
	S	163.994	146.384	148.776	159.616	163.620	161.544	153.820	160.370	157.270	
49	T	3.0817	2.8583	2.8502	3.0061	3.0406	2.7894	2.9181	2.9203	23.4647	
	S	163.281	146.702	147.837	159.675	163.470	161.081	152.808	159.464	156.797	
50	T	3.0752	2.8824	2.8547	3.0136	3.0529	2.7886	2.9073	2.9106	23.4853	
	S	163.626	145.475	147.603	159.278	162.811	161.127	153.376	159.995	156.660	
51	T	3.1117	2.8606	2.8234	3.0143	3.0413	2.7844	2.9057	2.9023	23.4437	
	S	161.707	146.584	149.240	159.241	163.432	161.370	153.461	160.453	156.938	
52	T	3.0662	2.8696	2.8351	3.0147	3.0490	2.7668	2.8380	2.8823	23.3217	
	S	164.106	146.124	148.624	159.219	163.019	162.396	157.121	161.566	157.759	
53	T	3.0760	2.7731	2.7460	2.9644	3.0399	2.8902	2.8926	2.8882	23.2704	
	S	163.583	151.209	153.446	161.921	163.507	155.463	154.155	161.236	158.106	
54	T	3.1202	2.8964	2.8528	3.0318	3.0696	2.8062	2.9263	2.9049	23.6082	
	S	161.266	144.772	147.702	158.321	161.925	160.116	152.380	160.309	155.844	
55	T	3.0881	2.7892	2.7668	2.9664	3.0674	2.8547	2.8994	2.8813	23.3133	
	S	162.942	150.336	152.293	161.812	162.041	157.396	153.794	161.622	157.815	
56	T	3.0983	2.8660	2.8316	3.0007	3.0518	2.8167	2.9202	2.8991	23.4844	
	S	162.406	146.308	148.808	159.962	162.870	159.519	152.699	160.630	156.666	
57	T	3.1093	2.9027	2.8451	3.0231	3.0495	2.7771	2.9012	2.8854	23.4934	
	S	161.831	144.458	148.102	158.777	162.992	161.794	153.699	161.392	156.606	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 17 - Negrao, Andre (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.0966	2.9091	2.8420	3.0120	3.0536	2.8001	2.8794	2.8912	23.4840	
	S	162.495	144.140	148.263	159.362	162.774	160.465	154.862	161.069	156.668	
59	T	3.1144	2.9051	2.8352	3.0192	3.0452	2.7868	2.8840	2.8897	23.4796	
	S	161.566	144.339	148.619	158.982	163.223	161.231	154.615	161.152	156.698	
60	T	3.0823	2.8068	2.7813	2.9843	3.0285	2.8180	2.8870	2.8827	23.2709	
	S	163.249	149.394	151.499	160.841	164.123	159.446	154.455	161.543	158.103	
61	T	3.1200	2.9364	2.8997	3.0660	3.0616	2.7851	2.8548	2.8661	23.5897	
	S	161.276	142.800	145.313	156.555	162.348	161.329	156.197	162.479	155.966	
62	T	3.0794	2.8676	2.8513	3.0254	3.0453	2.7769	2.8727	2.8842	23.4028	
	S	163.403	146.226	147.779	158.656	163.217	161.806	155.223	161.459	157.212	
63	T	3.0756	2.8142	2.8062	2.9949	3.0338	2.7690	2.8735	2.8844	23.2516	
	S	163.605	149.001	150.155	160.272	163.836	162.267	155.180	161.448	158.234	
64	T	3.0952	2.8758	2.8355	2.9983	3.0435	2.7824	2.9204	2.9194	23.4705	
	S	162.569	145.809	148.603	160.090	163.314	161.486	152.688	159.513	156.758	
65	T	3.1194	2.8511	2.8087	2.9926	3.0391	2.7685	2.8839	2.9023	23.3656	
	S	161.308	147.072	150.021	160.395	163.550	162.297	154.621	160.453	157.462	
66	T	3.0846	2.8286	2.8046	2.9931	3.0432	2.7869	2.9062	2.9104	23.3576	
	S	163.127	148.242	150.240	160.368	163.330	161.225	153.434	160.006	157.516	
67	T	3.0851	2.7989	2.7760	2.9764	3.0340	2.7818	2.8831	2.8977	23.2330	
	S	163.101	149.815	151.788	161.268	163.825	161.521	154.663	160.707	158.361	
68	T	3.0703	2.7647	2.7741	2.9681	3.0260	2.7792	2.8792	2.8944	23.1560	
	S	163.887	151.669	151.892	161.719	164.258	161.672	154.873	160.890	158.888	
69	T	3.0677	2.7754	2.8170	2.9932	3.0321	2.8029	2.9169	2.9027	23.3079	
	S	164.026	151.084	149.579	160.363	163.928	160.305	152.871	160.430	157.852	
70	T	3.0703	2.7880	2.7978	2.9935	3.0300	2.7812	2.8995	2.9329	23.2932	
	S	163.887	150.401	150.605	160.347	164.041	161.556	153.789	158.778	157.952	
71	T	3.0895	2.8124	2.8014	2.9940	3.0329	2.7903	2.9118	2.8967	23.3290	
	S	162.869	149.096	150.412	160.320	163.885	161.029	153.139	160.763	157.709	
72	T	3.0406	2.8538	3.0106	3.0789	3.0660	2.9560	3.0448	2.9894	24.0401	
	S	165.488	146.933	139.960	155.899	162.115	152.002	146.450	155.778	153.044	
73	T	3.0986	2.8219	2.8164	2.9968	3.0238	2.7634	2.9197	2.9148	23.3554	
	S	162.390	148.594	149.611	160.170	164.378	162.596	152.725	159.764	157.531	
74	T	3.0677	2.7721	2.8090	2.9823	3.0282	2.7916	2.9568	2.9431	23.3508	
	S	164.026	151.264	150.005	160.949	164.139	160.954	150.808	158.228	157.562	
75	T	3.0766	2.7659	2.7785	2.9668	3.0186	2.7994	2.9315	2.9090	23.2463	
	S	163.552	151.603	151.651	161.790	164.661	160.505	152.110	160.083	158.270	
76	T	3.0602	2.7659	2.7835	2.9700	3.0255	2.7981	2.9321	2.9075	23.2428	
	S	164.428	151.603	151.379	161.616	164.285	160.580	152.079	160.166	158.294	

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 17 - Negrao, Andre (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0683	2.7589	2.7746	2.9786	3.0344	2.7859	2.9129	2.9014	23.2150	
	S	163.994	151.987	151.865	161.149	163.804	161.283	153.081	160.502	158.484	
78	T	3.0869	2.8288	2.8306	2.9968	3.0515	2.8285	2.9638	2.9279	23.5148	
	S	163.006	148.232	148.860	160.170	162.886	158.854	150.452	159.050	156.463	
79	T	3.0836	2.8183	2.8468	3.0280	3.0593	2.7971	2.9615	2.9188	23.5134	
	S	163.180	148.784	148.013	158.520	162.470	160.637	150.569	159.546	156.472	
80	T	3.0862	2.8369	2.8478	3.0271	3.0601	2.8265	2.9149	2.9122	23.5117	
	S	163.043	147.809	147.961	158.567	162.428	158.966	152.976	159.907	156.484	
81	T	3.0752	2.7792	2.8446	3.0244	3.0560	2.8138	2.8981	2.9093	23.4006	
	S	163.626	150.877	148.128	158.709	162.646	159.684	153.863	160.066	157.227	
82	T	3.0726	2.7787	2.8556	3.0267	3.0674	2.7941	2.9020	2.9052	23.4023	
	S	163.764	150.904	147.557	158.588	162.041	160.810	153.656	160.292	157.215	
83	T	3.0681	2.7768	2.8475	3.0269	3.0612	2.8519	2.9210	2.9167	23.4701	
	S	164.005	151.008	147.977	158.578	162.369	157.550	152.657	159.660	156.761	
84	T	3.0825	2.8475	2.8602	3.0322	3.0726	2.8001	2.9204	2.9291	23.5446	
	S	163.238	147.258	147.320	158.300	161.767	160.465	152.688	158.984	156.265	
85	T	3.0834	2.8357	2.8621	3.0419	3.0595	2.8024	2.9241	2.9253	23.5344	
	S	163.191	147.871	147.222	157.796	162.460	160.333	152.495	159.191	156.333	
86	T	3.0869	2.8423	2.8270	3.0238	3.0588	2.7906	2.9085	2.9196	23.4575	
	S	163.006	147.528	149.050	158.740	162.497	161.011	153.313	159.502	156.845	
87	T	3.0824	2.8323	2.8513	3.0188	3.0539	2.8229	2.9476	2.9420	23.5512	
	S	163.244	148.049	147.779	159.003	162.758	159.169	151.279	158.287	156.221	
88	T	3.0963	2.8457	2.8646	3.0250	3.0497	2.8437	2.9635	2.9349	23.6234	
	S	162.511	147.352	147.093	158.677	162.982	158.005	150.467	158.670	155.744	
89	T	3.1339	2.9194	2.9200	3.0440	3.0606	2.8370	2.9344	2.9228	23.7721	
	S	160.561	143.632	144.303	157.687	162.401	158.378	151.960	159.327	154.770	
90	T	3.1064	2.8996	2.9024	3.0396	3.0539	2.8239	3.0027	2.9934	23.8219	
	S	161.983	144.612	145.178	157.915	162.758	159.113	148.503	155.569	154.446	
91	T	3.6711	5.0717	5.3035	6.6481						
	S	137.066	82.678	79.450	72.201						

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 18 - Kaiser, Kyle

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	5.1308	4.1184	4.4575	5.4081	5.6459	5.2237	3.9104	3.2789	37.1737	35.9117
	S	98.071	101.816	94.529	88.756	88.037	86.015	114.032	142.024	98.973	76.836
2	T	3.2280	2.7155	2.6989	2.9422	3.0031	2.7109	2.7485	2.8305	22.8776	
	S	155.881	154.417	156.124	163.143	165.511	165.745	162.238	164.523	160.821	
3	T	2.9837	2.6465	2.6730	2.9229	2.9913	2.7251	2.7709	2.8407	22.5541	
	S	168.644	158.443	157.637	164.220	166.164	164.881	160.926	163.932	163.128	
4	T	3.0098	2.6995	2.6891	2.9258	2.9851	2.7526	2.7977	2.8436	22.7032	
	S	167.181	155.332	156.693	164.057	166.509	163.234	159.385	163.765	162.056	
5	T	3.0068	2.6775	2.6790	2.9181	2.9852	2.7304	2.8064	2.8479	22.6513	
	S	167.348	156.608	157.284	164.490	166.503	164.561	158.890	163.517	162.428	
6	T	3.0314	2.7213	2.7098	2.9251	2.9868	2.7699	2.8111	2.8487	22.8041	
	S	165.990	154.087	155.496	164.097	166.414	162.215	158.625	163.472	161.339	
7	T	3.0102	2.6856	2.6785	2.9072	2.9754	2.7413	2.8132	2.8504	22.6618	
	S	167.159	156.136	157.313	165.107	167.052	163.907	158.506	163.374	162.353	
8	T	3.0170	2.7206	2.7059	2.9194	2.9900	2.8118	2.8564	2.8750	22.8961	
	S	166.782	154.127	155.720	164.417	166.236	159.797	156.109	161.976	160.691	
9	T	3.0270	2.7416	2.7125	2.9321	3.0006	2.7633	2.8159	2.8525	22.8455	
	S	166.231	152.947	155.341	163.705	165.649	162.602	158.354	163.254	161.047	
10	T	3.0170	2.7013	2.6961	2.9178	2.9901	2.7614	2.8245	2.8633	22.7715	
	S	166.782	155.228	156.286	164.507	166.230	162.714	157.872	162.638	161.570	
11	T	3.0292	2.7349	2.7073	2.9416	3.0037	2.7920	2.8418	2.8597	22.9102	
	S	166.111	153.321	155.640	163.176	165.478	160.931	156.911	162.843	160.592	
12	T	3.0099	2.7339	2.7131	2.9390	2.9960	2.8058	2.8429	2.8752	22.9158	
	S	167.176	153.377	155.307	163.320	165.903	160.139	156.850	161.965	160.553	
13	T	3.0339	2.7346	2.7087	2.9287	2.9942	2.8021	2.8584	2.8653	22.9259	
	S	165.853	153.338	155.559	163.895	166.003	160.351	156.000	162.524	160.482	
14	T	3.0433	2.7489	2.7128	2.9356	2.9945	2.8355	2.8757	2.8818	23.0281	
	S	165.341	152.540	155.324	163.510	165.986	158.462	155.061	161.594	159.770	
15	T	3.0399	2.7473	2.7276	2.9360	2.9880	2.7955	2.8562	2.8714	22.9619	
	S	165.526	152.629	154.481	163.487	166.347	160.729	156.120	162.179	160.231	
16	T	3.0376	2.7242	2.7056	2.9311	2.9854	2.7749	2.8359	2.8573	22.8520	
	S	165.651	153.923	155.738	163.761	166.492	161.922	157.238	162.980	161.001	
17	T	3.0324	2.7370	2.7239	2.9451	2.9936	2.8131	2.8694	2.8797	22.9942	
	S	165.935	153.204	154.691	162.982	166.036	159.724	155.402	161.712	160.006	
18	T	3.0281	2.7452	2.7304	2.9422	2.9879	2.7723	2.8640	2.8722	22.9423	
	S	166.171	152.746	154.323	163.143	166.353	162.074	155.695	162.134	160.368	
19	T	3.0312	2.7377	2.7239	2.9374	2.9854	2.7860	2.8502	2.8684	22.9202	
	S	166.001	153.164	154.691	163.409	166.492	161.277	156.449	162.349	160.522	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 18 - Kaiser, Kyle

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0285	2.7618	2.7377	2.9537	2.9869	2.7826	2.8890	2.8883	23.0285	
	S	166.149	151.828	153.912	162.508	166.408	161.474	154.348	161.230	159.767	
21	T	3.0479	2.7606	2.7303	2.9395	2.9863	2.8001	2.9041	2.8892	23.0580	
	S	165.092	151.894	154.329	163.293	166.442	160.465	153.545	161.180	159.563	
22	T	3.0525	2.7686	2.7407	2.9424	2.9937	2.7875	2.8877	2.8945	23.0676	
	S	164.843	151.455	153.743	163.132	166.030	161.190	154.417	160.885	159.496	
23	T	3.0503	2.7581	2.7446	2.9427	2.9903	2.8086	2.8855	2.9032	23.0833	
	S	164.962	152.032	153.525	163.115	166.219	159.979	154.535	160.403	159.388	
24	T	3.0505	2.7418	2.7210	2.9353	2.9838	2.7616	2.8840	2.8864	22.9644	
	S	164.951	152.935	154.856	163.526	166.581	162.702	154.615	161.336	160.213	
25	T	3.0350	2.7328	2.7172	2.9336	2.9827	2.8180	2.9064	2.8970	23.0227	
	S	165.793	153.439	155.073	163.621	166.643	159.446	153.424	160.746	159.807	
26	T	3.0628	2.7651	2.7324	2.9400	2.9929	2.8055	2.9015	2.9013	23.1015	
	S	164.288	151.647	154.210	163.265	166.075	160.156	153.683	160.508	159.262	
27	T	3.0553	2.7854	2.7642	2.9649	2.9960	2.8145	2.9648	2.9295	23.2746	
	S	164.692	150.541	152.436	161.894	165.903	159.644	150.401	158.963	158.078	
28	T	3.0669	2.7832	2.7489	2.9621	3.0006	2.7867	2.8774	2.8863	23.1121	
	S	164.069	150.660	153.284	162.047	165.649	161.237	154.970	161.342	159.189	
29	T	3.0392	2.7571	2.7370	2.9500	2.9951	2.8124	2.8979	2.9017	23.0904	
	S	165.564	152.087	153.951	162.711	165.953	159.763	153.874	160.486	159.339	
30	T	3.0454	2.7701	2.7583	2.9642	2.9953	2.8344	2.9019	2.9110	23.1806	
	S	165.227	151.373	152.762	161.932	165.942	158.523	153.661	159.973	158.719	
31	T	3.0546	2.7769	2.7588	2.9616	2.9808	2.8199	2.9349	2.9191	23.2066	
	S	164.729	151.002	152.734	162.074	166.749	159.338	151.934	159.529	158.541	
32	T	3.0682	2.8159	2.7673	2.9668	2.9828	2.8094	2.9268	2.9137	23.2509	
	S	163.999	148.911	152.265	161.790	166.637	159.934	152.354	159.825	158.239	
33	T	3.0594	2.8237	2.7786	2.9620	2.9801	2.8308	2.9178	2.9097	23.2621	
	S	164.471	148.500	151.646	162.052	166.788	158.725	152.824	160.044	158.163	
34	T	3.0527	2.8571	2.8023	2.9694	2.9802	2.8516	2.9926	3.0397	23.5456	
	S	164.832	146.764	150.364	161.648	166.783	157.567	149.004	153.200	156.258	
35	T	3.4004	3.3776	3.2754	3.7719	4.4052	5.0925	5.9662	7.4266	36.7158	
	S	147.977	124.147	128.645	127.256	112.832	88.231	74.739	62.705	100.208	
36	T	5.5413	4.4000	4.0023	4.2029	4.5693	5.4423	7.2477	7.6872	43.0930	
	S	90.806	95.300	105.280	114.207	108.779	82.560	61.524	60.579	85.378	
37	T	7.7219	6.5230	6.5435	6.9282	7.1681	6.4268	6.4739	6.3689	54.1543	
	S	65.163	64.283	64.394	69.282	69.341	69.913	68.878	73.118	67.939	
38	T	7.3104	6.4856	5.8718	6.9379	6.9045	6.2259	6.4114	6.4880	52.6355	
	S	68.831	64.654	71.761	69.185	71.989	72.169	69.550	71.776	69.900	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 18 - Kaiser, Kyle

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	6.7864	6.1703	5.6925	6.4528	6.1703	4.4681	3.2711	3.0806	42.0921	
	S	74.146	67.958	74.021	74.386	80.555	100.561	136.318	151.166	87.408	
40	T	3.1792	2.8204	2.7427	2.9786	3.0362	2.8761	2.9114	2.9044	23.4490	
	S	158.273	148.673	153.631	161.149	163.706	156.225	153.160	160.337	156.902	
41	T	3.0743	2.7803	2.7386	2.9685	3.0137	2.8425	2.9264	2.9192	23.2635	
	S	163.674	150.818	153.861	161.697	164.929	158.071	152.375	159.524	158.153	
42	T	3.0706	2.7646	2.7390	2.9677	3.0047	2.8071	2.9100	2.9051	23.1688	
	S	163.871	151.674	153.838	161.741	165.423	160.065	153.234	160.298	158.800	
43	T	3.0621	2.7845	2.7427	2.9637	3.0076	2.8258	2.9398	2.9199	23.2461	
	S	164.326	150.590	153.631	161.959	165.263	159.006	151.680	159.485	158.272	
44	T	3.0662	2.7792	2.7558	2.9679	3.0080	2.8212	2.9197	2.9156	23.2336	
	S	164.106	150.877	152.901	161.730	165.241	159.265	152.725	159.721	158.357	
45	T	3.0689	2.7757	2.7410	2.9458	3.0019	2.8175	2.9145	2.9125	23.1778	
	S	163.962	151.068	153.726	162.943	165.577	159.474	152.997	159.891	158.738	
46	T	3.0740	2.7941	2.7552	2.9509	3.0160	2.9035	2.9460	2.9265	23.3662	
	S	163.690	150.073	152.934	162.662	164.803	154.751	151.361	159.126	157.458	
47	T	3.0785	2.7898	2.7529	2.9492	2.9973	2.8431	2.9138	2.9206	23.2452	
	S	163.451	150.304	153.062	162.756	165.831	158.038	153.034	159.447	158.278	
48	T	3.0796	2.7999	2.7561	2.9552	3.0188	2.8786	2.9233	2.9208	23.3323	
	S	163.392	149.762	152.884	162.425	164.650	156.089	152.537	159.436	157.687	
49	T	3.0828	2.8061	2.7632	2.9556	3.0263	2.9270	2.9602	2.9391	23.4603	
	S	163.223	149.431	152.491	162.403	164.242	153.508	150.635	158.444	156.827	
50	T	3.0743	2.8249	2.7729	2.9616	3.0232	2.8754	2.9308	2.9141	23.3772	
	S	163.674	148.436	151.958	162.074	164.410	156.263	152.146	159.803	157.384	
51	T	3.0696	2.8011	2.7526	2.9540	3.0119	2.8967	2.9514	2.9433	23.3806	
	S	163.924	149.698	153.078	162.491	165.027	155.114	151.084	158.217	157.361	
52	T	3.0917	2.8314	2.7699	2.9615	3.0143	2.8632	2.9405	2.9352	23.4077	
	S	162.753	148.096	152.122	162.080	164.896	156.929	151.644	158.654	157.179	
53	T	3.0965	2.8149	2.7581	2.9516	3.0122	2.8625	2.9406	2.9277	23.3641	
	S	162.500	148.964	152.773	162.623	165.011	156.967	151.639	159.060	157.472	
54	T	3.0808	2.7927	2.7443	2.9450	3.0098	2.8604	2.9337	2.9241	23.2908	
	S	163.329	150.148	153.541	162.988	165.142	157.082	151.996	159.256	157.968	
55	T	3.0904	2.8293	2.7680	2.9570	3.0179	2.8922	2.9459	2.9336	23.4343	
	S	162.821	148.206	152.227	162.326	164.699	155.355	151.366	158.741	157.001	
56	T	3.0881	2.8141	2.7663	2.9502	3.0114	2.8583	2.9407	2.9305	23.3596	
	S	162.942	149.006	152.320	162.700	165.055	157.198	151.634	158.909	157.503	
57	T	3.0829	2.8186	2.7683	2.9667	3.0158	2.8464	2.9420	2.9235	23.3642	
	S	163.217	148.768	152.210	161.796	164.814	157.855	151.567	159.289	157.472	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 18 - Kaiser, Kyle

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.0827	2.8396	2.7844	2.9822	3.0210	2.8301	2.9265	2.9182	23.3847	
	S	163.228	147.668	151.330	160.955	164.530	158.764	152.370	159.578	157.334	
59	T	3.0786	2.8078	2.7729	2.9722	3.0093	2.8393	2.9228	2.9137	23.3166	
	S	163.445	149.340	151.958	161.496	165.170	158.250	152.563	159.825	157.793	
60	T	3.0845	2.8247	2.7832	2.9752	3.0077	2.8397	2.9324	2.9123	23.3597	
	S	163.133	148.447	151.395	161.333	165.258	158.227	152.063	159.902	157.502	
61	T	3.0721	2.8197	2.7743	2.9762	3.0016	2.8376	2.9459	2.9345	23.3619	
	S	163.791	148.710	151.881	161.279	165.594	158.344	151.366	158.692	157.487	
62	T	3.0845	2.8230	2.7829	2.9732	2.9995	2.8437	2.9390	2.9288	23.3746	
	S	163.133	148.536	151.412	161.442	165.709	158.005	151.722	159.001	157.402	
63	T	3.0763	2.7954	2.7596	2.9580	2.9967	2.8563	2.9386	2.9208	23.3017	
	S	163.567	150.003	152.690	162.271	165.864	157.308	151.742	159.436	157.894	
64	T	3.0795	2.7981	2.7672	2.9671	3.0052	2.8463	2.9277	2.9151	23.3062	
	S	163.398	149.858	152.271	161.774	165.395	157.860	152.307	159.748	157.864	
65	T	3.0665	2.7904	2.7614	2.9657	3.0015	2.8538	2.9351	2.9193	23.2937	
	S	164.090	150.272	152.591	161.850	165.599	157.446	151.923	159.518	157.948	
66	T	3.0665	2.8023	2.7715	2.9654	3.0015	2.8409	2.9133	2.9086	23.2700	
	S	164.090	149.634	152.035	161.866	165.599	158.161	153.060	160.105	158.109	
67	T	3.0601	2.7884	2.7649	2.9608	2.9984	2.8709	2.9271	2.9190	23.2896	
	S	164.433	150.379	152.397	162.118	165.770	156.508	152.339	159.535	157.976	
68	T	3.0768	2.7972	2.7593	2.9539	2.9881	2.8218	2.9042	2.9074	23.2087	
	S	163.541	149.906	152.707	162.497	166.342	159.231	153.540	160.171	158.527	
69	T	3.0613	2.7936	2.7637	2.9549	2.9840	2.8407	2.9311	2.9250	23.2543	
	S	164.369	150.100	152.464	162.442	166.570	158.172	152.131	159.207	158.216	
70	T	3.0662	2.7758	2.7464	2.9459	2.9783	2.7953	2.9140	2.9087	23.1306	
	S	164.106	151.062	153.424	162.938	166.889	160.741	153.023	160.099	159.062	
71	T	3.0676	2.8119	2.7767	2.9612	2.9872	2.8541	2.9276	2.9292	23.3155	
	S	164.031	149.123	151.750	162.096	166.392	157.429	152.313	158.979	157.801	
72	T	3.0693	2.8231	2.7809	2.9675	2.9898	2.8640	2.9613	2.9415	23.3974	
	S	163.941	148.531	151.521	161.752	166.247	156.885	150.579	158.314	157.248	
73	T	3.0703	2.7827	2.7496	2.9430	2.9788	2.8422	2.9476	2.9313	23.2455	
	S	163.887	150.688	153.245	163.098	166.861	158.088	151.279	158.865	158.276	
74	T	3.0784	2.7985	2.7650	2.9517	2.9840	2.8798	2.9435	2.9272	23.3281	
	S	163.456	149.837	152.392	162.618	166.570	156.024	151.490	159.088	157.715	
75	T	3.0816	2.8081	2.7671	2.9481	2.9898	2.8566	2.9693	2.9473	23.3679	
	S	163.286	149.325	152.276	162.816	166.247	157.291	150.174	158.003	157.447	
76	T	3.0935	2.8213	2.7749	2.9542	2.9930	2.8563	2.9560	2.9355	23.3847	
	S	162.658	148.626	151.848	162.480	166.069	157.308	150.849	158.638	157.334	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 18 - Kaiser, Kyle

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0720	2.8037	2.7672	2.9640	3.0084	2.8543	2.9470	2.9291	23.3457	
	S	163.796	149.559	152.271	161.943	165.219	157.418	151.310	158.984	157.596	
78	T	3.0713	2.8308	2.7830	2.9752	3.0124	2.8667	2.9376	2.9230	23.4000	
	S	163.834	148.127	151.406	161.333	165.000	156.737	151.794	159.316	157.231	
79	T	3.0641	2.8286	2.7820	2.9770	3.0108	2.8603	2.9526	2.9277	23.4031	
	S	164.219	148.242	151.461	161.236	165.088	157.088	151.023	159.060	157.210	
80	T	3.0719	2.8173	2.7663	2.9547	3.0005	2.8058	2.9324	2.9114	23.2603	
	S	163.802	148.837	152.320	162.453	165.654	160.139	152.063	159.951	158.175	
81	T	3.0724	2.8242	2.7930	2.9736	3.0108	2.8729	2.9705	2.9366	23.4540	
	S	163.775	148.473	150.864	161.420	165.088	156.399	150.113	158.578	156.869	
82	T	3.0731	2.8205	2.7749	2.9683	3.0120	2.8724	2.9470	2.9262	23.3944	
	S	163.738	148.668	151.848	161.708	165.022	156.426	151.310	159.142	157.268	
83	T	3.0694	2.8343	2.7872	2.9793	3.0226	2.9319	3.0135	2.9581	23.5963	
	S	163.935	147.944	151.178	161.111	164.443	153.252	147.971	157.426	155.923	
84	T	3.1025	2.8532	2.7929	2.9870	3.0243	2.9188	3.0070	2.9721	23.6578	
	S	162.186	146.964	150.870	160.696	164.351	153.939	148.291	156.684	155.517	
85	T	3.1181	2.8809	2.8188	2.9982	3.0319	2.9334	3.0281	2.9726	23.7820	
	S	161.375	145.551	149.483	160.096	163.939	153.173	147.257	156.658	154.705	
86	T	3.1213	2.8918	2.8207	2.9983	3.0311	2.9189	3.0157	2.9704	23.7682	
	S	161.209	145.002	149.383	160.090	163.982	153.934	147.863	156.774	154.795	
87	T	3.1051	2.8929	2.8263	3.0003	3.0332	2.9038	2.9738	2.9443	23.6797	
	S	162.050	144.947	149.087	159.984	163.868	154.735	149.946	158.164	155.374	
88	T	3.0788	2.8786	2.8613	3.0106	3.0532	2.9891	3.0428	2.9907	23.9051	
	S	163.435	145.667	147.263	159.436	162.795	150.319	146.546	155.710	153.909	
89	T	3.1092	2.9179	2.8688	3.0219	3.0407	2.9443	3.0461	2.9992	23.9481	
	S	161.837	143.705	146.878	158.840	163.464	152.606	146.387	155.269	153.632	
90	T	3.1372	2.9389	2.8912	3.0301	3.0664	2.9814	3.0973	3.0333	24.1758	
	S	160.392	142.679	145.740	158.410	162.094	150.707	143.967	153.523	152.185	
91	T	3.5265	3.7107	3.6732	4.8347						
	S	142.686	113.002	114.713	99.282						

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 2 - Piedrahita, Juan

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	6.2019	4.9315	3.6343	3.8653	4.4226	4.6262	4.2244	3.3431	35.2493	32.6719
	S	81.134	85.029	115.941	124.181	112.388	97.125	105.556	139.296	104.377	84.455
2	T	3.3709	3.4442	3.0080	3.1190	3.1331	3.1519	3.0996	3.0178	25.3445	
	S	149.272	121.746	140.081	153.895	158.643	142.555	143.861	154.312	145.168	
3	T	3.1719	3.1813	2.9313	3.0608	3.0927	3.1845	3.1629	3.0319	24.8173	
	S	158.638	131.807	143.746	156.821	160.716	141.095	140.981	153.594	148.251	
4	T	3.1203	2.9921	2.8742	3.0621	3.0794	2.7770	2.9147	2.9330	23.7528	
	S	161.261	140.142	146.602	156.755	161.410	161.800	152.987	158.773	154.895	
5	T	3.0690	2.7852	2.7899	3.0145	3.0599	2.7708	2.8767	2.9197	23.2857	
	S	163.957	150.552	151.032	159.230	162.438	162.162	155.008	159.496	158.003	
6	T	3.0639	2.7706	2.8120	3.0419	3.0826	2.7639	2.8290	2.8941	23.2580	
	S	164.229	151.346	149.845	157.796	161.242	162.567	157.621	160.907	158.191	
7	T	3.0456	2.6631	2.7206	2.9894	3.0624	2.7770	2.8489	2.9129	23.0199	
	S	165.216	157.455	154.879	160.567	162.306	161.800	156.520	159.869	159.827	
8	T	3.0469	2.7142	2.7459	3.0075	3.0827	2.7871	2.8587	2.9179	23.1609	
	S	165.146	154.491	153.452	159.601	161.237	161.214	155.984	159.595	158.854	
9	T	3.0454	2.6869	2.7346	3.0000	3.0744	2.7651	2.8545	2.9086	23.0695	
	S	165.227	156.060	154.086	160.000	161.672	162.496	156.213	160.105	159.483	
10	T	3.0554	2.6933	2.7247	3.0064	3.0838	2.7812	2.8833	2.9213	23.1494	
	S	164.686	155.689	154.646	159.659	161.180	161.556	154.653	159.409	158.933	
11	T	3.0677	2.7004	2.7201	3.0063	3.0809	2.7882	2.8603	2.9188	23.1427	
	S	164.026	155.280	154.907	159.664	161.331	161.150	155.896	159.546	158.979	
12	T	3.0497	2.7183	2.7556	3.0153	3.0892	2.7685	2.8697	2.9089	23.1752	
	S	164.994	154.258	152.912	159.188	160.898	162.297	155.386	160.088	158.756	
13	T	3.0473	2.7109	2.7819	3.0137	3.0710	2.7638	2.8831	2.9200	23.1917	
	S	165.124	154.679	151.466	159.272	161.851	162.573	154.663	159.480	158.643	
14	T	3.0667	2.7830	2.7933	3.0234	3.0703	2.8032	2.8858	2.9289	23.3546	
	S	164.080	150.671	150.848	158.761	161.888	160.288	154.519	158.995	157.536	
15	T	3.0666	2.7172	2.7415	2.9883	3.0461	2.7860	2.8996	2.9217	23.1670	
	S	164.085	154.320	153.698	160.626	163.174	161.277	153.783	159.387	158.812	
16	T	3.0638	2.7478	2.7813	3.0230	3.0662	2.8008	2.9159	2.9319	23.3307	
	S	164.235	152.601	151.499	158.782	162.105	160.425	152.924	158.833	157.698	
17	T	3.0500	2.7436	2.8037	3.0359	3.0785	2.7888	2.8906	2.9225	23.3136	
	S	164.978	152.835	150.288	158.108	161.457	161.115	154.262	159.344	157.813	
18	T	3.0499	2.7296	2.7828	3.0221	3.0643	2.7829	2.8740	2.9118	23.2174	
	S	164.983	153.619	151.417	158.830	162.205	161.457	155.153	159.929	158.467	
19	T	3.0379	2.7896	2.8214	3.0434	3.0768	2.7716	2.8532	2.9006	23.2945	
	S	165.635	150.315	149.346	157.718	161.546	162.115	156.284	160.547	157.943	

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 2 - Piedrahita, Juan

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0413	2.7554	2.8106	3.0280	3.0681	2.7840	2.8806	2.9162	23.2842	
	S	165.450	152.181	149.919	158.520	162.004	161.393	154.798	159.688	158.013	
21	T	3.0551	2.7917	2.8255	3.0459	3.0833	2.7666	2.8777	2.9130	23.3588	
	S	164.703	150.202	149.129	157.588	161.206	162.408	154.954	159.863	157.508	
22	T	3.0617	2.7666	2.7765	3.0152	3.0678	2.7668	2.8636	2.9275	23.2457	
	S	164.347	151.564	151.761	159.193	162.020	162.396	155.717	159.071	158.274	
23	T	3.0703	2.7472	2.7642	3.0153	3.0666	2.7757	2.8571	2.9091	23.2055	
	S	163.887	152.635	152.436	159.188	162.084	161.876	156.071	160.077	158.549	
24	T	3.0593	2.7451	2.7902	3.0323	3.0721	2.8003	2.8571	2.9160	23.2724	
	S	164.476	152.752	151.016	158.295	161.793	160.454	156.071	159.699	158.093	
25	T	3.0647	2.6943	2.7536	3.0121	3.0751	2.7749	2.8636	2.9155	23.1538	
	S	164.187	155.632	153.023	159.357	161.636	161.922	155.717	159.726	158.903	
26	T	3.0663	2.7693	2.8121	3.0460	3.0957	2.7923	2.8744	2.9232	23.3793	
	S	164.101	151.417	149.839	157.583	160.560	160.913	155.132	159.305	157.370	
27	T	3.0714	2.7120	2.7456	3.0063	3.0785	2.7933	2.8836	2.9223	23.2130	
	S	163.828	154.616	153.469	159.664	161.457	160.856	154.637	159.354	158.497	
28	T	3.0673	2.7848	2.8024	3.0460	3.1010	2.7872	2.9020	2.9400	23.4307	
	S	164.047	150.574	150.358	157.583	160.286	161.208	153.656	158.395	157.025	
29	T	3.0779	2.7718	2.8214	3.0645	3.1015	2.8073	2.8908	2.9397	23.4749	
	S	163.482	151.280	149.346	156.632	160.260	160.053	154.251	158.411	156.729	
30	T	3.0801	2.7841	2.8614	3.0785	3.0997	2.8079	2.9007	2.9406	23.5530	
	S	163.366	150.612	147.258	155.920	160.353	160.019	153.725	158.363	156.209	
31	T	3.0714	2.7931	2.8250	3.0587	3.0809	2.8213	2.9540	2.9715	23.5759	
	S	163.828	150.126	149.155	156.929	161.331	159.259	150.951	156.716	156.058	
32	T	3.0848	2.8282	2.8426	3.0644	3.0867	2.7952	2.9111	2.9446	23.5576	
	S	163.117	148.263	148.232	156.637	161.028	160.746	153.176	158.148	156.179	
33	T	3.0835	2.7902	2.8138	3.0438	3.0800	2.7718	2.8895	2.9278	23.4004	
	S	163.186	150.282	149.749	157.697	161.378	162.103	154.321	159.055	157.228	
34	T	3.0601	2.8215	2.8577	3.4370	4.2188	4.5623	4.6852	5.5338	31.1764	
	S	164.433	148.615	147.449	139.656	117.817	98.485	95.174	84.152	118.012	
35	T	5.6038	3.9404	3.4811	3.5900	3.6301	3.7032	4.3622	4.8763	33.1871	
	S	89.793	106.415	121.043	133.704	136.923	121.332	102.221	95.499	110.862	
36	T	4.5512	3.6067	3.2614	3.4849	3.7091	3.5592	3.9176	6.7881	32.8782	
	S	110.560	116.261	129.197	137.737	134.007	126.241	113.822	68.603	111.904	
37	T	7.3880	4.9516	6.1605	7.3499	7.8639	5.5158	7.3214	6.1164	52.6675	
	S	68.108	84.683	68.398	65.307	63.206	81.460	60.905	76.137	69.857	
38	T	6.0443	5.6306	6.6433	6.9471	7.5391	5.4259	6.0205	6.7778	51.0286	
	S	83.249	74.471	63.427	69.093	65.929	82.810	74.065	68.707	72.101	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 2 - Piedrahita, Juan

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	7.2535	5.0988	4.4836	5.2240	5.7753	3.6523	3.3049	3.0768	37.8692	
	S	69.371	82.239	93.979	91.883	86.064	123.023	134.924	151.353	97.155	
40	T	3.1928	3.2589	2.9828	3.0983	3.1398	3.3115	3.3122	3.1696	25.4659	
	S	157.599	128.669	141.264	154.923	158.305	135.684	134.627	146.921	144.476	
41	T	3.1918	3.1934	2.9980	3.1517	3.1649	3.0212	3.0878	3.0428	24.8516	
	S	157.649	131.308	140.548	152.298	157.049	148.722	144.410	153.044	148.047	
42	T	3.1296	2.8603	2.8343	3.0651	3.0888	2.8230	2.9648	2.9768	23.7427	
	S	160.782	146.599	148.666	156.601	160.919	159.163	150.401	156.437	154.961	
43	T	3.1032	2.8316	2.8134	3.0440	3.0725	2.9134	3.0097	2.9924	23.7802	
	S	162.150	148.085	149.770	157.687	161.772	154.225	148.158	155.621	154.717	
44	T	3.0952	2.8417	2.8311	3.0547	3.0868	2.8270	2.9371	2.9521	23.6257	
	S	162.569	147.559	148.834	157.134	161.023	158.938	151.820	157.746	155.729	
45	T	3.0900	2.8019	2.7961	3.0308	3.0725	2.8284	2.9544	2.9615	23.5356	
	S	162.842	149.655	150.697	158.374	161.772	158.859	150.931	157.245	156.325	
46	T	3.0919	2.8200	2.8180	3.0460	3.0819	2.8690	2.9878	2.9780	23.6926	
	S	162.742	148.694	149.526	157.583	161.279	156.611	149.244	156.374	155.289	
47	T	3.0873	2.7901	2.8003	3.0344	3.0967	2.8043	2.9136	2.9503	23.4770	
	S	162.985	150.288	150.471	158.186	160.508	160.225	153.044	157.842	156.715	
48	T	3.0821	2.7849	2.8005	3.0294	3.0905	2.8484	2.9473	2.9605	23.5436	
	S	163.260	150.568	150.460	158.447	160.830	157.744	151.294	157.298	156.272	
49	T	3.0748	2.8154	2.8352	3.0617	3.1122	2.8058	2.9000	2.9402	23.5453	
	S	163.647	148.937	148.619	156.775	159.709	160.139	153.762	158.384	156.260	
50	T	3.0862	2.7518	2.7656	3.0206	3.0995	2.8176	2.9293	2.9556	23.4262	
	S	163.043	152.380	152.359	158.908	160.363	159.468	152.224	157.559	157.055	
51	T	3.0900	2.7726	2.7872	3.0306	3.1016	2.8302	2.9170	2.9539	23.4831	
	S	162.842	151.236	151.178	158.384	160.255	158.758	152.866	157.650	156.674	
52	T	3.0802	2.7564	2.7951	3.0310	3.1073	2.8306	2.9473	2.9720	23.5199	
	S	163.360	152.125	150.751	158.363	159.961	158.736	151.294	156.690	156.429	
53	T	3.0979	2.7554	2.7602	3.0101	3.0984	2.8169	2.9110	2.9534	23.4033	
	S	162.427	152.181	152.657	159.463	160.420	159.508	153.181	157.676	157.209	
54	T	3.0931	2.7738	2.7739	3.0216	3.1098	2.8019	2.9021	2.9484	23.4246	
	S	162.679	151.171	151.903	158.856	159.832	160.362	153.651	157.944	157.066	
55	T	3.0860	2.7463	2.7505	3.0140	3.0992	2.8042	2.9137	2.9580	23.3719	
	S	163.053	152.685	153.195	159.256	160.379	160.230	153.039	157.431	157.420	
56	T	3.0914	2.7361	2.7535	3.0130	3.0948	2.8083	2.9278	2.9589	23.3838	
	S	162.769	153.254	153.028	159.309	160.607	159.997	152.302	157.383	157.340	
57	T	3.0849	2.7453	2.7699	3.0366	3.1016	2.7960	2.9106	2.9495	23.3944	
	S	163.111	152.740	152.122	158.071	160.255	160.700	153.202	157.885	157.268	

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 2 - Piedrahita, Juan

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.0939	2.7613	2.7757	3.0313	3.0894	2.8044	2.9119	2.9445	23.4124	
	S	162.637	151.855	151.804	158.347	160.887	160.219	153.134	158.153	157.147	
59	T	3.0799	2.7725	2.7805	3.0455	3.0965	2.8124	2.9262	2.9610	23.4745	
	S	163.376	151.242	151.542	157.609	160.518	159.763	152.385	157.272	156.732	
60	T	3.0812	2.7724	2.7999	3.0482	3.1004	2.8287	2.9105	2.9542	23.4955	
	S	163.307	151.247	150.492	157.470	160.317	158.843	153.207	157.634	156.592	
61	T	3.0800	2.7484	2.7684	3.0276	3.0801	2.8138	2.9162	2.9529	23.3874	
	S	163.371	152.568	152.205	158.541	161.373	159.684	152.908	157.703	157.315	
62	T	3.0798	2.7504	2.7666	3.0257	3.0740	2.8204	2.9086	2.9529	23.3784	
	S	163.382	152.457	152.304	158.641	161.693	159.310	153.308	157.703	157.376	
63	T	3.0804	2.7485	2.7772	3.0257	3.0828	2.8197	2.9363	2.9642	23.4348	
	S	163.350	152.563	151.722	158.641	161.232	159.350	151.861	157.102	156.997	
64	T	3.0875	2.7696	2.7927	3.0454	3.1031	2.7932	2.8870	2.9384	23.4169	
	S	162.974	151.400	150.880	157.614	160.177	160.861	154.455	158.481	157.117	
65	T	3.0834	2.7446	2.7709	3.0276	3.0906	2.7856	2.8939	2.9434	23.3400	
	S	163.191	152.779	152.067	158.541	160.825	161.300	154.086	158.212	157.635	
66	T	3.0782	2.7287	2.7652	3.0248	3.0900	2.8017	2.8896	2.9410	23.3192	
	S	163.467	153.670	152.381	158.688	160.856	160.373	154.316	158.341	157.776	
67	T	3.0801	2.6911	2.7439	3.0028	3.0709	2.7809	2.8651	2.9296	23.1644	
	S	163.366	155.817	153.564	159.850	161.857	161.573	155.635	158.957	158.830	
68	T	3.0753	2.7098	2.7506	2.9997	3.0652	2.8055	2.8935	2.9387	23.2383	
	S	163.621	154.741	153.190	160.016	162.158	160.156	154.108	158.465	158.325	
69	T	3.0705	2.7432	2.8072	3.0375	3.0713	2.7889	2.9199	2.9506	23.3891	
	S	163.876	152.857	150.101	158.024	161.836	161.109	152.714	157.826	157.304	
70	T	3.0756	2.7205	2.7580	3.0110	3.0651	2.7803	2.8985	2.9363	23.2453	
	S	163.605	154.133	152.779	159.415	162.163	161.608	153.842	158.595	158.277	
71	T	3.0752	2.7405	2.7600	3.0049	3.0557	2.8282	2.9473	2.9697	23.3815	
	S	163.626	153.008	152.668	159.739	162.662	158.871	151.294	156.811	157.355	
72	T	3.0880	2.7781	2.8095	3.0285	3.0637	2.8079	2.9387	2.9526	23.4670	
	S	162.948	150.937	149.978	158.494	162.237	160.019	151.737	157.719	156.782	
73	T	3.0843	2.7610	2.7910	3.0210	3.0645	2.7903	2.9036	2.9424	23.3581	
	S	163.143	151.872	150.972	158.887	162.195	161.029	153.571	158.266	157.513	
74	T	3.0767	2.7729	2.8011	3.0255	3.0658	2.7885	2.9561	2.9677	23.4543	
	S	163.546	151.220	150.428	158.651	162.126	161.133	150.844	156.917	156.867	
75	T	3.0950	2.8185	2.8261	3.0379	3.0728	2.8193	2.9714	2.9812	23.6222	
	S	162.579	148.774	149.097	158.003	161.757	159.372	150.067	156.206	155.752	
76	T	3.0963	2.7876	2.8138	3.0385	3.0817	2.8003	2.9467	2.9656	23.5305	
	S	162.511	150.423	149.749	157.972	161.289	160.454	151.325	157.028	156.359	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 2 - Piedrahita, Juan

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0899	2.7957	2.8188	3.0498	3.0965	2.8213	2.9766	2.9855	23.6341	
	S	162.848	149.987	149.483	157.387	160.518	159.259	149.805	155.981	155.673	
78	T	3.0951	2.8105	2.8189	3.0587	3.1038	2.8322	2.9571	2.9740	23.6503	
	S	162.574	149.197	149.478	156.929	160.141	158.646	150.793	156.584	155.567	
79	T	3.1004	2.7877	2.8006	3.0465	3.1075	2.8195	2.9191	2.9568	23.5381	
	S	162.296	150.417	150.455	157.557	159.950	159.361	152.756	157.495	156.308	
80	T	3.0968	2.7806	2.7808	3.0347	3.1030	2.8365	2.9436	2.9717	23.5477	
	S	162.485	150.801	151.526	158.170	160.182	158.406	151.485	156.705	156.245	
81	T	3.0930	2.7759	2.8017	3.0473	3.1171	2.8120	2.9270	2.9597	23.5337	
	S	162.684	151.057	150.396	157.516	159.458	159.786	152.344	157.341	156.338	
82	T	3.0906	2.7773	2.7781	3.0257	3.1157	2.8319	2.9400	2.9659	23.5252	
	S	162.811	150.981	151.673	158.641	159.529	158.663	151.670	157.012	156.394	
83	T	3.0998	2.8090	2.8165	3.0597	3.1278	2.8290	2.9317	2.9681	23.6416	
	S	162.327	149.277	149.605	156.878	158.912	158.826	152.100	156.895	155.624	
84	T	3.1030	2.7566	2.7913	3.0487	3.1151	2.8410	2.9613	2.9760	23.5930	
	S	162.160	152.114	150.956	157.444	159.560	158.155	150.579	156.479	155.945	
85	T	3.0956	2.8036	2.8189	3.0591	3.1122	2.8142	2.9398	2.9614	23.6048	
	S	162.548	149.564	149.478	156.908	159.709	159.661	151.680	157.250	155.867	
86	T	3.0832	2.8196	2.8362	3.0679	3.1252	2.8438	2.9857	3.0018	23.7634	
	S	163.201	148.715	148.566	156.458	159.044	157.999	149.349	155.134	154.826	
87	T	3.1112	2.7938	2.8158	3.0591	3.1129	2.8477	2.9306	2.9647	23.6358	
	S	161.733	150.089	149.643	156.908	159.673	157.783	152.157	157.075	155.662	
88	T	3.0892	2.7903	2.8097	3.0439	3.1036	2.8239	2.9345	2.9628	23.5579	
	S	162.884	150.277	149.967	157.692	160.151	159.113	151.954	157.176	156.177	
89	T	3.0938	2.7855	2.8279	3.0530	3.1154	2.8660	2.9922	3.0011	23.7349	
	S	162.642	150.536	149.002	157.222	159.545	156.775	149.024	155.170	155.012	
90	T	3.1098	2.8358	2.8317	3.0615	3.1164	2.8858	3.0338	3.0380	23.9128	
	S	161.805	147.866	148.802	156.785	159.493	155.700	146.981	153.286	153.859	
91	T	3.7653	3.9561	4.3760							
	S	133.637	105.993	96.290							

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 22 - Alberico, Neil (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	6.1587	4.7944	3.8158	4.4732	4.9775	4.8472	4.3757	3.4149	36.8574	32.5125
	S	81.703	87.460	110.426	107.305	99.858	92.696	101.906	136.368	99.823	84.869
2	T	3.3521	3.1554	2.9430	3.1029	3.1513	3.0794	3.2219	3.1106	25.1166	
	S	150.110	132.889	143.175	154.694	157.727	145.911	138.400	149.708	146.485	
3	T	3.1253	2.8163	2.8068	3.0112	3.0612	2.8858	2.9412	2.9531	23.6009	
	S	161.003	148.890	150.122	159.404	162.369	155.700	151.608	157.692	155.892	
4	T	3.0534	2.6839	2.7354	2.9499	3.0172	2.8688	2.9469	2.9847	23.2402	
	S	164.794	156.235	154.041	162.717	164.737	156.622	151.315	156.023	158.312	
5	T	3.0777	2.6216	2.7042	2.9635	3.0467	2.7319	2.7685	2.8703	22.7844	
	S	163.493	159.947	155.818	161.970	163.142	164.471	161.066	162.241	161.479	
6	T	3.0079	2.6288	2.6844	2.9426	3.0135	2.7149	2.7682	2.8597	22.6200	
	S	167.287	159.509	156.968	163.121	164.940	165.501	161.083	162.843	162.653	
7	T	2.9952	2.6690	2.7729	2.9863	3.0387	2.7289	2.7688	2.8582	22.8180	
	S	167.996	157.107	151.958	160.734	163.572	164.652	161.048	162.928	161.241	
8	T	3.0014	2.7999	2.8006	3.0252	3.0908	2.7700	2.7815	2.8750	23.1444	
	S	167.649	149.762	150.455	158.667	160.814	162.209	160.313	161.976	158.967	
9	T	2.9897	2.6302	2.7163	2.9674	3.0471	2.7331	2.7735	2.8748	22.7321	
	S	168.305	159.424	155.124	161.757	163.121	164.399	160.775	161.987	161.850	
10	T	2.9941	2.7870	2.8028	3.0309	3.0931	2.7768	2.7877	2.8710	23.1434	
	S	168.058	150.455	150.337	158.368	160.695	161.812	159.956	162.202	158.974	
11	T	3.0260	2.7521	2.7924	3.0336	3.0932	2.7632	2.7952	2.8868	23.1425	
	S	166.286	152.363	150.897	158.227	160.690	162.608	159.527	161.314	158.980	
12	T	3.0149	2.8218	2.8426	3.0492	3.1097	2.7832	2.8008	2.8953	23.3175	
	S	166.899	148.600	148.232	157.418	159.837	161.439	159.208	160.840	157.787	
13	T	3.0311	2.8092	2.8145	3.0321	3.0952	2.7637	2.8006	2.8821	23.2285	
	S	166.007	149.266	149.712	158.306	160.586	162.578	159.220	161.577	158.392	
14	T	3.0143	2.7120	2.7713	3.0018	3.0611	2.7547	2.7834	2.8770	22.9756	
	S	166.932	154.616	152.045	159.904	162.375	163.110	160.203	161.864	160.135	
15	T	3.0193	2.7720	2.8008	3.0218	3.0661	2.7615	2.7966	2.8778	23.1159	
	S	166.655	151.269	150.444	158.845	162.110	162.708	159.447	161.819	159.163	
16	T	3.0226	2.8120	2.8116	3.0447	3.0942	2.7858	2.8103	2.8899	23.2711	
	S	166.473	149.117	149.866	157.651	160.638	161.289	158.670	161.141	158.102	
17	T	3.0261	2.7856	2.7779	3.0307	3.0822	2.7602	2.8069	2.8852	23.1548	
	S	166.281	150.531	151.684	158.379	161.263	162.785	158.862	161.404	158.896	
18	T	3.0385	2.7469	2.7843	3.0345	3.0913	2.7727	2.8077	2.8935	23.1694	
	S	165.602	152.651	151.336	158.181	160.788	162.051	158.817	160.941	158.796	
19	T	3.0173	2.7028	2.7591	3.0119	3.0720	2.7500	2.8277	2.8965	23.0373	
	S	166.766	155.142	152.718	159.367	161.799	163.388	157.694	160.774	159.706	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 22 - Alberico, Neil (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0322	2.7366	2.7663	3.0152	3.0769	2.7690	2.8095	2.8899	23.0956	
	S	165.946	153.226	152.320	159.193	161.541	162.267	158.715	161.141	159.303	
21	T	3.0186	2.7025	2.7558	3.0016	3.0508	2.7464	2.8121	2.8849	22.9727	
	S	166.694	155.159	152.901	159.914	162.923	163.603	158.568	161.420	160.155	
22	T	3.0283	2.7136	2.7496	2.9880	3.0435	2.7440	2.7936	2.8848	22.9454	
	S	166.160	154.525	153.245	160.642	163.314	163.746	159.618	161.426	160.346	
23	T	3.0254	2.7157	2.7848	3.0065	3.0489	2.7587	2.8184	2.9065	23.0649	
	S	166.319	154.405	151.308	159.654	163.025	162.873	158.214	160.221	159.515	
24	T	3.0452	2.7623	2.7839	3.0291	3.0709	2.7610	2.8176	2.8956	23.1656	
	S	165.238	151.800	151.357	158.462	161.857	162.737	158.259	160.824	158.822	
25	T	3.0335	2.7069	2.7580	3.0039	3.0573	2.7500	2.8375	2.9085	23.0556	
	S	165.875	154.907	152.779	159.792	162.577	163.388	157.149	160.111	159.579	
26	T	3.0291	2.7638	2.8281	3.0466	3.0941	2.7829	2.8296	2.9040	23.2782	
	S	166.116	151.718	148.992	157.552	160.643	161.457	157.588	160.359	158.053	
27	T	3.0539	2.7875	2.8106	3.0237	3.0729	2.7480	2.8271	2.9004	23.2241	
	S	164.767	150.428	149.919	158.745	161.751	163.507	157.727	160.558	158.422	
28	T	3.0467	2.8444	2.8505	3.0594	3.1151	2.7854	2.8338	2.9104	23.4457	
	S	165.157	147.419	147.821	156.893	159.560	161.312	157.354	160.006	156.924	
29	T	3.0518	2.8401	2.8695	3.0855	3.1288	2.8051	2.9420	2.9981	23.7209	
	S	164.881	147.642	146.842	155.566	158.861	160.179	151.567	155.326	155.104	
30	T	3.1070	2.8691	2.9665	3.1752	3.1726	2.8290	2.8628	2.9433	23.9255	
	S	161.951	146.150	142.041	151.171	156.668	158.826	155.760	158.217	153.777	
31	T	3.0781	2.8175	2.8568	3.0855	3.1105	2.8183	2.8784	2.9565	23.6016	
	S	163.472	148.826	147.495	155.566	159.796	159.429	154.916	157.511	155.888	
32	T	3.0911	2.8109	2.8359	3.0626	3.0914	2.7923	2.8775	2.9463	23.5080	
	S	162.784	149.176	148.582	156.729	160.783	160.913	154.964	158.056	156.508	
33	T	3.0908	2.8005	2.8205	3.0540	3.0891	2.7859	2.8381	2.9085	23.3874	
	S	162.800	149.730	149.393	157.171	160.903	161.283	157.116	160.111	157.315	
34	T	3.0604	2.7852	2.8243	3.0587	3.1417	3.5918	4.1628	4.4539	27.0788	
	S	164.417	150.552	149.192	156.929	158.209	125.096	107.118	104.556	135.870	
35	T	4.6700	3.9425	3.9918	4.4146	4.6001	4.3403	4.5243	4.6587	35.1423	
	S	107.748	106.358	105.557	108.730	108.051	103.522	98.559	99.960	104.694	
36	T	4.1874	3.5217	3.3598	3.7024	3.9382	3.8189	5.4698	8.3125	36.3107	
	S	120.166	119.067	125.413	129.645	126.211	117.656	81.522	56.022	101.326	
37	T	5.9566	6.0868	6.9122	7.3922	6.9233	5.9270	7.6977	5.7929	52.6887	
	S	84.475	68.890	60.959	64.933	71.793	75.809	57.928	80.388	69.829	
38	T	6.9909	5.6562	6.6042	6.6062	7.2655	5.6305	6.4180	6.6114	51.7829	
	S	71.977	74.134	63.802	72.659	68.412	79.801	69.478	70.436	71.050	

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 22 - Alberico, Neil (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	6.1273	6.2146	5.3067	5.9955	5.7873	4.4145	3.3402	3.1368	40.3229	
	S	82.121	67.473	79.402	80.060	85.886	101.782	133.498	148.457	91.243	
40	T	3.1849	3.1292	3.0072	3.1597	3.1632	3.0304	2.9983	2.9704	24.6433	
	S	157.990	134.002	140.118	151.913	157.134	148.270	148.721	156.774	149.298	
41	T	3.0927	3.1867	3.0794	3.2278	3.1953	2.9329	3.0449	3.0181	24.7778	
	S	162.700	131.584	136.833	148.708	155.555	153.199	146.445	154.296	148.488	
42	T	3.1142	2.8138	2.8327	3.0784	3.1012	2.7780	2.8871	2.9398	23.5452	
	S	161.577	149.022	148.750	155.925	160.275	161.742	154.449	158.406	156.261	
43	T	3.0609	2.7784	2.8158	3.0436	3.0762	2.7989	2.9804	3.0030	23.5572	
	S	164.390	150.921	149.643	157.708	161.578	160.534	149.614	155.072	156.182	
44	T	3.0954	2.7870	2.8545	3.0729	3.1020	2.8262	2.8708	2.9258	23.5346	
	S	162.558	150.455	147.614	156.204	160.234	158.983	155.326	159.164	156.332	
45	T	3.0603	2.8231	2.8744	3.0830	3.1107	2.8064	2.8558	2.9254	23.5391	
	S	164.423	148.531	146.592	155.692	159.786	160.105	156.142	159.186	156.302	
46	T	3.0643	2.7855	2.8209	3.0547	3.0914	2.7663	2.8257	2.8996	23.3084	
	S	164.208	150.536	149.372	157.134	160.783	162.426	157.805	160.602	157.849	
47	T	3.0420	2.7848	2.8188	3.0488	3.0969	2.7964	2.8500	2.9209	23.3586	
	S	165.412	150.574	149.483	157.439	160.498	160.677	156.460	159.431	157.509	
48	T	3.0606	2.7785	2.8131	3.0589	3.1132	2.7957	2.8255	2.9018	23.3473	
	S	164.407	150.915	149.786	156.919	159.657	160.718	157.816	160.480	157.586	
49	T	3.0311	2.7640	2.8322	3.0491	3.1090	2.8073	2.8682	2.9374	23.3983	
	S	166.007	151.707	148.776	157.423	159.873	160.053	155.467	158.535	157.242	
50	T	3.0678	2.8476	2.8517	3.0673	3.1290	2.8038	2.8354	2.9075	23.5101	
	S	164.021	147.253	147.759	156.489	158.851	160.253	157.265	160.166	156.494	
51	T	3.0521	2.7752	2.8117	3.0564	3.1225	2.7885	2.8354	2.9172	23.3590	
	S	164.864	151.095	149.861	157.047	159.182	161.133	157.265	159.633	157.507	
52	T	3.0733	2.7874	2.8044	3.0456	3.0962	2.7840	2.8251	2.9077	23.3237	
	S	163.727	150.433	150.251	157.604	160.534	161.393	157.839	160.155	157.745	
53	T	3.0597	2.7533	2.7846	3.0187	3.0876	2.7740	2.8566	2.9202	23.2547	
	S	164.455	152.297	151.319	159.008	160.981	161.975	156.098	159.469	158.213	
54	T	3.0786	2.8287	2.8266	3.0504	3.1071	2.8058	2.8540	2.9125	23.4637	
	S	163.445	148.237	149.071	157.356	159.971	160.139	156.240	159.891	156.804	
55	T	3.0635	2.7926	2.8143	3.0443	3.1053	2.7734	2.8483	2.9206	23.3623	
	S	164.251	150.153	149.722	157.671	160.064	162.010	156.553	159.447	157.484	
56	T	3.0462	2.7247	2.8494	3.0634	3.1112	2.7859	2.8565	2.9202	23.3575	
	S	165.184	153.895	147.878	156.688	159.760	161.283	156.104	159.469	157.517	
57	T	3.0527	2.8281	2.8429	3.0730	3.1196	2.7893	2.9167	2.9519	23.5742	
	S	164.832	148.269	148.216	156.199	159.330	161.086	152.882	157.756	156.069	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 22 - Alberico, Neil (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.0577	2.8793	2.9259	3.1201	3.1341	2.8086	2.8563	2.9095	23.6915	
	S	164.562	145.632	144.012	153.841	158.593	159.979	156.115	160.055	155.296	
59	T	3.0605	2.8005	2.8226	3.0587	3.1036	2.7875	2.8907	2.9407	23.4648	
	S	164.412	149.730	149.282	156.929	160.151	161.190	154.257	158.357	156.797	
60	T	3.0747	2.7913	2.8234	3.0657	3.1056	2.7849	2.8765	2.9277	23.4498	
	S	163.653	150.223	149.240	156.571	160.048	161.341	155.018	159.060	156.897	
61	T	3.0651	2.7956	2.8217	3.0597	3.0949	2.7757	2.8439	2.9061	23.3627	
	S	164.165	149.992	149.330	156.878	160.601	161.876	156.795	160.243	157.482	
62	T	3.0603	2.7783	2.8090	3.0450	3.0832	2.8033	2.8712	2.9297	23.3800	
	S	164.423	150.926	150.005	157.635	161.211	160.282	155.304	158.952	157.365	
63	T	3.0602	2.7662	2.8016	3.0309	3.0777	2.7546	2.8299	2.8946	23.2157	
	S	164.428	151.586	150.401	158.368	161.499	163.116	157.571	160.879	158.479	
64	T	3.0541	2.7991	2.8261	3.0479	3.1008	2.7847	2.8588	2.9225	23.3940	
	S	164.756	149.805	149.097	157.485	160.296	161.352	155.978	159.344	157.271	
65	T	3.0819	2.7990	2.8220	3.0363	3.0801	2.7902	2.8953	2.9397	23.4445	
	S	163.270	149.810	149.314	158.087	161.373	161.034	154.012	158.411	156.932	
66	T	3.0814	2.8406	2.8607	3.0724	3.1211	2.7863	2.8262	2.9042	23.4929	
	S	163.297	147.616	147.294	156.229	159.253	161.260	157.777	160.348	156.609	
67	T	3.0572	2.7530	2.8003	3.0284	3.0823	2.7756	2.8509	2.9200	23.2677	
	S	164.589	152.313	150.471	158.499	161.258	161.881	156.410	159.480	158.125	
68	T	3.0620	2.8040	2.8184	3.0419	3.0845	2.8184	2.8527	2.9195	23.4014	
	S	164.331	149.543	149.505	157.796	161.143	159.423	156.312	159.507	157.221	
69	T	3.0539	2.7957	2.8575	3.0709	3.0962	2.7682	2.8572	2.9229	23.4225	
	S	164.767	149.987	147.459	156.306	160.534	162.314	156.065	159.322	157.080	
70	T	3.0591	2.7209	2.7776	3.0163	3.0652	2.7679	2.8280	2.9016	23.1366	
	S	164.487	154.110	151.701	159.135	162.158	162.332	157.677	160.491	159.021	
71	T	3.0469	2.7604	2.8048	3.0263	3.0661	2.7640	2.8231	2.9009	23.1925	
	S	165.146	151.905	150.229	158.609	162.110	162.561	157.951	160.530	158.637	
72	T	3.0402	2.7613	2.8254	3.0186	3.0498	2.7464	2.8687	2.9318	23.2422	
	S	165.510	151.855	149.134	159.014	162.976	163.603	155.440	158.838	158.298	
73	T	3.0767	2.8833	2.8852	3.0687	3.0848	2.7784	2.8802	2.9340	23.5913	
	S	163.546	145.430	146.043	156.418	161.127	161.718	154.819	158.719	155.956	
74	T	3.0550	2.7970	2.8700	3.0567	3.0803	2.7756	2.8599	2.9187	23.4132	
	S	164.708	149.917	146.817	157.032	161.363	161.881	155.918	159.551	157.142	
75	T	3.0526	2.7787	2.8170	3.0268	3.0587	2.7582	2.8626	2.9243	23.2789	
	S	164.837	150.904	149.579	158.583	162.502	162.903	155.771	159.245	158.049	
76	T	3.0504	2.7908	2.9089	3.0837	3.1031	2.7874	2.8363	2.9073	23.4679	
	S	164.956	150.250	144.853	155.657	160.177	161.196	157.215	160.177	156.776	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 22 - Alberico, Neil (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0413	2.7963	2.9127	3.1058	3.1309	2.8041	2.8444	2.9140	23.5495	
	S	165.450	149.955	144.664	154.549	158.755	160.236	156.768	159.808	156.233	
78	T	3.0531	2.8215	2.8732	3.0918	3.1155	2.7895	2.8601	2.9235	23.5282	
	S	164.810	148.615	146.653	155.249	159.540	161.075	155.907	159.289	156.374	
79	T	3.0582	2.7665	2.8235	3.0591	3.0992	2.7726	2.8672	2.9231	23.3694	
	S	164.536	151.570	149.235	156.908	160.379	162.057	155.521	159.311	157.437	
80	T	3.0639	2.8676	2.8727	3.0938	3.1297	2.8215	2.8414	2.9208	23.6114	
	S	164.229	146.226	146.679	155.149	158.816	159.248	156.933	159.436	155.823	
81	T	3.0698	2.7621	2.8291	3.0544	3.1126	2.7898	2.8373	2.9092	23.3643	
	S	163.914	151.811	148.939	157.150	159.688	161.057	157.160	160.072	157.471	
82	T	3.0571	2.7717	2.8076	3.0451	3.1072	2.7909	2.8430	2.9115	23.3341	
	S	164.595	151.286	150.080	157.630	159.966	160.994	156.845	159.946	157.675	
83	T	3.0676	2.8335	2.8535	3.0799	3.1408	2.8142	2.8408	2.9199	23.5502	
	S	164.031	147.986	147.666	155.849	158.254	159.661	156.966	159.485	156.228	
84	T	3.0666	2.7721	2.8296	3.0615	3.1122	2.7930	2.8304	2.9085	23.3739	
	S	164.085	151.264	148.913	156.785	159.709	160.873	157.543	160.111	157.406	
85	T	3.0616	2.8733	2.9482	3.1426	3.1756	2.8441	2.8437	2.9210	23.8101	
	S	164.353	145.936	142.922	152.739	156.520	157.983	156.806	159.425	154.523	
86	T	3.0663	2.8012	2.8553	3.0854	3.1402	2.8108	2.8516	2.9296	23.5404	
	S	164.101	149.692	147.572	155.571	158.285	159.854	156.372	158.957	156.293	
87	T	3.0640	2.7699	2.8804	3.0953	3.1420	2.8137	2.8327	2.9126	23.5106	
	S	164.224	151.384	146.287	155.073	158.194	159.689	157.415	159.885	156.491	
88	T	3.0598	2.7631	2.8035	3.0502	3.1112	2.7916	2.8329	2.9106	23.3229	
	S	164.450	151.756	150.299	157.366	159.760	160.954	157.404	159.995	157.751	
89	T	3.0611	2.8162	2.8895	3.0912	3.1353	2.8134	2.8495	2.9208	23.5770	
	S	164.380	148.895	145.826	155.279	158.532	159.706	156.487	159.436	156.050	
90	T	3.0626	2.8619	2.9162	3.1237	3.1712	2.8738	2.9512	2.9985	23.9591	
	S	164.299	146.517	144.491	153.664	156.737	156.350	151.095	155.305	153.562	
91	T	3.6590	3.9863	4.7049	6.1625						
	S	137.519	105.190	89.558	77.890						

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 27 - Stoneman, Dean (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	6.2758	4.7775	3.7176	4.3060	4.9597	4.8320	4.2266	3.3880	36.4832	32.9400
	S	80.178	87.769	113.343	111.472	100.217	92.988	105.501	137.450	100.846	83.768
2	T	3.3758	3.1466	2.9060	3.0864	3.0897	2.8015	2.8995	2.9346	24.2401	
	S	149.056	133.261	144.998	155.521	160.872	160.385	153.789	158.687	151.782	
3	T	3.1224	2.8339	2.7775	2.9925	3.0519	2.8466	2.9461	2.9418	23.5127	
	S	161.153	147.965	151.706	160.401	162.864	157.844	151.356	158.298	156.477	
4	T	3.0800	2.7533	2.7415	2.9699	3.0630	2.7540	2.7721	2.8556	22.9894	
	S	163.371	152.297	153.698	161.621	162.274	163.151	160.856	163.077	160.039	
5	T	3.0318	2.7712	2.7409	2.9397	2.9999	2.8045	2.8675	2.8787	23.0342	
	S	165.968	151.313	153.732	163.282	165.687	160.213	155.505	161.768	159.728	
6	T	3.0560	2.8770	2.7832	2.9855	3.0709	2.7605	2.7930	2.8556	23.1817	
	S	164.654	145.748	151.395	160.777	161.857	162.767	159.653	163.077	158.711	
7	T	3.0749	2.7557	2.7482	2.9737	3.0310	2.7349	2.7705	2.8460	22.9349	
	S	163.642	152.164	153.323	161.415	163.987	164.291	160.949	163.627	160.419	
8	T	3.0127	2.7480	2.7414	2.9593	3.0132	2.7197	2.7823	2.8498	22.8264	
	S	167.020	152.590	153.704	162.200	164.956	165.209	160.267	163.408	161.182	
9	T	3.0124	2.7596	2.7628	2.9894	3.0278	2.7357	2.8091	2.8566	22.9534	
	S	167.037	151.949	152.513	160.567	164.161	164.242	158.738	163.019	160.290	
10	T	3.0075	2.7895	2.7679	2.9600	3.0106	2.7507	2.8354	2.8592	22.9808	
	S	167.309	150.320	152.232	162.162	165.098	163.347	157.265	162.871	160.099	
11	T	3.0321	2.8889	2.7978	3.0256	3.0576	2.7420	2.8705	2.9030	23.3175	
	S	165.952	145.148	150.605	158.646	162.561	163.865	155.342	160.414	157.787	
12	T	3.0281	2.7568	2.7637	2.9922	3.0351	2.7502	2.8780	2.9013	23.1054	
	S	166.171	152.103	152.464	160.417	163.766	163.377	154.938	160.508	159.236	
13	T	3.0403	2.7483	2.7584	2.9769	3.0338	2.7443	2.8432	2.8814	23.0266	
	S	165.504	152.574	152.757	161.241	163.836	163.728	156.834	161.616	159.780	
14	T	3.0269	2.8169	2.8116	2.9932	3.0340	2.7308	2.7928	2.8606	23.0668	
	S	166.237	148.858	149.866	160.363	163.825	164.537	159.664	162.792	159.502	
15	T	3.0120	2.7360	2.7590	2.9685	3.0143	2.7474	2.8875	2.8983	23.0230	
	S	167.059	153.260	152.723	161.697	164.896	163.543	154.428	160.674	159.805	
16	T	3.0333	2.7943	2.7969	3.0040	3.0386	2.7329	2.8721	2.9042	23.1763	
	S	165.886	150.062	150.654	159.787	163.577	164.411	155.256	160.348	158.748	
17	T	3.0317	2.7688	2.7723	3.0178	3.0457	2.7214	2.7882	2.8600	23.0059	
	S	165.974	151.444	151.991	159.056	163.196	165.106	159.928	162.826	159.924	
18	T	3.0137	2.7527	2.7775	2.9992	3.0332	2.7479	2.8435	2.8921	23.0598	
	S	166.965	152.330	151.706	160.042	163.868	163.513	156.817	161.018	159.550	
19	T	3.0156	2.7634	2.7701	2.9888	3.0504	2.7429	2.8275	2.8780	23.0367	
	S	166.860	151.740	152.111	160.599	162.944	163.811	157.705	161.807	159.710	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 27 - Stoneman, Dean (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0063	2.7483	2.7602	2.9744	3.0250	2.7532	2.8178	2.8881	22.9733	
	S	167.376	152.574	152.657	161.377	164.313	163.199	158.248	161.241	160.151	
21	T	3.0353	2.7893	2.7716	2.9657	3.0303	2.7540	2.9256	2.9248	23.1966	
	S	165.777	150.331	152.029	161.850	164.025	163.151	152.417	159.218	158.609	
22	T	3.0521	2.8290	2.8001	3.0052	3.0349	2.7564	2.8500	2.8918	23.2195	
	S	164.864	148.221	150.482	159.723	163.777	163.009	156.460	161.035	158.453	
23	T	3.0251	2.7640	2.7937	3.0045	3.0439	2.7540	2.8154	2.8816	23.0822	
	S	166.336	151.707	150.826	159.760	163.292	163.151	158.383	161.605	159.396	
24	T	3.0088	2.6863	2.7373	2.9556	3.0164	2.7933	2.9080	2.9219	23.0276	
	S	167.237	156.095	153.934	162.403	164.781	160.856	153.339	159.376	159.773	
25	T	3.0340	2.8861	2.8361	3.0188	3.0429	2.7753	2.8871	2.9106	23.3909	
	S	165.848	145.289	148.572	159.003	163.346	161.899	154.449	159.995	157.292	
26	T	3.0354	2.7401	2.7604	2.9600	2.9883	2.8219	3.0596	2.9800	23.3457	
	S	165.771	153.030	152.646	162.162	166.331	159.225	145.741	156.269	157.596	
27	T	3.0578	2.8167	2.8154	2.9911	3.0344	2.7593	2.9339	2.9366	23.3452	
	S	164.557	148.869	149.664	160.476	163.804	162.838	151.985	158.578	157.600	
28	T	3.0573	2.8736	2.8226	3.0029	3.0425	2.7917	2.9514	2.9414	23.4834	
	S	164.584	145.921	149.282	159.845	163.367	160.948	151.084	158.320	156.672	
29	T	3.0540	2.7710	2.7734	2.9595	2.9720	3.0070	2.9736	3.0061	23.5166	
	S	164.762	151.324	151.930	162.189	167.243	149.424	149.956	154.912	156.451	
30	T	3.0968	2.9185	2.8927	3.0998	3.1092	2.7694	2.8207	2.9006	23.6077	
	S	162.485	143.676	145.664	154.848	159.863	162.244	158.085	160.547	155.847	
31	T	3.0450	2.7276	2.7988	3.0216	3.0544	2.7516	2.7828	2.8752	23.0570	
	S	165.249	153.732	150.552	158.856	162.731	163.293	160.238	161.965	159.570	
32	T	3.0202	2.7249	2.7587	2.9901	3.0241	2.7793	2.8390	2.8923	23.0286	
	S	166.606	153.884	152.740	160.529	164.361	161.666	157.066	161.007	159.767	
33	T	3.0231	2.7656	2.7901	3.0076	3.0402	2.7475	2.8146	2.8780	23.0667	
	S	166.446	151.619	151.021	159.595	163.491	163.537	158.428	161.807	159.503	
34	T	3.0168	2.7422	2.7838	2.9997	3.0460	3.1076	3.4064	4.1257	25.2282	
	S	166.793	152.913	151.363	160.016	163.180	144.587	130.904	112.873	145.837	
35	T	4.1828	3.5204	3.2416	3.3689	3.6592	3.8590	4.5752	6.6626	33.0697	
	S	120.298	119.111	129.986	142.479	135.834	116.434	97.462	69.895	111.256	
36	T	6.6124	4.0428	3.5360	3.7709	3.9609	4.2032	7.0951	8.6531	41.8744	
	S	76.097	103.720	119.164	127.290	125.488	106.899	62.848	53.817	87.863	
37	T	6.1457	6.0820	6.7413	7.5596	7.0072	5.9496	7.4624	6.0464	52.9942	
	S	81.876	68.944	62.505	63.495	70.934	75.521	59.754	77.018	69.426	
38	T	6.6885	5.8618	6.4416	6.7213	7.3558	5.7327	6.3662	6.6918	51.8597	
	S	75.231	71.534	65.413	71.415	67.572	78.378	70.043	69.590	70.945	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 27 - Stoneman, Dean (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	6.2328	6.1463	5.3139	6.0429	5.7915	4.3158	3.3294	3.0840	40.2566	
	S	80.731	68.223	79.295	79.432	85.823	104.110	133.931	150.999	91.394	
40	T	3.2212	3.1221	2.9688	3.1625	3.1544	2.9084	2.9471	2.9544	24.4389	
	S	156.210	134.306	141.931	151.778	157.572	154.490	151.305	157.623	150.547	
41	T	3.0840	2.7815	2.7616	2.9956	3.0639	2.7466	2.8804	2.9043	23.2179	
	S	163.159	150.753	152.580	160.235	162.226	163.591	154.808	160.342	158.464	
42	T	3.0451	2.8594	2.8284	3.0057	3.0195	2.7507	2.8446	2.8778	23.2312	
	S	165.243	146.646	148.976	159.696	164.612	163.347	156.757	161.819	158.373	
43	T	3.0592	2.8477	2.8268	3.0050	3.0416	2.7767	2.9028	2.9093	23.3691	
	S	164.482	147.248	149.060	159.733	163.416	161.817	153.614	160.066	157.439	
44	T	3.0743	2.7816	2.7792	2.9533	2.9858	2.7853	3.0126	2.9937	23.3658	
	S	163.674	150.747	151.613	162.530	166.470	161.318	148.015	155.554	157.461	
45	T	3.0560	2.8591	2.8602	3.0158	3.0560	2.7349	2.8881	2.9171	23.3872	
	S	164.654	146.661	147.320	159.161	162.646	164.291	154.396	159.638	157.317	
46	T	3.0545	2.7614	2.7692	2.9522	2.9833	2.8041	2.9323	2.9338	23.1908	
	S	164.735	151.850	152.161	162.590	166.609	160.236	152.068	158.730	158.649	
47	T	3.0712	2.9673	2.8633	3.0279	3.0683	2.7536	2.8596	2.8978	23.5090	
	S	163.839	141.313	147.160	158.525	161.994	163.175	155.934	160.702	156.502	
48	T	3.0383	2.8712	2.8495	3.0156	3.0820	2.7610	2.8677	2.9012	23.3865	
	S	165.613	146.043	147.873	159.172	161.274	162.737	155.494	160.513	157.322	
49	T	3.0423	2.8775	2.8687	3.0250	3.0947	2.7843	2.8813	2.9061	23.4799	
	S	165.395	145.723	146.883	158.677	160.612	161.376	154.760	160.243	156.696	
50	T	3.0518	2.8374	2.8147	3.0198	3.0752	2.7959	2.9332	2.9333	23.4613	
	S	164.881	147.783	149.701	158.951	161.630	160.706	152.022	158.757	156.820	
51	T	3.0600	2.7942	2.7955	3.0185	3.0778	2.7791	2.8545	2.9186	23.2982	
	S	164.439	150.067	150.729	159.019	161.494	161.678	156.213	159.556	157.918	
52	T	3.0731	2.8418	2.8246	3.0141	3.0219	2.7759	2.9329	2.9374	23.4217	
	S	163.738	147.554	149.176	159.251	164.481	161.864	152.037	158.535	157.085	
53	T	3.0563	2.8424	2.8650	3.0358	3.0474	2.7433	2.8422	2.8799	23.3123	
	S	164.638	147.523	147.073	158.113	163.105	163.787	156.889	161.701	157.822	
54	T	3.0367	2.8610	2.8948	3.0494	3.1033	2.7595	2.8626	2.9068	23.4741	
	S	165.700	146.564	145.559	157.408	160.167	162.826	155.771	160.204	156.734	
55	T	3.0979	2.9800	2.9017	3.0522	3.0868	2.7791	2.8458	2.8987	23.6422	
	S	162.427	140.711	145.213	157.263	161.023	161.678	156.691	160.652	155.620	
56	T	3.0530	2.8519	2.8452	3.0301	3.0556	2.7477	2.8663	2.9139	23.3637	
	S	164.816	147.031	148.096	158.410	162.667	163.525	155.570	159.814	157.475	
57	T	3.0440	2.8112	2.8067	2.9993	3.0026	2.8076	2.9237	2.9469	23.3420	
	S	165.303	149.160	150.128	160.037	165.538	160.036	152.516	158.024	157.621	

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 27 - Stoneman, Dean (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.0765	2.8694	2.8437	3.0094	3.0206	2.7833	2.8975	2.9241	23.4245	
	S	163.557	146.134	148.174	159.500	164.552	161.434	153.895	159.256	157.066	
59	T	3.0811	2.9475	2.9475	3.0841	3.0699	2.7614	2.8447	2.8866	23.6228	
	S	163.313	142.262	142.956	155.637	161.909	162.714	156.751	161.325	155.748	
60	T	3.0357	2.8116	2.8556	3.0326	3.0403	2.7575	2.8381	2.8816	23.2530	
	S	165.755	149.139	147.557	158.280	163.486	162.944	157.116	161.605	158.225	
61	T	3.0534	2.8802	2.8943	3.0384	3.0263	2.7498	2.8613	2.8926	23.3963	
	S	164.794	145.586	145.584	157.977	164.242	163.400	155.842	160.991	157.256	
62	T	3.1021	2.9397	2.8674	3.0212	3.0230	2.7488	2.8613	2.9038	23.4673	
	S	162.207	142.640	146.950	158.877	164.421	163.460	155.842	160.370	156.780	
63	T	3.0742	2.9098	2.8827	3.0480	3.0675	2.7899	2.8919	2.9187	23.5827	
	S	163.679	144.105	146.170	157.480	162.036	161.052	154.193	159.551	156.013	
64	T	3.0464	2.8142	2.8244	3.0091	3.0355	2.7341	2.8620	2.9099	23.2356	
	S	165.173	149.001	149.187	159.516	163.744	164.339	155.804	160.033	158.343	
65	T	3.0601	2.8780	2.8979	3.0423	3.0590	2.7678	2.8445	2.8919	23.4415	
	S	164.433	145.698	145.403	157.775	162.486	162.338	156.762	161.030	156.952	
66	T	3.0385	2.8420	2.8840	3.0268	3.0329	2.7458	2.8365	2.8845	23.2910	
	S	165.602	147.543	146.104	158.583	163.885	163.638	157.204	161.443	157.967	
67	T	3.0439	2.8194	2.8330	2.9989	3.0123	2.7290	2.8533	2.9055	23.1953	
	S	165.309	148.726	148.734	160.058	165.005	164.646	156.279	160.276	158.618	
68	T	3.0362	2.9392	2.8386	3.0014	3.0331	2.7939	2.8698	2.9076	23.4198	
	S	165.728	142.664	148.441	159.925	163.874	160.821	155.380	160.160	157.098	
69	T	3.0396	2.8187	2.8397	3.0250	3.0321	2.7535	2.8298	2.8876	23.2260	
	S	165.542	148.763	148.383	158.677	163.928	163.181	157.577	161.269	158.409	
70	T	3.0344	2.7916	2.8038	3.0010	3.0134	2.7295	2.8220	2.8822	23.0779	
	S	165.826	150.207	150.283	159.946	164.945	164.616	158.012	161.572	159.425	
71	T	3.0454	2.8634	2.8226	2.9854	2.9987	2.7369	2.8279	2.8820	23.1623	
	S	165.227	146.441	149.282	160.782	165.754	164.170	157.682	161.583	158.844	
72	T	2.9770	2.8556	2.8528	3.0357	3.0592	2.7694	2.8402	2.8972	23.2871	
	S	169.023	146.841	147.702	158.118	162.476	162.244	157.000	160.735	157.993	
73	T	3.0574	2.7879	2.7760	2.9882	3.0231	2.7309	2.8154	2.8762	23.0551	
	S	164.579	150.406	151.788	160.631	164.416	164.531	158.383	161.909	159.583	
74	T	3.0341	2.7650	2.7911	2.9873	3.0083	2.7258	2.8601	2.9065	23.0782	
	S	165.842	151.652	150.967	160.680	165.225	164.839	155.907	160.221	159.423	
75	T	3.0385	2.7693	2.8003	2.9755	3.0111	2.7355	2.9318	2.9304	23.1924	
	S	165.602	151.417	150.471	161.317	165.071	164.254	152.094	158.914	158.638	
76	T	3.0544	2.9200	2.8789	3.0262	3.0371	2.7793	2.9046	2.9181	23.5186	
	S	164.740	143.602	146.363	158.614	163.658	161.666	153.519	159.584	156.438	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 27 - Stoneman, Dean (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0620	2.8069	2.8199	3.0087	3.0652	2.7527	2.8497	2.8981	23.2632	
	S	164.331	149.388	149.425	159.537	162.158	163.228	156.476	160.685	158.155	
78	T	3.0530	2.7895	2.7984	3.0007	3.0424	2.7550	2.9142	2.9272	23.2804	
	S	164.816	150.320	150.573	159.962	163.373	163.092	153.013	159.088	158.039	
79	T	3.0561	2.8420	2.8642	3.0340	3.0731	2.7696	2.8863	2.9103	23.4356	
	S	164.649	147.543	147.114	158.207	161.741	162.232	154.492	160.011	156.992	
80	T	3.0458	2.8226	2.8332	3.0097	3.0591	2.8005	2.9622	2.9453	23.4784	
	S	165.205	148.557	148.724	159.484	162.481	160.442	150.533	158.110	156.706	
81	T	3.0782	2.8284	2.8350	3.0211	3.0551	2.8020	2.9021	2.9210	23.4429	
	S	163.467	148.253	148.629	158.882	162.694	160.356	153.651	159.425	156.943	
82	T	3.0544	2.8155	2.8132	3.0109	3.0438	2.7901	2.9198	2.9353	23.3830	
	S	164.740	148.932	149.781	159.420	163.298	161.040	152.719	158.649	157.345	
83	T	3.0579	2.8520	2.8288	3.0139	3.0726	2.8017	2.9547	2.9517	23.5333	
	S	164.552	147.026	148.955	159.262	161.767	160.373	150.916	157.767	156.340	
84	T	3.0617	2.8994	2.9037	3.0574	3.0865	2.7992	2.8728	2.9123	23.5930	
	S	164.347	144.622	145.113	156.996	161.039	160.517	155.218	159.902	155.945	
85	T	3.0533	2.8301	2.8259	3.0069	3.0518	2.8184	2.9802	2.9596	23.5262	
	S	164.800	148.164	149.108	159.632	162.870	159.423	149.624	157.346	156.387	
86	T	3.0875	2.9867	2.9026	3.0574	3.0743	2.7989	2.8855	2.9149	23.7078	
	S	162.974	140.395	145.168	156.996	161.678	160.534	154.535	159.759	155.189	
87	T	3.0643	2.8707	2.9155	3.0653	3.0751	2.8051	2.8791	2.9221	23.5972	
	S	164.208	146.068	144.525	156.591	161.636	160.179	154.878	159.365	155.917	
88	T	3.0621	2.9539	2.9713	3.0959	3.1163	2.8201	2.9029	2.9497	23.8722	
	S	164.326	141.954	141.811	155.043	159.499	159.327	153.609	157.874	154.121	
89	T	3.0991	2.9139	2.9124	3.0862	3.1110	2.7965	2.8927	2.9124	23.7242	
	S	162.364	143.903	144.679	155.531	159.770	160.672	154.150	159.896	155.082	
90	T	3.0794	2.9146	2.8908	3.0623	3.1044	2.8558	2.9375	2.9603	23.8051	
	S	163.403	143.868	145.760	156.745	160.110	157.335	151.799	157.309	154.555	
91	T	3.7752	4.4459	5.7282	6.8783						
	S	133.286	94.316	73.560	69.785						

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 28 - Kellett, Dalton (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	6.1400	4.6243	3.8048	4.4578	5.0407	4.9692	4.4842	3.4747	36.9957	33.4242
	S	81.952	90.677	110.745	107.676	98.606	90.421	99.440	134.021	99.449	82.555
2	T	3.4062	3.1963	2.9131	3.1022	3.1006	3.0338	3.0187	2.9889	24.7598	
	S	147.726	131.189	144.644	154.728	160.306	148.104	147.716	155.804	148.596	
3	T	3.0854	2.8514	2.8051	2.9936	3.0537	2.9138	2.9355	2.9450	23.5835	
	S	163.085	147.057	150.213	160.342	162.768	154.204	151.903	158.126	156.007	
4	T	3.0653	2.8132	2.8798	3.0336	3.0734	3.0021	3.0412	2.9577	23.8663	
	S	164.154	149.054	146.317	158.227	161.725	149.668	146.623	157.447	154.159	
5	T	3.0566	2.8689	2.8357	3.0064	3.0641	2.7470	2.7992	2.8657	23.2436	
	S	164.622	146.160	148.592	159.659	162.216	163.567	159.299	162.502	158.289	
6	T	3.0257	2.6782	2.7342	2.9630	3.0283	2.7401	2.8137	2.8744	22.8576	
	S	166.303	156.567	154.109	161.998	164.133	163.979	158.478	162.010	160.962	
7	T	3.0350	2.6915	2.7518	2.9655	3.0451	2.7413	2.8047	2.8666	22.9015	
	S	165.793	155.793	153.123	161.861	163.228	163.907	158.987	162.451	160.653	
8	T	3.0202	2.7037	2.7621	2.9810	3.0480	2.7465	2.7842	2.8642	22.9099	
	S	166.606	155.090	152.552	161.019	163.073	163.597	160.157	162.587	160.594	
9	T	3.0145	2.7866	2.7973	3.0162	3.0730	2.7478	2.7975	2.8745	23.1074	
	S	166.921	150.477	150.632	159.140	161.746	163.519	159.396	162.004	159.222	
10	T	3.0273	2.7609	2.7381	2.9832	3.0481	2.7425	2.7985	2.8659	22.9645	
	S	166.215	151.877	153.889	160.901	163.067	163.835	159.339	162.490	160.213	
11	T	3.0101	2.6849	2.7506	2.9836	3.0427	2.7288	2.8378	2.8968	22.9353	
	S	167.165	156.176	153.190	160.879	163.357	164.658	157.132	160.757	160.416	
12	T	3.0340	2.7841	2.7829	2.9834	3.0405	2.7462	2.8624	2.8914	23.1249	
	S	165.848	150.612	151.412	160.890	163.475	163.615	155.782	161.057	159.101	
13	T	3.0282	2.8753	2.8787	3.0237	3.0461	2.8696	2.9749	2.9357	23.6322	
	S	166.166	145.835	146.373	158.745	163.174	156.579	149.891	158.627	155.686	
14	T	3.0849	2.9870	2.8761	3.0259	3.0261	2.9323	2.9710	2.9414	23.8447	
	S	163.111	140.381	146.505	158.630	164.253	153.231	150.088	158.320	154.298	
15	T	3.0465	2.7959	2.8292	3.0096	3.0549	2.7430	2.8013	2.8668	23.1472	
	S	165.167	149.976	148.934	159.489	162.704	163.805	159.180	162.439	158.948	
16	T	3.0297	2.7412	2.7612	2.9858	3.0462	2.7422	2.8108	2.8664	22.9835	
	S	166.083	152.969	152.602	160.761	163.169	163.853	158.642	162.462	160.080	
17	T	3.0148	2.7062	2.8760	3.0644	3.0809	2.7517	2.8733	2.9150	23.2823	
	S	166.904	154.947	146.510	156.637	161.331	163.287	155.191	159.753	158.026	
18	T	3.0424	2.7477	2.8027	3.0027	3.0438	2.7484	2.8513	2.8984	23.1374	
	S	165.390	152.607	150.342	159.856	163.298	163.484	156.388	160.668	159.015	
19	T	3.0223	2.7171	2.7864	2.9919	3.0379	2.7401	2.9002	2.9101	23.1060	
	S	166.490	154.326	151.222	160.433	163.615	163.979	153.752	160.022	159.231	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 28 - Kellett, Dalton (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0282	2.7376	2.8270	3.0100	3.0476	2.7531	2.8663	2.9039	23.1737	
	S	166.166	153.170	149.050	159.468	163.094	163.204	155.570	160.364	158.766	
21	T	3.0316	2.7596	2.8173	3.0098	3.0497	2.7527	2.8228	2.8781	23.1216	
	S	165.979	151.949	149.563	159.479	162.982	163.228	157.967	161.802	159.124	
22	T	3.0389	2.7323	2.7741	2.9826	3.0376	2.7466	2.8181	2.8784	23.0086	
	S	165.581	153.467	151.892	160.933	163.631	163.591	158.231	161.785	159.905	
23	T	3.0388	2.7069	2.7546	2.9711	3.0279	2.7552	2.8087	2.8737	22.9369	
	S	165.586	154.907	152.967	161.556	164.155	163.080	158.760	162.049	160.405	
24	T	3.0352	2.7091	2.7846	2.9934	3.0449	2.7401	2.8309	2.8797	23.0179	
	S	165.782	154.781	151.319	160.352	163.239	163.979	157.515	161.712	159.841	
25	T	3.0358	2.7156	2.7791	2.9906	3.0436	2.7521	2.8274	2.8846	23.0288	
	S	165.750	154.411	151.619	160.502	163.308	163.264	157.710	161.437	159.765	
26	T	3.0336	2.7429	2.8674	3.0323	3.0648	2.7519	2.8589	2.8930	23.2448	
	S	165.870	152.874	146.950	158.295	162.179	163.276	155.973	160.968	158.281	
27	T	3.0472	2.7459	2.8086	3.0057	3.0612	2.7398	2.8631	2.9015	23.1730	
	S	165.130	152.707	150.026	159.696	162.369	163.997	155.744	160.497	158.771	
28	T	3.0514	2.7473	2.7827	3.0112	3.0634	2.7534	2.9204	2.9262	23.2560	
	S	164.902	152.629	151.423	159.404	162.253	163.187	152.688	159.142	158.204	
29	T	3.0555	2.8554	2.9186	3.0745	3.0866	2.7866	2.9857	2.9581	23.7210	
	S	164.681	146.851	144.372	156.123	161.033	161.242	149.349	157.426	155.103	
30	T	3.0651	2.8667	2.9620	3.0716	3.0677	2.9219	3.1631	3.0252	24.1433	
	S	164.165	146.272	142.256	156.270	162.025	153.776	140.973	153.934	152.390	
31	T	3.1180	3.0063	2.8633	3.0162	3.0039	3.1710	3.1200	3.0074	24.3061	
	S	161.380	139.480	147.160	159.140	165.467	141.696	142.920	154.845	151.369	
32	T	3.0925	2.9383	2.8874	3.0415	3.0502	2.7442	2.9570	2.9492	23.6603	
	S	162.711	142.708	145.932	157.816	162.955	163.734	150.798	157.901	155.501	
33	T	3.0650	2.8448	2.8587	3.0209	3.0328	2.7495	2.9241	2.9146	23.4104	
	S	164.171	147.398	147.397	158.893	163.890	163.418	152.495	159.775	157.161	
34	T	3.0440	2.8793	2.8704	3.0298	3.6496	4.3165	4.7072	5.9196	30.4164	
	S	165.303	145.632	146.796	158.426	136.192	104.093	94.729	78.668	120.961	
35	T	4.0777	3.5471	3.2367	3.2744	3.4654	4.0593	4.8021	5.1638	31.6265	
	S	123.399	118.214	130.183	146.591	143.431	110.689	92.857	90.182	116.333	
36	T	4.3332	4.1489	3.6088	3.7890	4.2718	3.8641	4.4159	7.6361	36.0678	
	S	116.123	101.067	116.760	126.682	116.355	116.280	100.978	60.984	102.008	
37	T	6.9537	4.8318	6.4076	7.4394	7.3241	5.6175	7.8524	5.4353	51.8618	
	S	72.362	86.783	65.760	64.521	67.864	79.985	56.786	85.677	70.942	
38	T	7.1260	5.5645	6.6852	6.2577	7.5911	5.5831	6.3380	6.5505	51.6961	
	S	70.612	75.356	63.029	76.705	65.477	80.478	70.355	71.091	71.170	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 28 - Kellett, Dalton (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	6.2697	6.0511	5.2266	5.7390	5.7908	4.3047	3.4049	3.1291	39.9159	
	S	80.256	69.296	80.619	83.638	85.834	104.379	130.961	148.823	92.174	
40	T	3.1878	3.2345	2.9136	3.0399	3.0743	3.2753	3.2166	3.0784	25.0204	
	S	157.846	129.639	144.620	157.900	161.678	137.184	138.628	151.274	147.048	
41	T	3.1467	2.9392	2.8696	3.0308	3.0497	2.8828	3.0240	2.9799	23.9227	
	S	159.908	142.664	146.837	158.374	162.982	155.862	147.457	156.274	153.795	
42	T	3.0840	2.9698	2.8472	3.0197	3.0303	2.8575	3.0039	2.9464	23.7588	
	S	163.159	141.194	147.992	158.956	164.025	157.242	148.444	158.051	154.856	
43	T	3.0448	2.8599	2.8296	3.0090	3.0321	2.7728	2.9619	2.9234	23.4335	
	S	165.260	146.620	148.913	159.521	163.928	162.045	150.549	159.294	157.006	
44	T	3.0418	2.9267	2.9525	3.0641	3.0620	2.8018	2.9220	2.9178	23.6887	
	S	165.423	143.273	142.714	156.652	162.327	160.368	152.604	159.600	155.315	
45	T	3.0443	2.8387	2.9187	3.0440	3.0531	2.7563	2.9234	2.9290	23.5075	
	S	165.287	147.715	144.367	157.687	162.800	163.015	152.531	158.990	156.512	
46	T	3.0558	2.8531	2.8366	3.0036	3.0353	2.7470	2.8609	2.8878	23.2801	
	S	164.665	146.969	148.545	159.808	163.755	163.567	155.864	161.258	158.041	
47	T	3.0324	2.8435	2.8159	2.9971	3.0445	2.7556	2.9079	2.9050	23.3019	
	S	165.935	147.466	149.637	160.154	163.260	163.056	153.344	160.303	157.893	
48	T	3.0522	2.9004	2.8249	3.0079	3.0642	2.7754	2.8873	2.9005	23.4128	
	S	164.859	144.573	149.161	159.579	162.211	161.893	154.438	160.552	157.145	
49	T	3.0315	2.8340	2.9277	3.0469	3.0931	2.7750	2.8957	2.9110	23.5149	
	S	165.985	147.960	143.923	157.537	160.695	161.916	153.990	159.973	156.462	
50	T	3.0424	2.8648	2.8493	3.0056	3.0448	2.7847	2.8951	2.9043	23.3910	
	S	165.390	146.369	147.883	159.701	163.244	161.352	154.022	160.342	157.291	
51	T	3.0419	2.8254	2.8594	3.0324	3.0693	2.7433	2.8788	2.9005	23.3510	
	S	165.417	148.410	147.361	158.290	161.941	163.787	154.894	160.552	157.561	
52	T	3.0321	2.8805	2.8485	3.0208	3.0611	2.7503	2.8704	2.8976	23.3613	
	S	165.952	145.571	147.925	158.898	162.375	163.371	155.348	160.713	157.491	
53	T	3.0372	2.8320	2.8484	3.0050	3.0464	2.7341	2.8955	2.9107	23.3093	
	S	165.673	148.064	147.930	159.733	163.158	164.339	154.001	159.989	157.843	
54	T	3.0697	2.8773	2.8584	3.0128	3.0453	2.7600	2.9283	2.9201	23.4719	
	S	163.919	145.733	147.412	159.320	163.217	162.796	152.276	159.474	156.749	
55	T	3.0507	2.8645	2.8349	3.0079	3.0477	2.7475	2.9132	2.9152	23.3816	
	S	164.940	146.384	148.634	159.579	163.089	163.537	153.065	159.743	157.355	
56	T	3.0421	2.7948	2.8919	3.0447	3.0840	2.7762	2.9090	2.9108	23.4535	
	S	165.406	150.035	145.705	157.651	161.169	161.846	153.286	159.984	156.872	
57	T	3.0331	2.7612	2.8141	2.9995	3.0324	2.7740	2.9465	2.9276	23.2884	
	S	165.897	151.861	149.733	160.026	163.912	161.975	151.336	159.066	157.984	

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 28 - Kellett, Dalton (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.0429	2.8878	2.9119	3.0311	3.0304	2.8721	3.0385	2.9621	23.7768	
	S	165.363	145.203	144.704	158.358	164.020	156.442	146.753	157.213	154.739	
59	T	3.0425	2.8458	2.8802	3.0350	3.0487	2.7598	2.9656	2.9321	23.5097	
	S	165.385	147.346	146.297	158.154	163.035	162.808	150.361	158.822	156.497	
60	T	3.0390	2.8109	2.8420	3.0047	3.0218	2.7392	2.9662	2.9310	23.3548	
	S	165.575	149.176	148.263	159.749	164.487	164.033	150.330	158.881	157.535	
61	T	3.0328	2.8385	2.8786	3.0205	3.0320	2.7723	2.9861	2.9373	23.4981	
	S	165.914	147.725	146.378	158.914	163.933	162.074	149.329	158.541	156.574	
62	T	3.0434	2.8738	2.8893	3.0344	3.0568	2.7758	2.9185	2.9210	23.5130	
	S	165.336	145.911	145.836	158.186	162.603	161.870	152.787	159.425	156.475	
63	T	3.0459	2.7933	2.8132	2.9964	3.0348	2.7630	2.8667	2.8930	23.2063	
	S	165.200	150.116	149.781	160.192	163.782	162.620	155.548	160.968	158.543	
64	T	3.0141	2.7396	2.7866	2.9706	3.0018	2.7676	2.9477	2.9190	23.1470	
	S	166.943	153.058	151.211	161.583	165.582	162.349	151.274	159.535	158.949	
65	T	3.0275	2.8352	2.9185	3.0325	3.0442	2.7765	2.9365	2.9170	23.4879	
	S	166.204	147.897	144.377	158.285	163.276	161.829	151.851	159.644	156.642	
66	T	3.0448	2.8861	2.8652	2.9991	3.0277	2.7803	2.8968	2.9070	23.4070	
	S	165.260	145.289	147.063	160.048	164.166	161.608	153.932	160.193	157.184	
67	T	3.0342	2.8650	2.8593	3.0075	3.0395	2.7521	2.8996	2.9020	23.3592	
	S	165.837	146.359	147.366	159.601	163.529	163.264	153.783	160.469	157.505	
68	T	3.0359	2.8081	2.8481	2.9876	3.0085	2.7421	2.8782	2.8871	23.1956	
	S	165.744	149.325	147.946	160.664	165.214	163.859	154.927	161.297	158.616	
69	T	3.0472	2.8521	2.9021	3.0213	3.0194	2.7834	2.9290	2.8964	23.4509	
	S	165.130	147.021	145.193	158.872	164.617	161.428	152.240	160.779	156.890	
70	T	3.0310	2.9122	2.8543	3.0142	3.0298	2.7463	2.9261	2.9289	23.4428	
	S	166.012	143.987	147.624	159.246	164.052	163.609	152.391	158.995	156.944	
71	T	3.0422	2.8016	2.8348	2.9980	3.0246	2.7489	2.8847	2.9024	23.2372	
	S	165.401	149.671	148.640	160.106	164.334	163.454	154.578	160.447	158.332	
72	T	3.0455	2.7608	2.7803	2.9747	3.0081	2.7304	2.9103	2.9280	23.1381	
	S	165.222	151.883	151.553	161.360	165.236	164.561	153.218	159.044	159.010	
73	T	3.0508	2.8849	2.8708	3.0026	3.0168	2.7573	2.8475	2.8817	23.3124	
	S	164.935	145.349	146.776	159.861	164.759	162.956	156.597	161.600	157.822	
74	T	3.0429	2.9593	2.8643	3.0004	3.0157	2.7855	2.9489	2.9246	23.5416	
	S	165.363	141.695	147.109	159.978	164.819	161.306	151.212	159.229	156.285	
75	T	3.0472	2.8736	2.8787	3.0117	3.0243	2.7436	2.9349	2.9314	23.4454	
	S	165.130	145.921	146.373	159.378	164.351	163.770	151.934	158.860	156.926	
76	T	3.0452	2.8792	2.8749	3.0162	3.0336	2.7676	2.9945	2.9455	23.5567	
	S	165.238	145.637	146.566	159.140	163.847	162.349	148.910	158.099	156.185	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 28 - Kellett, Dalton (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0657	2.8110	2.8101	2.9789	3.0144	2.7663	2.9945	2.9400	23.3809	
	S	164.133	149.170	149.946	161.133	164.890	162.426	148.910	158.395	157.359	
78	T	3.0562	2.7999	2.8469	2.9984	3.0247	2.7847	2.9829	2.9266	23.4203	
	S	164.643	149.762	148.008	160.085	164.329	161.352	149.489	159.120	157.094	
79	T	3.0442	2.9214	2.8945	3.0352	3.0566	2.7577	2.9461	2.9303	23.5860	
	S	165.292	143.533	145.574	158.144	162.614	162.932	151.356	158.919	155.991	
80	T	3.0467	2.7864	2.8155	2.9905	3.0100	2.7914	2.9769	2.9462	23.3636	
	S	165.157	150.487	149.659	160.508	165.131	160.965	149.790	158.062	157.476	
81	T	3.0624	2.9398	2.8869	3.0290	3.0584	2.7503	2.9028	2.9020	23.5316	
	S	164.310	142.635	145.957	158.468	162.518	163.371	153.614	160.469	156.351	
82	T	3.0410	2.8068	2.8783	3.0281	3.0497	2.7630	2.8799	2.8956	23.3424	
	S	165.466	149.394	146.393	158.515	162.982	162.620	154.835	160.824	157.619	
83	T	3.0367	2.8344	2.8949	3.0365	3.0537	2.7626	2.9175	2.9110	23.4473	
	S	165.700	147.939	145.554	158.076	162.768	162.643	152.840	159.973	156.914	
84	T	3.0572	2.8613	2.8959	3.0344	3.0601	2.7440	2.9024	2.9095	23.4648	
	S	164.589	146.548	145.504	158.186	162.428	163.746	153.635	160.055	156.797	
85	T	3.0375	2.8712	2.9538	3.0511	3.0561	2.8251	2.9335	2.9231	23.6514	
	S	165.657	146.043	142.651	157.320	162.640	159.045	152.006	159.311	155.560	
86	T	3.0485	2.9589	3.0222	3.0921	3.1123	2.8027	2.9053	2.9138	23.8558	
	S	165.059	141.714	139.423	155.234	159.704	160.316	153.482	159.819	154.227	
87	T	3.0459	2.8217	2.8650	3.0198	3.0405	2.7584	2.8862	2.9122	23.3497	
	S	165.200	148.605	147.073	158.951	163.475	162.891	154.497	159.907	157.569	
88	T	3.0481	2.8406	2.8702	3.0189	3.0404	2.7562	2.8991	2.9103	23.3838	
	S	165.081	147.616	146.806	158.998	163.480	163.021	153.810	160.011	157.340	
89	T	3.0413	2.8547	2.9405	3.0486	3.0569	2.7974	2.9617	2.9353	23.6364	
	S	165.450	146.887	143.297	157.449	162.598	160.620	150.559	158.649	155.658	
90	T	3.0529	2.8647	2.9382	3.0501	3.0847	2.8304	3.0367	2.9906	23.8483	
	S	164.821	146.374	143.409	157.371	161.133	158.747	146.840	155.715	154.275	
91	T	3.5377	4.1480	4.8874	6.0847						
	S	142.234	101.089	86.214	78.886						

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 3 - Hargrove, Scott (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	6.0273	5.0092	3.6965	4.3793	4.7226	4.6509	4.3235	3.4167	36.2260	32.6251
	S	83.484	83.710	113.990	109.606	105.248	96.609	103.136	136.296	101.562	84.577
2	T	3.3672	3.2773	2.9911	3.1196	3.1172	3.0762	3.0270	2.9806	24.9562	
	S	149.437	127.946	140.872	153.865	159.453	146.063	147.311	156.237	147.426	
3	T	3.3396	3.1828	2.8936	3.0865	3.1161	3.0161	2.9868	2.9757	24.5972	
	S	150.672	131.745	145.619	155.516	159.509	148.973	149.294	156.495	149.578	
4	T	3.1281	2.8326	2.7799	3.0095	3.0603	2.8977	2.8733	2.9172	23.4986	
	S	160.859	148.033	151.575	159.495	162.417	155.060	155.191	159.633	156.571	
5	T	3.0600	2.6873	2.7028	2.9412	3.0089	2.7911	2.8380	2.8785	22.9078	
	S	164.439	156.037	155.899	163.198	165.192	160.982	157.121	161.779	160.609	
6	T	3.0279	2.7302	2.7333	2.9738	3.0274	2.7906	2.8467	2.8863	23.0162	
	S	166.182	153.585	154.159	161.409	164.182	161.011	156.641	161.342	159.853	
7	T	3.0287	2.7409	2.7981	3.0196	3.0551	2.8024	2.8549	2.8989	23.1986	
	S	166.138	152.986	150.589	158.961	162.694	160.333	156.191	160.641	158.596	
8	T	3.0181	2.7222	2.7466	2.9890	3.0643	2.8144	2.8285	2.8912	23.0743	
	S	166.722	154.037	153.413	160.588	162.205	159.650	157.649	161.069	159.450	
9	T	3.0119	2.6858	2.7335	2.9903	3.0584	2.8018	2.8300	2.8866	22.9983	
	S	167.065	156.124	154.148	160.519	162.518	160.368	157.565	161.325	159.977	
10	T	3.0138	2.6990	2.7717	3.0206	3.0731	2.8005	2.8353	2.8895	23.1035	
	S	166.960	155.361	152.024	158.908	161.741	160.442	157.271	161.163	159.249	
11	T	3.0262	2.7295	2.7539	3.0141	3.0752	2.7921	2.8709	2.9152	23.1771	
	S	166.275	153.625	153.006	159.251	161.630	160.925	155.321	159.743	158.743	
12	T	3.0425	2.7306	2.7518	3.0086	3.0703	2.8244	2.8542	2.9066	23.1890	
	S	165.385	153.563	153.123	159.542	161.888	159.084	156.229	160.215	158.661	
13	T	3.0353	2.7441	2.7508	3.0023	3.0654	2.7903	2.9000	2.9319	23.2201	
	S	165.777	152.807	153.179	159.877	162.147	161.029	153.762	158.833	158.449	
14	T	3.0484	2.7568	2.7686	2.9952	3.0469	2.8509	2.8901	2.9272	23.2841	
	S	165.064	152.103	152.194	160.256	163.132	157.606	154.289	159.088	158.013	
15	T	3.0534	2.8040	2.7916	3.0111	3.0414	2.8648	2.9234	2.9379	23.4276	
	S	164.794	149.543	150.940	159.410	163.427	156.841	152.531	158.508	157.046	
16	T	3.0562	2.7611	2.7671	3.0131	3.0607	2.7902	2.8728	2.9239	23.2451	
	S	164.643	151.866	152.276	159.304	162.396	161.034	155.218	159.267	158.279	
17	T	3.0596	2.7570	2.7833	3.0283	3.0713	2.7564	2.8627	2.9148	23.2334	
	S	164.460	152.092	151.390	158.504	161.836	163.009	155.766	159.764	158.358	
18	T	3.0409	2.7153	2.7644	3.0187	3.0586	2.7673	2.8901	2.9302	23.1855	
	S	165.472	154.428	152.425	159.008	162.508	162.367	154.289	158.925	158.685	
19	T	3.0416	2.7471	2.7830	3.0230	3.0630	2.8109	2.9278	2.9390	23.3354	
	S	165.434	152.640	151.406	158.782	162.274	159.849	152.302	158.449	157.666	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 3 - Hargrove, Scott (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0435	2.7315	2.7743	3.0180	3.0585	2.8218	2.8972	2.9353	23.2801	
	S	165.330	153.512	151.881	159.045	162.513	159.231	153.911	158.649	158.041	
21	T	3.0521	2.7219	2.7629	3.0031	3.0589	2.8092	2.8953	2.9304	23.2338	
	S	164.864	154.053	152.508	159.834	162.492	159.945	154.012	158.914	158.355	
22	T	3.0650	2.6991	2.7362	2.9864	3.0423	2.7913	2.8665	2.9204	23.1072	
	S	164.171	155.355	153.996	160.728	163.378	160.971	155.559	159.458	159.223	
23	T	3.0619	2.7162	2.7420	3.0008	3.0447	2.7699	2.8849	2.9197	23.1401	
	S	164.337	154.377	153.670	159.957	163.249	162.215	154.567	159.496	158.997	
24	T	3.0630	2.6882	2.7485	3.0054	3.0528	2.8024	2.8815	2.9188	23.1606	
	S	164.278	155.985	153.307	159.712	162.816	160.333	154.749	159.546	158.856	
25	T	3.0648	2.7083	2.7416	3.0016	3.0562	2.8086	2.9061	2.9393	23.2265	
	S	164.181	154.827	153.693	159.914	162.635	159.979	153.439	158.433	158.405	
26	T	3.0633	2.7442	2.7866	3.0328	3.0781	2.8270	2.9217	2.9458	23.3995	
	S	164.262	152.802	151.211	158.269	161.478	158.938	152.620	158.083	157.234	
27	T	3.0779	2.7415	2.7669	3.0228	3.0779	2.7936	2.9143	2.9390	23.3339	
	S	163.482	152.952	152.287	158.793	161.489	160.838	153.008	158.449	157.676	
28	T	3.0630	2.7453	2.8028	3.0584	3.0989	2.8431	2.8931	2.9329	23.4375	
	S	164.278	152.740	150.337	156.944	160.394	158.038	154.129	158.778	156.979	
29	T	3.0571	2.7339	2.7803	3.0356	3.0831	2.8035	2.8899	2.9389	23.3223	
	S	164.595	153.377	151.553	158.123	161.216	160.270	154.300	158.454	157.755	
30	T	3.0716	2.7841	2.8953	3.1044	3.1065	2.8381	2.9264	2.9553	23.6817	
	S	163.818	150.612	145.534	154.619	160.002	158.317	152.375	157.575	155.360	
31	T	3.0848	2.7977	2.8178	3.0543	3.0693	2.8308	2.9425	2.9649	23.5621	
	S	163.117	149.880	149.536	157.155	161.941	158.725	151.541	157.065	156.149	
32	T	3.0942	2.8025	2.8114	3.0383	3.0524	2.8071	2.9468	2.9556	23.5083	
	S	162.621	149.623	149.877	157.983	162.838	160.065	151.320	157.559	156.506	
33	T	3.0791	2.7433	2.7795	3.0044	3.0382	2.8208	2.9582	2.9664	23.3899	
	S	163.419	152.852	151.597	159.765	163.599	159.288	150.737	156.985	157.299	
34	T	3.0659	2.8036	2.8147	3.4287	3.9879	4.3708	4.7345	6.3579	31.5640	
	S	164.122	149.564	149.701	139.994	124.638	102.800	94.183	73.245	116.563	
35	T	5.5592	3.9160	3.5706	3.7395	3.6232	3.7154	4.4102	4.9203	33.4544	
	S	90.513	107.078	118.009	128.359	137.184	120.934	101.109	94.645	109.977	
36	T	4.3392	3.4558	3.4015	3.6896	3.7508	3.6679	4.1885	6.3304	32.8237	
	S	115.962	121.338	123.876	130.095	132.517	122.500	106.461	73.563	112.090	
37	T	7.2955	5.1818	6.0981	7.4292	7.6473	5.4049	7.4831	5.6407	52.1806	
	S	68.972	80.921	69.098	64.610	64.996	83.132	59.589	82.557	70.509	
38	T	6.6300	5.5840	6.7326	6.7918	7.4325	5.4817	6.2434	6.5687	51.4647	
	S	75.895	75.093	62.586	70.673	66.875	81.967	71.421	70.894	71.490	

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 3 - Hargrove, Scott (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	6.8486	5.5838	4.7329	5.5847	5.6289	4.1016	3.3552	3.1404	38.9761	
	S	73.472	75.095	89.029	85.949	88.302	109.547	132.901	148.287	94.396	
40	T	3.2108	3.1992	2.9918	3.1149	3.1138	3.2873	3.3639	3.1948	25.4765	
	S	156.716	131.070	140.840	154.098	159.627	136.683	132.558	145.762	144.415	
41	T	3.2333	3.2200	2.9865	3.1410	3.1433	3.1669	3.1913	3.1013	25.1836	
	S	155.625	130.223	141.089	152.817	158.129	141.879	139.727	150.157	146.095	
42	T	3.1509	2.9915	2.9080	3.0760	3.0761	2.9415	3.0311	2.9918	24.1669	
	S	159.695	140.170	144.898	156.046	161.583	152.751	147.112	155.653	152.241	
43	T	3.1114	2.8087	2.7717	2.9909	3.0443	2.8427	2.9654	2.9570	23.4921	
	S	161.722	149.293	152.024	160.486	163.271	158.060	150.371	157.484	156.614	
44	T	3.0656	2.9385	2.9029	3.0835	3.0777	2.8779	2.9599	2.9683	23.8743	
	S	164.138	142.698	145.153	155.667	161.499	156.127	150.650	156.885	154.107	
45	T	3.1010	2.8633	2.8620	3.0399	3.0617	2.8682	2.9336	2.9443	23.6740	
	S	162.265	146.446	147.227	157.900	162.343	156.655	152.001	158.164	155.411	
46	T	3.0777	2.8725	2.8450	3.0401	3.0647	2.8963	2.9259	2.9342	23.6564	
	S	163.493	145.977	148.107	157.889	162.184	155.135	152.401	158.708	155.527	
47	T	3.0812	2.7879	2.7772	2.9952	3.0553	2.8398	2.8945	2.9223	23.3534	
	S	163.307	150.406	151.722	160.256	162.683	158.222	154.054	159.354	157.545	
48	T	3.0642	2.8605	2.8292	3.0238	3.0710	2.8137	2.9464	2.9571	23.5659	
	S	164.213	146.589	148.934	158.740	161.851	159.689	151.341	157.479	156.124	
49	T	3.0708	2.8492	2.8749	3.0462	3.0948	2.8903	2.9358	2.9452	23.7072	
	S	163.860	147.170	146.566	157.573	160.607	155.457	151.887	158.115	155.193	
50	T	3.0842	2.8424	2.8093	3.0260	3.0801	2.8962	2.9534	2.9634	23.6550	
	S	163.149	147.523	149.989	158.625	161.373	155.141	150.982	157.144	155.536	
51	T	3.0973	2.7825	2.7747	3.0040	3.0680	2.9027	2.9444	2.9587	23.5323	
	S	162.458	150.698	151.859	159.787	162.010	154.793	151.443	157.394	156.347	
52	T	3.1041	2.8044	2.7822	3.0094	3.0715	2.8381	2.9515	2.9600	23.5212	
	S	162.103	149.522	151.450	159.500	161.825	158.317	151.079	157.325	156.421	
53	T	3.0901	2.7934	2.8017	3.0145	3.0819	2.9556	3.0006	2.9819	23.7197	
	S	162.837	150.110	150.396	159.230	161.279	152.023	148.607	156.169	155.112	
54	T	3.1257	2.9137	2.8599	3.0585	3.1117	2.9695	2.9888	2.9828	24.0106	
	S	160.982	143.913	147.335	156.939	159.734	151.311	149.194	156.122	153.232	
55	T	3.1102	2.8212	2.8030	3.0334	3.0845	2.9467	3.0378	3.0121	23.8489	
	S	161.785	148.631	150.326	158.238	161.143	152.482	146.787	154.604	154.271	
56	T	3.1168	2.8136	2.8029	3.0343	3.0877	2.8707	2.9419	2.9543	23.6222	
	S	161.442	149.033	150.331	158.191	160.976	156.519	151.572	157.628	155.752	
57	T	3.0976	2.7844	2.7880	3.0298	3.0863	2.8626	2.9607	2.9618	23.5712	
	S	162.443	150.596	151.135	158.426	161.049	156.962	150.610	157.229	156.089	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 3 - Hargrove, Scott (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.0847	2.7893	2.7853	3.0243	3.0719	2.8638	2.9374	2.9524	23.5091	
	S	163.122	150.331	151.281	158.714	161.804	156.896	151.804	157.730	156.501	
59	T	3.0848	2.7708	2.7782	3.0232	3.0738	2.8519	2.9693	2.9678	23.5198	
	S	163.117	151.335	151.668	158.772	161.704	157.550	150.174	156.911	156.430	
60	T	3.0907	2.8181	2.7965	3.0406	3.0760	2.9072	2.9639	2.9722	23.6652	
	S	162.805	148.795	150.675	157.863	161.588	154.554	150.447	156.679	155.469	
61	T	3.0968	2.7701	2.7801	3.0232	3.0626	2.8343	2.8752	2.9168	23.3591	
	S	162.485	151.373	151.564	158.772	162.295	158.529	155.088	159.655	157.506	
62	T	3.0702	2.7421	2.7641	3.0020	3.0590	2.7886	2.8903	2.9257	23.2420	
	S	163.892	152.919	152.442	159.893	162.486	161.127	154.278	159.169	158.300	
63	T	3.0724	2.7379	2.7572	3.0000	3.0662	2.7942	2.8588	2.9123	23.1990	
	S	163.775	153.153	152.823	160.000	162.105	160.804	155.978	159.902	158.593	
64	T	3.0667	2.7448	2.7655	3.0121	3.0730	2.8081	2.8564	2.9137	23.2403	
	S	164.080	152.768	152.364	159.357	161.746	160.008	156.109	159.825	158.311	
65	T	3.0686	2.7257	2.7552	2.9957	3.0649	2.8053	2.8770	2.9237	23.2161	
	S	163.978	153.839	152.934	160.229	162.173	160.168	154.991	159.278	158.476	
66	T	3.0703	2.6884	2.7315	2.9836	3.0643	2.8054	2.8814	2.9277	23.1526	
	S	163.887	155.973	154.261	160.879	162.205	160.162	154.755	159.060	158.911	
67	T	3.0696	2.7331	2.7578	2.9981	3.0514	2.7939	2.8640	2.9208	23.1887	
	S	163.924	153.422	152.790	160.101	162.891	160.821	155.695	159.436	158.663	
68	T	3.0570	2.7256	2.7695	3.0060	3.0550	2.8077	2.8628	2.9168	23.2004	
	S	164.600	153.844	152.144	159.680	162.699	160.031	155.760	159.655	158.583	
69	T	3.0517	2.7506	2.8002	3.0348	3.0543	2.7963	2.8922	2.9391	23.3192	
	S	164.886	152.446	150.476	158.165	162.736	160.683	154.177	158.444	157.776	
70	T	3.0738	2.7326	2.7610	3.0051	3.0443	2.8096	2.9011	2.9363	23.2638	
	S	163.701	153.450	152.613	159.728	163.271	159.922	153.704	158.595	158.151	
71	T	3.0660	2.7368	2.7665	2.9994	3.0454	2.8264	2.8676	2.9339	23.2420	
	S	164.117	153.215	152.309	160.032	163.212	158.972	155.499	158.724	158.300	
72	T	3.0625	2.7627	2.7884	3.0143	3.0674	2.8363	2.9365	2.9462	23.4143	
	S	164.305	151.778	151.113	159.241	162.041	158.417	151.851	158.062	157.135	
73	T	3.0864	2.7569	2.7545	2.9757	3.0424	2.8085	2.9474	2.9563	23.3281	
	S	163.032	152.098	152.973	161.306	163.373	159.985	151.289	157.522	157.715	
74	T	3.0861	2.7783	2.7741	2.9917	3.0464	2.8634	2.9399	2.9543	23.4342	
	S	163.048	150.926	151.892	160.443	163.158	156.918	151.675	157.628	157.001	
75	T	3.1046	2.7545	2.7666	2.9933	3.0407	2.8065	2.9710	2.9786	23.4158	
	S	162.076	152.230	152.304	160.358	163.464	160.099	150.088	156.342	157.125	
76	T	3.0867	2.7888	2.7979	3.0255	3.0603	2.8542	2.9415	2.9614	23.5163	
	S	163.016	150.358	150.600	158.651	162.417	157.424	151.593	157.250	156.453	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 3 - Hargrove, Scott (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0864	2.8009	2.8209	3.0420	3.0736	2.8264	2.9323	2.9483	23.5308	
	S	163.032	149.708	149.372	157.791	161.714	158.972	152.068	157.949	156.357	
78	T	3.0778	2.8395	2.8332	3.0535	3.0800	2.8547	2.9980	2.9998	23.7365	
	S	163.488	147.673	148.724	157.196	161.378	157.396	148.736	155.237	155.002	
79	T	3.1082	2.8357	2.8201	3.0422	3.0809	2.9370	2.9711	2.9774	23.7726	
	S	161.889	147.871	149.414	157.780	161.331	152.985	150.083	156.405	154.766	
80	T	3.1079	2.8151	2.8112	3.0338	3.0895	2.8793	2.9436	2.9601	23.6405	
	S	161.904	148.953	149.887	158.217	160.882	156.051	151.485	157.319	155.631	
81	T	3.0822	2.7637	2.8048	3.0347	3.0899	2.8703	2.9496	2.9675	23.5627	
	S	163.254	151.723	150.229	158.170	160.861	156.540	151.176	156.927	156.145	
82	T	3.0844	2.8259	2.8252	3.0521	3.1055	2.8926	2.9892	2.9957	23.7706	
	S	163.138	148.384	149.145	157.268	160.053	155.334	149.174	155.450	154.779	
83	T	3.1205	2.8224	2.8105	3.0512	3.1120	2.9365	3.0003	2.9982	23.8516	
	S	161.251	148.568	149.925	157.315	159.719	153.011	148.622	155.320	154.254	
84	T	3.1196	2.8529	2.8245	3.0732	3.1212	2.9394	2.9975	2.9956	23.9239	
	S	161.297	146.980	149.182	156.189	159.248	152.861	148.761	155.455	153.788	
85	T	3.1195	2.8265	2.8022	3.0414	3.0925	2.8773	2.9534	2.9558	23.6686	
	S	161.302	148.352	150.369	157.822	160.726	156.160	150.982	157.548	155.446	
86	T	3.0908	2.7900	2.7782	3.0128	3.0851	2.8804	2.9929	2.9876	23.6178	
	S	162.800	150.293	151.668	159.320	161.112	155.992	148.989	155.871	155.781	
87	T	3.1030	2.7708	2.7726	3.0055	3.0904	2.8568	2.9844	2.9688	23.5523	
	S	162.160	151.335	151.974	159.707	160.835	157.280	149.414	156.858	156.214	
88	T	3.0901	2.7993	2.7935	3.0239	3.0872	2.9105	2.9500	2.9660	23.6205	
	S	162.837	149.794	150.837	158.735	161.002	154.378	151.156	157.007	155.763	
89	T	3.1027	2.8172	2.7953	3.0243	3.0939	2.9098	2.9581	2.9719	23.6732	
	S	162.176	148.842	150.740	158.714	160.653	154.415	150.742	156.695	155.416	
90	T	3.1188	2.8382	2.8235	3.0395	3.1003	3.0000	3.0256	3.0158	23.9617	
	S	161.339	147.741	149.235	157.920	160.322	149.773	147.379	154.414	153.545	
91	T	3.6341	3.9818	4.8288							
	S	138.461	105.309	87.261							

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 4 - Serralles, Felix

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	5.6180	4.5452	3.7804	5.0281	5.3625	5.0723	4.3173	3.4072	37.1310	31.7400
	S	89.566	92.255	111.460	95.463	92.689	88.583	103.285	136.676	99.087	86.935
2	T	3.2990	2.8272	2.8149	3.0527	3.1288	3.0155	2.9910	2.9549	24.0840	
	S	152.526	148.316	149.690	157.237	158.861	149.003	149.084	157.596	152.765	
3	T	3.0729	2.7473	2.7632	2.9966	3.0444	2.7483	2.8284	2.8871	23.0882	
	S	163.748	152.629	152.491	160.181	163.265	163.489	157.655	161.297	159.354	
4	T	3.0209	2.8057	2.8019	3.0204	3.0742	2.7461	2.7883	2.8697	23.1272	
	S	166.567	149.452	150.385	158.919	161.683	163.620	159.922	162.275	159.085	
5	T	3.0276	2.7242	2.7624	3.0049	3.0637	2.7453	2.8026	2.8857	23.0164	
	S	166.199	153.923	152.535	159.739	162.237	163.668	159.106	161.376	159.851	
6	T	3.0296	2.6857	2.7271	2.9747	3.0430	2.7303	2.7820	2.8627	22.8351	
	S	166.089	156.130	154.510	161.360	163.341	164.567	160.284	162.672	161.120	
7	T	3.0232	2.7313	2.7366	2.9830	3.0598	2.7554	2.7805	2.8654	22.9352	
	S	166.440	153.523	153.973	160.911	162.444	163.068	160.371	162.519	160.417	
8	T	2.9952	2.7143	2.7434	2.9961	3.0619	2.7528	2.7810	2.8782	22.9229	
	S	167.996	154.485	153.592	160.208	162.332	163.222	160.342	161.796	160.503	
9	T	3.0138	2.7611	2.7530	3.0135	3.0757	2.7885	2.8097	2.8959	23.1112	
	S	166.960	151.866	153.056	159.283	161.604	161.133	158.704	160.807	159.196	
10	T	3.0163	2.6842	2.7118	3.0024	3.0729	2.7696	2.7791	2.8751	22.9114	
	S	166.821	156.217	155.382	159.872	161.751	162.232	160.451	161.971	160.584	
11	T	3.0457	2.7157	2.7109	2.9970	3.0701	2.7651	2.7887	2.8834	22.9766	
	S	165.211	154.405	155.433	160.160	161.899	162.496	159.899	161.504	160.128	
12	T	3.0398	2.7699	2.7477	3.0095	3.0833	2.7802	2.7867	2.8885	23.1056	
	S	165.531	151.384	153.351	159.495	161.206	161.614	160.014	161.219	159.234	
13	T	3.0409	2.7668	2.7625	3.0231	3.0864	2.7735	2.7962	2.8845	23.1339	
	S	165.472	151.553	152.530	158.777	161.044	162.004	159.470	161.443	159.039	
14	T	3.0377	2.6758	2.7384	2.9961	3.0626	2.7456	2.7988	2.8889	22.9439	
	S	165.646	156.708	153.872	160.208	162.295	163.650	159.322	161.197	160.356	
15	T	3.0320	2.6643	2.7156	2.9731	3.0401	2.7548	2.7842	2.8791	22.8432	
	S	165.957	157.384	155.164	161.447	163.496	163.104	160.157	161.745	161.063	
16	T	3.0250	2.6633	2.7313	2.9905	3.0530	2.7605	2.8074	2.8814	22.9124	
	S	166.341	157.443	154.272	160.508	162.806	162.767	158.834	161.616	160.577	
17	T	3.0180	2.7310	2.7578	3.0172	3.0736	2.7509	2.8180	2.8922	23.0587	
	S	166.727	153.540	152.790	159.087	161.714	163.335	158.236	161.013	159.558	
18	T	3.0229	2.6474	2.7463	2.9916	3.0592	2.7506	2.8312	2.9010	22.9502	
	S	166.457	158.389	153.430	160.449	162.476	163.353	157.499	160.524	160.312	
19	T	3.0182	2.7119	2.7881	3.0257	3.0729	2.7693	2.8560	2.9200	23.1621	
	S	166.716	154.622	151.129	158.641	161.751	162.250	156.131	159.480	158.846	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 4 - Serralles, Felix

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0285	2.6684	2.7465	2.9971	3.0547	2.7425	2.8370	2.9052	22.9799	
	S	166.149	157.142	153.418	160.154	162.715	163.835	157.177	160.292	160.105	
21	T	3.0275	2.7404	2.7944	3.0137	3.0688	2.7548	2.8311	2.9088	23.1395	
	S	166.204	153.013	150.789	159.272	161.967	163.104	157.504	160.094	159.001	
22	T	3.0434	2.6761	2.7666	3.0129	3.0681	2.7557	2.8891	2.9452	23.1571	
	S	165.336	156.690	152.304	159.315	162.004	163.050	154.342	158.115	158.880	
23	T	3.0715	2.7464	2.8291	3.0490	3.0918	2.7873	2.8573	2.9298	23.3622	
	S	163.823	152.679	148.939	157.428	160.762	161.202	156.060	158.946	157.485	
24	T	3.0685	2.7536	2.7982	3.0449	3.0966	2.8055	2.8501	2.9233	23.3407	
	S	163.983	152.280	150.584	157.640	160.513	160.156	156.454	159.300	157.630	
25	T	3.0675	2.7286	2.7827	3.0338	3.1104	2.7938	2.8551	2.9313	23.3032	
	S	164.037	153.675	151.423	158.217	159.801	160.827	156.180	158.865	157.884	
26	T	3.0656	2.7159	2.7889	3.0401	3.1120	2.7940	2.8730	2.9434	23.3329	
	S	164.138	154.394	151.086	157.889	159.719	160.815	155.207	158.212	157.683	
27	T	3.0806	2.7601	2.8029	3.0569	3.1198	2.7947	2.8373	2.9262	23.3785	
	S	163.339	151.921	150.331	157.021	159.320	160.775	157.160	159.142	157.375	
28	T	3.0595	2.7110	2.7894	3.0505	3.1217	2.8112	2.8886	2.9541	23.3860	
	S	164.466	154.673	151.059	157.351	159.223	159.831	154.369	157.639	157.325	
29	T	3.0785	2.7249	2.8021	3.0596	3.1242	2.8051	2.8537	2.9456	23.3937	
	S	163.451	153.884	150.374	156.883	159.095	160.179	156.257	158.094	157.273	
30	T	3.0724	2.7217	2.8073	3.0681	3.1152	2.7972	2.8618	2.9420	23.3857	
	S	163.775	154.065	150.096	156.448	159.555	160.631	155.815	158.287	157.327	
31	T	3.0763	2.7193	2.7975	3.0492	3.1057	2.7998	2.8573	2.9401	23.3452	
	S	163.567	154.201	150.621	157.418	160.043	160.482	156.060	158.390	157.600	
32	T	3.0684	2.7479	2.8038	3.0468	3.0851	2.7945	2.9000	2.9532	23.3997	
	S	163.989	152.596	150.283	157.542	161.112	160.787	153.762	157.687	157.233	
33	T	3.0731	2.7338	2.7949	3.0336	3.0847	2.7748	2.8305	2.9085	23.2339	
	S	163.738	153.383	150.762	158.227	161.133	161.928	157.538	160.111	158.355	
34	T	3.0407	2.7102	2.8060	3.0389	3.0834	2.9890	3.2545	3.8499	24.7726	
	S	165.482	154.719	150.165	157.951	161.200	150.324	137.013	120.959	148.519	
35	T	3.8902	3.5212	3.3065	3.4917	3.8651	3.8300	4.4901	7.4703	33.8651	
	S	129.346	119.084	127.435	137.468	128.598	117.315	99.310	62.338	108.643	
36	T	6.4344	4.0789	3.5861	3.9818	3.9953	4.2568	6.9746	8.5387	41.8466	
	S	78.202	102.802	117.499	120.548	124.408	105.553	63.933	54.538	87.921	
37	T	6.1780	6.2365	6.6920	7.6194	6.9458	5.8354	7.8637	5.9757	53.3465	
	S	81.447	67.236	62.965	62.997	71.561	76.999	56.705	77.929	68.968	
38	T	6.5665	5.8521	6.3207	6.9777	7.1568	5.7014	6.4440	6.6522	51.6714	
	S	76.629	71.653	66.664	68.790	69.451	78.808	69.198	70.004	71.204	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 4 - Serralles, Felix

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	6.2067	6.3037	5.3970	6.0122	5.8437	4.4284	3.3370	3.1071	40.6358	
	S	81.071	66.519	78.074	79.837	85.057	101.463	133.626	149.877	90.541	
40	T	3.1757	3.1879	3.0774	3.2154	3.1613	2.9725	3.1257	3.0870	25.0029	
	S	158.448	131.534	136.922	149.281	157.228	151.158	142.659	150.852	147.151	
41	T	3.1757	2.8810	2.8768	3.0930	3.1282	2.8262	2.9166	2.9573	23.8548	
	S	158.448	145.546	146.470	155.189	158.892	158.983	152.887	157.468	154.233	
42	T	3.0891	2.8130	2.8429	3.0852	3.0998	2.8016	2.8887	2.9469	23.5672	
	S	162.890	149.064	148.216	155.581	160.348	160.379	154.364	158.024	156.115	
43	T	3.0632	2.7779	2.8106	3.0484	3.0869	2.8041	2.8827	2.9363	23.4101	
	S	164.267	150.948	149.919	157.459	161.018	160.236	154.685	158.595	157.163	
44	T	3.0547	2.7616	2.8167	3.0563	3.0960	2.7882	2.8873	2.9444	23.4052	
	S	164.724	151.839	149.595	157.052	160.544	161.150	154.438	158.158	157.196	
45	T	3.0648	2.7733	2.7965	3.0433	3.0919	2.8252	2.8627	2.9379	23.3956	
	S	164.181	151.198	150.675	157.723	160.757	159.039	155.766	158.508	157.260	
46	T	3.0800	2.7430	2.7879	3.0324	3.0840	2.8041	2.8722	2.9332	23.3368	
	S	163.371	152.868	151.140	158.290	161.169	160.236	155.250	158.762	157.657	
47	T	3.0456	2.7295	2.7830	3.0268	3.0936	2.8158	2.8603	2.9420	23.2966	
	S	165.216	153.625	151.406	158.583	160.669	159.570	155.896	158.287	157.929	
48	T	3.0741	2.7550	2.7842	3.0266	3.0906	2.7966	2.8603	2.9355	23.3229	
	S	163.685	152.203	151.341	158.593	160.825	160.666	155.896	158.638	157.751	
49	T	3.0589	2.7886	2.8283	3.0491	3.1153	2.8014	2.8420	2.9236	23.4072	
	S	164.498	150.369	148.981	157.423	159.550	160.391	156.900	159.284	157.182	
50	T	3.0442	2.7430	2.8402	3.0523	3.1164	2.8220	2.8605	2.9315	23.4101	
	S	165.292	152.868	148.357	157.258	159.493	159.220	155.885	158.854	157.163	
51	T	3.0725	2.7781	2.7899	3.0327	3.0955	2.7664	2.8801	2.9343	23.3495	
	S	163.770	150.937	151.032	158.274	160.570	162.420	154.825	158.703	157.571	
52	T	3.0609	2.7772	2.8090	3.0350	3.1072	2.8080	2.8579	2.9318	23.3870	
	S	164.390	150.986	150.005	158.154	159.966	160.014	156.027	158.838	157.318	
53	T	3.0538	2.7585	2.8167	3.0330	3.1034	2.7908	2.8627	2.9346	23.3535	
	S	164.773	152.009	149.595	158.259	160.162	161.000	155.766	158.687	157.544	
54	T	3.0583	2.7551	2.7931	3.0174	3.0882	2.7865	2.8880	2.9310	23.3176	
	S	164.530	152.197	150.859	159.077	160.950	161.248	154.401	158.881	157.786	
55	T	3.0595	2.7458	2.7787	3.0158	3.0797	2.8471	2.9411	2.9843	23.4520	
	S	164.466	152.713	151.641	159.161	161.394	157.816	151.613	156.044	156.882	
56	T	3.1064	2.8000	2.8187	3.0468	3.1010	2.8012	2.8695	2.9386	23.4822	
	S	161.983	149.756	149.489	157.542	160.286	160.402	155.396	158.470	156.680	
57	T	3.0578	2.7877	2.8575	3.0800	3.1290	2.8039	2.8695	2.9295	23.5149	
	S	164.557	150.417	147.459	155.844	158.851	160.248	155.396	158.963	156.462	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 4 - Serralles, Felix

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.0390	2.7622	2.8460	3.0758	3.1168	2.8007	2.8843	2.9324	23.4572	
	S	165.575	151.806	148.055	156.057	159.473	160.431	154.599	158.806	156.847	
59	T	3.0609	2.7853	2.8403	3.0767	3.1081	2.8052	2.9157	2.9532	23.5454	
	S	164.390	150.547	148.352	156.011	159.919	160.173	152.934	157.687	156.260	
60	T	3.0634	2.7784	2.8446	3.0821	3.1089	2.8213	2.9177	2.9636	23.5800	
	S	164.256	150.921	148.128	155.738	159.878	159.259	152.829	157.134	156.031	
61	T	3.0652	2.7584	2.8455	3.0609	3.0930	2.7882	2.8883	2.9297	23.4292	
	S	164.160	152.015	148.081	156.816	160.700	161.150	154.385	158.952	157.035	
62	T	3.0435	2.7642	2.8491	3.0655	3.1013	2.7863	2.8257	2.9050	23.3406	
	S	165.330	151.696	147.894	156.581	160.270	161.260	157.805	160.303	157.631	
63	T	3.0246	2.7750	2.8231	3.0401	3.0800	2.7946	2.9064	2.9530	23.3968	
	S	166.363	151.106	149.256	157.889	161.378	160.781	153.424	157.698	157.252	
64	T	3.0648	2.8100	2.8335	3.0525	3.1017	2.8219	2.8734	2.9409	23.4987	
	S	164.181	149.224	148.708	157.248	160.249	159.225	155.186	158.347	156.570	
65	T	3.0684	2.7737	2.8097	3.0401	3.0880	2.7709	2.8505	2.9193	23.3206	
	S	163.989	151.176	149.967	157.889	160.960	162.156	156.432	159.518	157.766	
66	T	3.0502	2.7932	2.8093	3.0316	3.0885	2.7720	2.8535	2.9262	23.3245	
	S	164.967	150.121	149.989	158.332	160.934	162.092	156.268	159.142	157.740	
67	T	3.0580	2.7551	2.8100	3.0369	3.0930	2.7956	2.8528	2.9253	23.3267	
	S	164.546	152.197	149.951	158.055	160.700	160.723	156.306	159.191	157.725	
68	T	3.0516	2.7250	2.7858	3.0232	3.0693	2.7558	2.8410	2.9156	23.1673	
	S	164.891	153.878	151.254	158.772	161.941	163.045	156.955	159.721	158.810	
69	T	3.0425	2.7628	2.8366	3.0434	3.0776	2.7863	2.8595	2.9216	23.3303	
	S	165.385	151.773	148.545	157.718	161.504	161.260	155.940	159.393	157.701	
70	T	3.0552	2.7872	2.8196	3.0419	3.0790	2.7942	2.8643	2.9329	23.3743	
	S	164.697	150.444	149.441	157.796	161.431	160.804	155.679	158.778	157.404	
71	T	3.0651	2.7623	2.8093	3.0310	3.0685	2.8007	2.9079	2.9838	23.4286	
	S	164.165	151.800	149.989	158.363	161.983	160.431	153.344	156.070	157.039	
72	T	3.0874	2.7979	2.8249	3.0202	3.0700	2.8112	2.8848	2.9548	23.4512	
	S	162.979	149.869	149.161	158.929	161.904	159.831	154.572	157.602	156.887	
73	T	3.0751	2.7747	2.8088	3.0304	3.0645	2.7855	2.8639	2.9288	23.3317	
	S	163.631	151.122	150.016	158.395	162.195	161.306	155.700	159.001	157.691	
74	T	3.0591	2.8035	2.8191	3.0259	3.0727	2.7940	2.8731	2.9463	23.3937	
	S	164.487	149.570	149.467	158.630	161.762	160.815	155.202	158.056	157.273	
75	T	3.0824	2.7452	2.7929	3.0160	3.0718	2.8007	2.8732	2.9297	23.3119	
	S	163.244	152.746	150.870	159.151	161.809	160.431	155.196	158.952	157.825	
76	T	3.0617	2.7612	2.8065	3.0272	3.0892	2.7891	2.8934	2.9421	23.3704	
	S	164.347	151.861	150.138	158.562	160.898	161.098	154.113	158.282	157.430	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 4 - Serralles, Felix

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0721	2.7565	2.8155	3.0436	3.0968	2.7964	2.8803	2.9352	23.3964	
	S	163.791	152.120	149.659	157.708	160.503	160.677	154.814	158.654	157.255	
78	T	3.0667	2.7770	2.8384	3.0671	3.1099	2.8000	2.8442	2.9230	23.4263	
	S	164.080	150.997	148.451	156.499	159.827	160.471	156.779	159.316	157.054	
79	T	3.0601	2.7594	2.8116	3.0442	3.0882	2.8090	2.8890	2.9398	23.4013	
	S	164.433	151.960	149.866	157.676	160.950	159.957	154.348	158.406	157.222	
80	T	3.0656	2.7739	2.8406	3.0665	3.1132	2.8149	2.9049	2.9546	23.5342	
	S	164.138	151.166	148.336	156.530	159.657	159.621	153.503	157.612	156.334	
81	T	3.0807	2.7621	2.8059	3.0369	3.1084	2.8196	2.9366	2.9779	23.5281	
	S	163.334	151.811	150.171	158.055	159.904	159.355	151.846	156.379	156.375	
82	T	3.0933	2.7507	2.8230	3.0497	3.1280	2.8255	2.8784	2.9390	23.4876	
	S	162.669	152.441	149.261	157.392	158.902	159.023	154.916	158.449	156.644	
83	T	3.0797	2.7736	2.8079	3.0589	3.1271	2.8397	2.8917	2.9541	23.5327	
	S	163.387	151.182	150.064	156.919	158.948	158.227	154.203	157.639	156.344	
84	T	3.0795	2.7654	2.8312	3.0607	3.1255	2.8168	2.8758	2.9471	23.5020	
	S	163.398	151.630	148.829	156.826	159.029	159.514	155.056	158.013	156.548	
85	T	3.0767	2.7973	2.8358	3.0817	3.1134	2.8330	2.8948	2.9545	23.5872	
	S	163.546	149.901	148.587	155.758	159.647	158.602	154.038	157.618	155.983	
86	T	3.0702	2.7483	2.8234	3.0583	3.1141	2.8442	2.9103	2.9693	23.5381	
	S	163.892	152.574	149.240	156.950	159.611	157.977	153.218	156.832	156.308	
87	T	3.0803	2.7552	2.8074	3.0487	3.1163	2.8233	2.8693	2.9355	23.4360	
	S	163.355	152.192	150.090	157.444	159.499	159.146	155.407	158.638	156.989	
88	T	3.0740	2.7895	2.8316	3.0590	3.1141	2.8137	2.8443	2.9245	23.4507	
	S	163.690	150.320	148.808	156.914	159.611	159.689	156.773	159.235	156.891	
89	T	3.0608	2.8031	2.8395	3.0618	3.1011	2.7973	2.8795	2.9472	23.4903	
	S	164.396	149.591	148.394	156.770	160.280	160.626	154.857	158.008	156.626	
90	T	3.0724	2.7692	2.8467	3.0606	3.1206	2.8310	2.9559	2.9826	23.6390	
	S	163.775	151.422	148.018	156.832	159.279	158.714	150.854	156.133	155.641	
91	T	3.5236	4.0866	5.7598	6.3659						
	S	142.804	102.608	73.156	75.402						

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 5 - Veach, Zach

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	5.9045	4.9340	3.6746	3.6157	4.4167	4.4241	4.1040	3.3464	34.4200	36.0967
	S	85.220	84.985	114.669	132.754	112.538	101.561	108.653	139.159	106.891	76.442
2	T	3.3190	3.3604	2.9668	3.1007	3.0847	2.9152	2.9349	3.0378	24.7195	
	S	151.607	124.782	142.026	154.803	161.133	154.129	151.934	153.296	148.838	
3	T	3.1888	2.8566	2.7369	2.9508	3.0283	2.8838	3.0085	3.0006	23.6543	
	S	157.797	146.789	153.957	162.667	164.133	155.808	148.217	155.196	155.540	
4	T	3.1267	2.8271	2.8116	3.0159	3.0392	2.7866	2.8852	2.8969	23.3892	
	S	160.931	148.321	149.866	159.156	163.545	161.242	154.551	160.752	157.303	
5	T	3.1296	2.8760	2.8489	3.0202	3.0639	2.8171	2.8711	2.8973	23.5241	
	S	160.782	145.799	147.904	158.929	162.226	159.497	155.310	160.729	156.401	
6	T	3.0306	2.7671	2.7330	2.9744	3.0302	2.7163	2.7812	2.8532	22.8860	
	S	166.034	151.537	154.176	161.377	164.031	165.416	160.330	163.214	160.762	
7	T	3.0103	2.7339	2.7620	2.9743	3.0282	2.7295	2.7832	2.8547	22.8761	
	S	167.154	153.377	152.557	161.382	164.139	164.616	160.215	163.128	160.832	
8	T	3.0068	2.7552	2.7626	2.9936	3.0509	2.7340	2.7823	2.8555	22.9409	
	S	167.348	152.192	152.524	160.342	162.918	164.345	160.267	163.082	160.377	
9	T	2.9843	2.7617	2.7805	3.0008	3.0450	2.7304	2.8244	2.8718	22.9989	
	S	168.610	151.833	151.542	159.957	163.233	164.561	157.878	162.157	159.973	
10	T	2.9988	2.7751	2.7713	3.0154	3.0543	2.7228	2.8802	2.9046	23.1225	
	S	167.795	151.100	152.045	159.182	162.736	165.021	154.819	160.325	159.118	
11	T	3.0163	2.7541	2.7857	3.0348	3.0872	2.7417	2.7976	2.8655	23.0829	
	S	166.821	152.252	151.260	158.165	161.002	163.883	159.390	162.513	159.391	
12	T	3.0004	2.7486	2.7658	2.9911	3.0577	2.7324	2.8231	2.8825	23.0016	
	S	167.705	152.557	152.348	160.476	162.555	164.441	157.951	161.555	159.954	
13	T	3.0168	2.6992	2.7299	2.9474	2.9640	2.8512	2.9536	2.9680	23.1301	
	S	166.793	155.349	154.351	162.855	167.694	157.589	150.972	156.901	159.065	
14	T	3.0549	2.8597	2.8312	3.0439	3.0771	2.7570	2.7931	2.8782	23.2951	
	S	164.713	146.630	148.829	157.692	161.530	162.974	159.647	161.796	157.939	
15	T	3.0080	2.6870	2.7281	2.9690	3.0276	2.7310	2.7841	2.8618	22.7966	
	S	167.281	156.054	154.453	161.670	164.171	164.525	160.163	162.723	161.392	
16	T	2.9965	2.6895	2.7301	2.9779	3.0344	2.7357	2.8315	2.8774	22.8730	
	S	167.923	155.909	154.340	161.187	163.804	164.242	157.482	161.841	160.853	
17	T	2.9996	2.7141	2.8285	3.0242	3.0584	2.7653	2.8891	2.9184	23.1976	
	S	167.750	154.496	148.971	158.719	162.518	162.484	154.342	159.567	158.603	
18	T	3.0293	2.7247	2.7953	3.0003	3.0372	2.8078	2.9044	2.9329	23.2319	
	S	166.105	153.895	150.740	159.984	163.653	160.025	153.529	158.778	158.368	
19	T	3.0330	2.7724	2.8036	3.0178	3.0467	2.7724	2.8553	2.9151	23.2163	
	S	165.903	151.247	150.294	159.056	163.142	162.068	156.169	159.748	158.475	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 5 - Veach, Zach

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0212	2.7214	2.7628	2.9958	3.0398	2.7380	2.8545	2.8991	23.0326	
	S	166.551	154.082	152.513	160.224	163.513	164.105	156.213	160.630	159.739	
21	T	3.0101	2.7258	2.7749	2.9921	3.0372	2.7579	2.8435	2.8984	23.0399	
	S	167.165	153.833	151.848	160.422	163.653	162.920	156.817	160.668	159.688	
22	T	3.0254	2.7185	2.7458	2.9661	3.0247	2.7356	2.8390	2.9032	22.9583	
	S	166.319	154.246	153.458	161.828	164.329	164.248	157.066	160.403	160.256	
23	T	3.0345	2.7211	2.7506	2.9837	3.0218	2.7639	2.8535	2.9076	23.0367	
	S	165.821	154.099	153.190	160.874	164.487	162.567	156.268	160.160	159.710	
24	T	3.0368	2.7046	2.7371	2.9651	3.0070	2.7608	2.8827	2.9059	23.0000	
	S	165.695	155.039	153.945	161.883	165.296	162.749	154.685	160.254	159.965	
25	T	3.0324	2.7889	2.7935	3.0116	3.0458	2.7565	2.8445	2.9020	23.1752	
	S	165.935	150.353	150.837	159.383	163.190	163.003	156.762	160.469	158.756	
26	T	3.0224	2.7009	2.7551	2.9897	3.0431	2.7683	2.8849	2.9154	23.0798	
	S	166.484	155.251	152.940	160.551	163.335	162.308	154.567	159.732	159.412	
27	T	3.0501	2.7607	2.8129	3.0255	3.0732	2.7754	2.8777	2.9225	23.2980	
	S	164.972	151.888	149.797	158.651	161.735	161.893	154.954	159.344	157.919	
28	T	3.0335	2.7849	2.8385	3.0360	3.0799	2.8013	2.9543	2.9548	23.4832	
	S	165.875	150.568	148.446	158.102	161.384	160.396	150.936	157.602	156.674	
29	T	3.0540	2.8293	2.8967	3.0823	3.0840	2.8184	2.9850	2.9653	23.7150	
	S	164.762	148.206	145.463	155.727	161.169	159.423	149.384	157.044	155.142	
30	T	3.0683	2.9013	2.9684	3.1341	3.1197	2.8587	2.9518	2.9711	23.9734	
	S	163.994	144.528	141.950	153.154	159.325	157.176	151.064	156.737	153.470	
31	T	3.0764	2.7464	2.7765	2.9894	3.0195	2.8128	2.9863	2.9870	23.3943	
	S	163.562	152.679	151.761	160.567	164.612	159.741	149.319	155.903	157.269	
32	T	3.0796	2.8563	2.8501	3.0298	3.0369	2.8214	2.9590	2.9675	23.6006	
	S	163.392	146.805	147.842	158.426	163.669	159.254	150.696	156.927	155.894	
33	T	3.0726	2.7859	2.8175	3.0115	3.0265	2.7643	2.9588	2.9643	23.4014	
	S	163.764	150.514	149.552	159.389	164.231	162.543	150.706	157.097	157.221	
34	T	3.0543	2.7724	2.8306	3.0306	3.3943	3.5103	4.0166	4.7694	27.3785	
	S	164.746	151.247	148.860	158.384	146.435	128.000	111.017	97.639	134.383	
35	T	4.7738	3.9111	3.7008	4.2594	4.4990	4.2602	4.5287	4.9403	34.8733	
	S	105.405	107.212	113.857	112.692	110.479	105.469	98.463	94.262	105.502	
36	T	4.9954	3.8644	3.7747	4.1044	4.0453	3.6071	4.2893	8.0606	36.7412	
	S	100.729	108.508	111.628	116.947	122.870	124.565	103.959	57.773	100.138	
37	T	6.3090	4.9999	6.9822	7.4064	7.1506	5.6699	8.0904	5.4252	52.0336	
	S	79.756	83.865	60.348	64.809	69.511	79.246	55.116	85.837	70.708	
38	T	6.9932	5.4956	6.7945	6.5223	7.4975	5.3486	6.4508	6.6920	51.7945	
	S	71.953	76.301	62.015	73.593	66.295	84.007	69.125	69.588	71.035	

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 5 - Veach, Zach

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	6.0859	6.1919	5.3452	5.8874	5.7990	4.3470	3.3428	3.1210	40.1202	
	S	82.680	67.720	78.830	81.530	85.712	103.363	133.394	149.209	91.704	
40	T	3.1991	3.1097	2.9362	3.0533	3.1440	3.0712	3.2935	3.1496	24.9566	
	S	157.289	134.842	143.506	157.207	158.093	146.301	135.391	147.854	147.424	
41	T	3.1672	2.8896	2.8292	3.0697	3.0699	2.8185	2.9117	2.9318	23.6876	
	S	158.873	145.113	148.934	156.367	161.909	159.417	153.144	158.838	155.322	
42	T	3.0490	2.7868	2.8004	3.0009	3.0272	2.8340	2.9140	2.9266	23.3389	
	S	165.032	150.466	150.466	159.952	164.193	158.546	153.023	159.120	157.642	
43	T	3.0220	2.8772	2.8675	3.0554	3.0616	2.7992	2.9334	2.9507	23.5670	
	S	166.506	145.738	146.945	157.098	162.348	160.517	152.011	157.821	156.117	
44	T	3.0415	2.7661	2.8392	3.0168	3.0424	2.7940	2.9411	2.9498	23.3909	
	S	165.439	151.592	148.409	159.109	163.373	160.815	151.613	157.869	157.292	
45	T	3.0424	2.7578	2.8059	3.0005	3.0317	2.8615	2.9246	2.9564	23.3808	
	S	165.390	152.048	150.171	159.973	163.949	157.022	152.469	157.516	157.360	
46	T	3.0528	2.7943	2.8613	3.0420	3.0559	2.7715	2.9035	2.9355	23.4168	
	S	164.827	150.062	147.263	157.791	162.651	162.121	153.577	158.638	157.118	
47	T	3.0357	2.7663	2.7989	3.0048	3.0453	2.7971	2.9134	2.9463	23.3078	
	S	165.755	151.581	150.546	159.744	163.217	160.637	153.055	158.056	157.853	
48	T	3.0495	2.7907	2.8134	3.0238	3.0597	2.8236	2.9170	2.9501	23.4278	
	S	165.005	150.256	149.770	158.740	162.449	159.130	152.866	157.853	157.044	
49	T	3.0387	2.8132	2.8569	3.0354	3.0670	2.7611	2.8591	2.9110	23.3424	
	S	165.591	149.054	147.490	158.134	162.062	162.732	155.962	159.973	157.619	
50	T	3.0254	2.7507	2.7890	3.0019	3.0459	2.8161	2.9136	2.9339	23.2765	
	S	166.319	152.441	151.081	159.898	163.185	159.553	153.044	158.724	158.065	
51	T	3.0411	2.8095	2.8559	3.0357	3.0596	2.7954	2.9049	2.9372	23.4393	
	S	165.461	149.250	147.541	158.118	162.454	160.735	153.503	158.546	156.967	
52	T	3.0337	2.7282	2.7671	2.9678	3.0289	2.8227	2.9628	2.9557	23.2669	
	S	165.864	153.698	152.276	161.736	164.101	159.180	150.503	157.554	158.130	
53	T	3.0427	2.8551	2.8919	3.0454	3.0725	2.7620	2.9110	2.9318	23.5124	
	S	165.374	146.866	145.705	157.614	161.772	162.679	153.181	158.838	156.479	
54	T	3.0393	2.7709	2.7923	3.0017	3.0380	2.7671	3.0105	2.9993	23.4191	
	S	165.559	151.329	150.902	159.909	163.609	162.379	148.118	155.263	157.103	
55	T	3.0759	2.7650	2.7824	3.0000	3.0585	2.7533	2.8989	2.9272	23.2612	
	S	163.589	151.652	151.439	160.000	162.513	163.193	153.820	159.088	158.169	
56	T	3.0475	2.8232	2.8799	3.0460	3.0535	2.7984	2.9699	2.9697	23.5881	
	S	165.113	148.526	146.312	157.583	162.779	160.563	150.143	156.811	155.977	
57	T	3.0560	2.7528	2.8087	3.0182	3.0494	2.8380	3.0254	3.0015	23.5500	
	S	164.654	152.324	150.021	159.035	162.998	158.322	147.389	155.150	156.229	

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 5 - Veach, Zach

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.0610	2.7600	2.8177	3.0126	3.0398	2.8257	3.0062	2.9845	23.5075	
	S	164.385	151.927	149.542	159.330	163.513	159.011	148.330	156.033	156.512	
59	T	3.0523	2.7855	2.8734	3.0603	3.0803	2.8074	2.9167	2.9476	23.5235	
	S	164.854	150.536	146.643	156.847	161.363	160.048	152.882	157.987	156.405	
60	T	3.0361	2.7684	2.8359	3.0357	3.0570	2.7596	2.9424	2.9434	23.3785	
	S	165.733	151.466	148.582	158.118	162.593	162.820	151.546	158.212	157.375	
61	T	3.0363	2.8428	2.8779	3.0406	3.0448	2.8131	2.9167	2.9373	23.5095	
	S	165.722	147.502	146.414	157.863	163.244	159.724	152.882	158.541	156.498	
62	T	3.0287	2.8115	2.8775	3.0551	3.0597	2.7782	2.8672	2.9121	23.3900	
	S	166.138	149.144	146.434	157.114	162.449	161.730	155.521	159.913	157.298	
63	T	3.0201	2.7947	2.8386	3.0203	3.0425	2.7401	2.9295	2.9458	23.3316	
	S	166.611	150.040	148.441	158.924	163.367	163.979	152.214	158.083	157.692	
64	T	3.0327	2.7285	2.8058	2.9811	3.0155	2.8584	2.9776	2.9809	23.3805	
	S	165.919	153.681	150.176	161.014	164.830	157.192	149.755	156.222	157.362	
65	T	3.0589	2.7877	2.9116	3.0595	3.0664	2.7733	2.9289	2.9557	23.5420	
	S	164.498	150.417	144.719	156.888	162.094	162.016	152.245	157.554	156.282	
66	T	3.0566	2.7550	2.7838	2.9773	3.0325	2.8053	2.9097	2.9466	23.2668	
	S	164.622	152.203	151.363	161.219	163.906	160.168	153.250	158.040	158.131	
67	T	3.0444	2.7631	2.8800	3.0285	3.0479	2.7433	2.9017	2.9442	23.3531	
	S	165.281	151.756	146.307	158.494	163.078	163.787	153.672	158.169	157.547	
68	T	3.0373	2.7636	2.8432	3.0200	3.0427	2.7606	2.8998	2.9381	23.3053	
	S	165.668	151.729	148.200	158.940	163.357	162.761	153.773	158.497	157.870	
69	T	3.0383	2.7273	2.7897	2.9865	3.0177	2.7562	2.9402	2.9542	23.2101	
	S	165.613	153.748	151.043	160.723	164.710	163.021	151.660	157.634	158.517	
70	T	3.0385	2.7256	2.7658	2.9667	2.9981	2.8251	2.9826	2.9715	23.2739	
	S	165.602	153.844	152.348	161.796	165.787	159.045	149.504	156.716	158.083	
71	T	3.0511	2.7570	2.8031	2.9980	3.0140	2.7767	2.9722	2.9777	23.3498	
	S	164.918	152.092	150.321	160.106	164.912	161.817	150.027	156.390	157.569	
72	T	3.0592	2.8319	2.8883	3.0399	3.0455	2.8076	2.9770	2.9733	23.6227	
	S	164.482	148.070	145.886	157.900	163.207	160.036	149.785	156.621	155.748	
73	T	3.0826	2.7743	2.7958	2.9865	3.0108	2.7622	2.9736	2.9739	23.3597	
	S	163.233	151.144	150.713	160.723	165.088	162.667	149.956	156.589	157.502	
74	T	3.0622	2.7836	2.8219	3.0020	3.0223	2.7449	2.9411	2.9556	23.3336	
	S	164.321	150.639	149.319	159.893	164.459	163.692	151.613	157.559	157.678	
75	T	3.0619	2.8682	2.8458	3.0256	3.0430	2.7618	2.8782	2.9240	23.4085	
	S	164.337	146.196	148.065	158.646	163.341	162.690	154.927	159.262	157.174	
76	T	3.0381	2.7787	2.8418	3.0214	3.0470	2.7970	2.9513	2.9667	23.4420	
	S	165.624	150.904	148.274	158.866	163.126	160.643	151.089	156.969	156.949	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 5 - Veach, Zach

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0577	2.7515	2.8017	3.0052	3.0389	2.7781	2.8959	2.9289	23.2579	
	S	164.562	152.396	150.396	159.723	163.561	161.736	153.980	158.995	158.191	
78	T	3.0347	2.7911	2.8415	3.0346	3.0486	2.7935	2.9392	2.9502	23.4334	
	S	165.810	150.234	148.289	158.175	163.041	160.844	151.711	157.847	157.007	
79	T	3.0521	2.7861	2.9015	3.0607	3.0634	2.7597	2.8876	2.9282	23.4393	
	S	164.864	150.504	145.223	156.826	162.253	162.814	154.422	159.033	156.967	
80	T	3.0326	2.7713	2.8025	3.0065	3.0416	2.8104	2.9775	2.9635	23.4059	
	S	165.924	151.307	150.353	159.654	163.416	159.877	149.760	157.139	157.191	
81	T	3.0574	2.7427	2.8154	3.0049	3.0581	2.8283	2.9731	2.9879	23.4678	
	S	164.579	152.885	149.664	159.739	162.534	158.865	149.982	155.856	156.777	
82	T	3.0568	2.8902	2.9066	3.0677	3.0863	2.7863	2.9093	2.9440	23.6472	
	S	164.611	145.083	144.968	156.469	161.049	161.260	153.271	158.180	155.587	
83	T	3.0558	2.7226	2.7565	2.9821	3.0521	2.8374	2.9869	2.9835	23.3769	
	S	164.665	154.014	152.862	160.960	162.854	158.356	149.289	156.086	157.386	
84	T	3.0687	2.8761	2.9242	3.0856	3.0928	2.7818	2.9068	2.9411	23.6771	
	S	163.973	145.794	144.095	155.561	160.711	161.521	153.402	158.336	155.391	
85	T	3.0545	2.7630	2.8101	3.0303	3.0516	2.8189	2.9424	2.9529	23.4237	
	S	164.735	151.762	149.946	158.400	162.880	159.395	151.546	157.703	157.072	
86	T	3.0596	2.8000	2.8151	3.0152	3.0460	2.8347	2.9608	2.9655	23.4969	
	S	164.460	149.756	149.680	159.193	163.180	158.506	150.605	157.033	156.582	
87	T	3.0675	2.7900	2.8007	2.9977	3.0387	2.8124	3.0160	2.9859	23.5089	
	S	164.037	150.293	150.449	160.122	163.572	159.763	147.848	155.960	156.502	
88	T	3.0599	2.8240	2.8833	3.0514	3.0623	2.8534	3.0090	3.0102	23.7535	
	S	164.444	148.484	146.139	157.304	162.311	157.468	148.192	154.701	154.891	
89	T	3.0995	2.7760	2.7936	3.0162	3.0338	2.8224	2.9500	2.9575	23.4490	
	S	162.343	151.051	150.832	159.140	163.836	159.197	151.156	157.458	156.902	
90	T	3.0661	2.7994	2.8413	3.0268	3.0560	2.8536	3.0224	3.0072	23.6728	
	S	164.112	149.789	148.300	158.583	162.646	157.457	147.535	154.855	155.419	
91	T	3.5731	4.1425	5.5455	6.3227						
	S	140.825	101.223	75.983	75.917						

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 51 - Blackstock, Shelby

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	6.3230	4.6768	3.6678	4.0646	4.6760	4.7980	4.2396	3.3975	35.8433	33.8841
	S	79.580	89.659	114.882	118.092	106.297	93.647	105.177	137.066	102.647	81.434
2	T	3.3714	3.2541	2.9073	3.0370	3.1111	3.0770	3.1297	3.0679	24.9555	
	S	149.250	128.858	144.933	158.050	159.765	146.025	142.477	151.792	147.430	
3	T	3.3177	3.2849	2.9740	3.0878	3.1523	3.1830	3.1178	3.0497	25.1672	
	S	151.666	127.650	141.682	155.450	157.677	141.162	143.021	152.697	146.190	
4	T	3.1092	2.8070	2.8041	3.0125	3.0433	2.8009	2.9042	2.9213	23.4025	
	S	161.837	149.383	150.267	159.336	163.325	160.419	153.540	159.409	157.214	
5	T	3.0432	2.7722	2.7749	3.0037	3.0497	2.7452	2.8239	2.8789	23.0917	
	S	165.347	151.258	151.848	159.802	162.982	163.674	157.906	161.757	159.330	
6	T	3.0218	2.6803	2.7174	2.9461	3.0116	2.7443	2.9180	2.9232	22.9627	
	S	166.518	156.444	155.061	162.927	165.044	163.728	152.814	159.305	160.225	
7	T	3.0259	2.7245	2.7551	2.9746	3.0278	2.8074	2.8895	2.9145	23.1193	
	S	166.292	153.906	152.940	161.366	164.161	160.048	154.321	159.781	159.140	
8	T	3.0157	2.8129	2.8096	3.0222	3.0733	2.7640	2.8588	2.9005	23.2570	
	S	166.854	149.070	149.973	158.824	161.730	162.561	155.978	160.552	158.198	
9	T	3.0123	2.7512	2.7805	3.0052	3.0625	2.7454	2.8188	2.8804	23.0563	
	S	167.043	152.413	151.542	159.723	162.301	163.662	158.191	161.672	159.575	
10	T	3.0008	2.7310	2.7863	3.0193	3.0721	2.7868	2.8774	2.9052	23.1789	
	S	167.683	153.540	151.227	158.977	161.793	161.231	154.970	160.292	158.731	
11	T	3.0236	2.7047	2.7454	2.9981	3.0500	2.7551	2.8593	2.9034	23.0396	
	S	166.418	155.033	153.480	160.101	162.966	163.086	155.951	160.392	159.690	
12	T	3.0191	2.7980	2.8135	3.0333	3.0695	2.7596	2.8847	2.9167	23.2944	
	S	166.666	149.864	149.765	158.243	161.930	162.820	154.578	159.660	157.944	
13	T	3.0266	2.7618	2.7960	3.0076	3.0525	2.7601	2.9176	2.9470	23.2692	
	S	166.253	151.828	150.702	159.595	162.832	162.791	152.835	158.019	158.115	
14	T	3.0564	2.7630	2.7729	2.9888	3.0389	2.7947	2.8743	2.9135	23.2025	
	S	164.632	151.762	151.958	160.599	163.561	160.775	155.137	159.836	158.569	
15	T	3.0387	2.8506	2.8182	3.0217	3.0471	2.7525	2.8612	2.8996	23.2896	
	S	165.591	147.098	149.515	158.851	163.121	163.240	155.847	160.602	157.976	
16	T	3.0336	2.8680	2.8427	3.0425	3.0673	2.7714	2.8538	2.9005	23.3798	
	S	165.870	146.206	148.227	157.765	162.047	162.127	156.251	160.552	157.367	
17	T	3.0213	2.7610	2.8066	3.0240	3.0549	2.7488	2.9527	2.9463	23.3156	
	S	166.545	151.872	150.133	158.730	162.704	163.460	151.018	158.056	157.800	
18	T	3.0421	2.7993	2.8304	3.0414	3.0624	2.7681	2.8919	2.9227	23.3583	
	S	165.406	149.794	148.871	157.822	162.306	162.320	154.193	159.333	157.511	
19	T	3.0197	2.7658	2.8094	3.0223	3.0519	2.7872	2.8889	2.9160	23.2612	
	S	166.633	151.608	149.983	158.819	162.864	161.208	154.353	159.699	158.169	

Event: Indy Lights Grand Prix of Phoenix
Track: Phoenix International Raceway
Report: Section Data Report
Session: Race

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 51 - Blackstock, Shelby

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0201	2.7518	2.8069	3.0185	3.0497	2.7836	2.8966	2.9227	23.2499	
	S	166.611	152.380	150.117	159.019	162.982	161.416	153.943	159.333	158.246	
21	T	3.0318	2.7480	2.7813	2.9961	3.0454	2.7637	2.9186	2.9273	23.2122	
	S	165.968	152.590	151.499	160.208	163.212	162.578	152.782	159.082	158.503	
22	T	3.0453	2.7580	2.7913	3.0074	3.0482	2.7704	2.8302	2.8960	23.1468	
	S	165.233	152.037	150.956	159.606	163.062	162.185	157.554	160.802	158.951	
23	T	3.0368	2.7472	2.8069	3.0271	3.0568	2.7699	2.8537	2.9029	23.2013	
	S	165.695	152.635	150.117	158.567	162.603	162.215	156.257	160.419	158.577	
24	T	3.0356	2.7334	2.7822	3.0155	3.0617	2.7644	2.9080	2.9348	23.2356	
	S	165.761	153.405	151.450	159.177	162.343	162.537	153.339	158.676	158.343	
25	T	3.0526	2.7538	2.7928	3.0192	3.0664	2.7786	2.8701	2.9106	23.2441	
	S	164.837	152.269	150.875	158.982	162.094	161.707	155.364	159.995	158.285	
26	T	3.0376	2.7518	2.7833	3.0096	3.0619	2.7511	2.8905	2.9270	23.2128	
	S	165.651	152.380	151.390	159.489	162.332	163.323	154.267	159.099	158.499	
27	T	3.0490	2.7972	2.8299	3.0415	3.0785	2.7741	2.8637	2.9087	23.3426	
	S	165.032	149.906	148.897	157.816	161.457	161.969	155.711	160.099	157.617	
28	T	3.0379	2.8178	2.8275	3.0482	3.0821	2.7851	2.8850	2.9213	23.4049	
	S	165.635	148.810	149.023	157.470	161.268	161.329	154.562	159.409	157.198	
29	T	3.0439	2.8021	2.8292	3.0495	3.0654	2.7633	2.9267	2.9471	23.4272	
	S	165.309	149.644	148.934	157.402	162.147	162.602	152.359	158.013	157.048	
30	T	3.0698	2.7826	2.8132	3.0325	3.0494	2.7842	2.9964	2.9907	23.5188	
	S	163.914	150.693	149.781	158.285	162.998	161.381	148.815	155.710	156.437	
31	T	3.0876	2.8539	2.8386	3.0501	3.0590	2.8394	2.9405	2.9611	23.6302	
	S	162.969	146.928	148.441	157.371	162.486	158.244	151.644	157.266	155.699	
32	T	3.0728	2.8354	2.8454	3.0491	3.0585	2.8006	2.9320	2.9446	23.5384	
	S	163.754	147.887	148.086	157.423	162.513	160.436	152.084	158.148	156.306	
33	T	3.0715	2.8118	2.8144	3.0196	3.0530	2.8079	2.9242	2.9487	23.4511	
	S	163.823	149.128	149.717	158.961	162.806	160.019	152.490	157.928	156.888	
34	T	3.0584	2.7583	2.8135	3.4405	4.2066	4.1649	4.4494	6.3674	31.2590	
	S	164.525	152.021	149.765	139.514	118.158	107.882	100.218	73.135	117.701	
35	T	5.5955	3.9113	3.5603	3.5536	3.6715	3.9592	4.4026	4.7345	33.3885	
	S	89.926	107.207	118.351	135.074	135.379	113.487	101.283	98.359	110.194	
36	T	4.5902	3.4686	3.1847	3.5416	3.7417	3.6585	4.2185	6.6566	33.0604	
	S	109.621	120.890	132.309	135.532	132.839	122.815	105.703	69.958	111.287	
37	T	7.2558	5.0812	6.0095	7.4108	7.8365	5.4029	7.4976	5.7160	52.2103	
	S	69.349	82.523	70.116	64.770	63.427	83.162	59.474	81.470	70.469	
38	T	6.4125	5.5226	6.6790	6.8587	7.7970	5.2151	6.1888	6.7488	51.4225	
	S	78.469	75.928	63.088	69.984	63.748	86.157	72.051	69.002	71.548	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 51 - Blackstock, Shelby

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	7.0813	5.1569	4.5947	5.3700	5.7756	3.8532	3.3462	3.1613	38.3392	
	S	71.058	81.312	91.706	89.385	86.060	116.609	133.259	147.307	95.964	
40	T	3.3214	3.3656	3.0741	3.1502	3.1285	3.1901	3.2637	3.0919	25.5855	
	S	151.497	124.589	137.069	152.371	158.877	140.848	136.627	150.613	143.800	
41	T	3.2558	3.2577	3.0014	3.1111	3.0984	3.0952	3.1551	3.0784	25.0531	
	S	154.550	128.716	140.389	154.286	160.420	145.166	141.330	151.274	146.856	
42	T	3.2717	2.9980	2.9121	3.0831	3.0613	2.9627	3.1447	3.0440	24.4776	
	S	153.799	139.866	144.694	155.687	162.364	151.658	141.797	152.983	150.309	
43	T	3.1417	2.9426	2.8740	3.0494	3.0612	2.8282	2.9204	2.9411	23.7586	
	S	160.163	142.499	146.612	157.408	162.369	158.871	152.688	158.336	154.858	
44	T	3.0730	2.8025	2.8018	3.0011	3.0258	2.8925	3.0732	3.0039	23.6738	
	S	163.743	149.623	150.390	159.941	164.269	155.339	145.096	155.026	155.412	
45	T	3.1070	2.8565	2.8506	3.0351	3.0521	2.8485	2.9377	2.9376	23.6251	
	S	161.951	146.794	147.816	158.149	162.854	157.739	151.789	158.524	155.733	
46	T	3.0584	2.8673	2.8597	3.0341	3.0493	2.8177	2.9513	2.9454	23.5832	
	S	164.525	146.241	147.345	158.201	163.003	159.463	151.089	158.105	156.009	
47	T	3.0696	2.8756	2.8493	3.0366	3.0858	2.8682	2.9019	2.9260	23.6130	
	S	163.924	145.819	147.883	158.071	161.075	156.655	153.661	159.153	155.812	
48	T	3.0540	2.8030	2.8117	3.0250	3.0808	2.8039	2.9468	2.9631	23.4883	
	S	164.762	149.596	149.861	158.677	161.336	160.248	151.320	157.160	156.640	
49	T	3.0608	2.8337	2.8512	3.0317	3.0591	2.8320	2.9585	2.9542	23.5812	
	S	164.396	147.976	147.785	158.327	162.481	158.658	150.722	157.634	156.023	
50	T	3.0664	2.8784	2.8610	3.0500	3.0918	2.8570	2.9329	2.9434	23.6809	
	S	164.096	145.678	147.278	157.377	160.762	157.269	152.037	158.212	155.366	
51	T	3.0677	2.8451	2.8426	3.0448	3.0853	2.8104	2.9837	2.9756	23.6552	
	S	164.026	147.383	148.232	157.645	161.101	159.877	149.449	156.500	155.535	
52	T	3.0817	2.7658	2.7875	3.0026	3.0634	2.8188	2.9539	2.9540	23.4277	
	S	163.281	151.608	151.162	159.861	162.253	159.401	150.956	157.644	157.045	
53	T	3.0763	2.9093	2.8917	3.0533	3.0827	2.8332	2.9616	2.9641	23.7722	
	S	163.567	144.130	145.715	157.207	161.237	158.590	150.564	157.107	154.769	
54	T	3.0782	2.8679	2.9007	3.0610	3.1023	2.8416	3.0184	2.9900	23.8601	
	S	163.467	146.211	145.263	156.811	160.218	158.122	147.731	155.746	154.199	
55	T	3.0861	2.8602	2.8683	3.0367	3.0915	2.8588	3.0266	3.0015	23.8297	
	S	163.048	146.604	146.904	158.066	160.778	157.170	147.330	155.150	154.396	
56	T	3.0960	2.8715	2.8644	3.0472	3.0738	2.8204	2.9872	2.9803	23.7408	
	S	162.527	146.028	147.104	157.521	161.704	159.310	149.274	156.253	154.974	
57	T	3.0770	2.8153	2.8169	3.0235	3.0684	2.7817	2.9752	2.9693	23.5273	
	S	163.530	148.943	149.584	158.756	161.988	161.526	149.876	156.832	156.380	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 51 - Blackstock, Shelby

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.0581	2.7909	2.8775	3.0546	3.0768	2.8018	2.9337	2.9464	23.5398	
	S	164.541	150.245	146.434	157.140	161.546	160.368	151.996	158.051	156.297	
59	T	3.0500	2.7835	2.8336	3.0357	3.0557	2.7943	3.0345	2.9976	23.5849	
	S	164.978	150.644	148.703	158.118	162.662	160.798	146.947	155.351	155.998	
60	T	3.0777	2.8129	2.8539	3.0530	3.0669	2.8182	2.9538	2.9600	23.5964	
	S	163.493	149.070	147.645	157.222	162.068	159.434	150.962	157.325	155.922	
61	T	3.0743	2.9222	2.9023	3.0851	3.0782	2.8056	2.8597	2.9148	23.6422	
	S	163.674	143.494	145.183	155.586	161.473	160.150	155.929	159.764	155.620	
62	T	3.0501	2.7519	2.7807	2.9997	3.0395	2.7793	2.9441	2.9484	23.2937	
	S	164.972	152.374	151.531	160.016	163.529	161.666	151.459	157.944	157.948	
63	T	3.0530	2.7314	2.7864	2.9945	3.0309	2.7768	2.9844	2.9694	23.3268	
	S	164.816	153.518	151.222	160.293	163.993	161.812	149.414	156.827	157.724	
64	T	3.0606	2.7295	2.7823	2.9935	3.0415	2.7969	2.9096	2.9286	23.2425	
	S	164.407	153.625	151.444	160.347	163.421	160.649	153.255	159.012	158.296	
65	T	3.0499	2.8352	2.8793	3.0631	3.0811	2.7948	2.9316	2.9620	23.5970	
	S	164.983	147.897	146.342	156.704	161.321	160.769	152.105	157.219	155.918	
66	T	3.0667	2.7771	2.8297	3.0250	3.0668	2.8233	2.9046	2.9303	23.4235	
	S	164.080	150.991	148.908	158.677	162.073	159.146	153.519	158.919	157.073	
67	T	3.0532	2.7374	2.7783	3.0020	3.0436	2.7578	2.8670	2.9122	23.1515	
	S	164.805	153.181	151.662	159.893	163.308	162.926	155.532	159.907	158.918	
68	T	3.0438	2.8054	2.8151	3.0118	3.0448	2.7904	2.8763	2.9155	23.3031	
	S	165.314	149.468	149.680	159.373	163.244	161.023	155.029	159.726	157.885	
69	T	3.0382	2.7200	2.7727	2.9981	3.0310	2.7729	2.8929	2.9248	23.1506	
	S	165.619	154.161	151.969	160.101	163.987	162.039	154.140	159.218	158.925	
70	T	3.0515	2.7811	2.8116	3.0167	3.0437	2.7928	2.9105	2.9384	23.3463	
	S	164.897	150.774	149.866	159.114	163.303	160.884	153.207	158.481	157.592	
71	T	3.0552	2.7257	2.7798	2.9895	3.0335	2.7883	2.9767	2.9788	23.3275	
	S	164.697	153.839	151.581	160.562	163.852	161.144	149.800	156.332	157.719	
72	T	3.0800	2.7740	2.8012	3.0000	3.0365	2.7854	2.9066	2.9316	23.3153	
	S	163.371	151.160	150.423	160.000	163.690	161.312	153.413	158.849	157.802	
73	T	3.0488	2.7577	2.8047	2.9959	3.0278	2.8069	2.8900	2.9217	23.2535	
	S	165.043	152.054	150.235	160.219	164.161	160.076	154.294	159.387	158.221	
74	T	3.0461	2.7179	2.7754	2.9834	3.0270	2.7593	2.9347	2.9522	23.1960	
	S	165.189	154.280	151.821	160.890	164.204	162.838	151.944	157.740	158.614	
75	T	3.0603	2.7729	2.8512	3.0257	3.0574	2.8080	2.9501	2.9525	23.4781	
	S	164.423	151.220	147.785	158.641	162.571	160.014	151.151	157.724	156.708	
76	T	3.0610	2.7758	2.8140	3.0147	3.0587	2.7683	2.9463	2.9527	23.3915	
	S	164.385	151.062	149.738	159.219	162.502	162.308	151.346	157.714	157.288	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 51 - Blackstock, Shelby

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0682	2.7754	2.8100	3.0219	3.0719	2.7857	2.9307	2.9472	23.4110	
	S	163.999	151.084	149.951	158.840	161.804	161.295	152.151	158.008	157.157	
78	T	3.0545	2.7671	2.8070	3.0134	3.0608	2.8086	2.9436	2.9372	23.3922	
	S	164.735	151.537	150.112	159.288	162.391	159.979	151.485	158.546	157.283	
79	T	3.0519	2.8093	2.9706	3.1137	3.1030	2.8369	2.9719	2.9692	23.8265	
	S	164.875	149.261	141.845	154.157	160.182	158.384	150.042	156.837	154.416	
80	T	3.0706	2.8255	2.8722	3.0426	3.0739	2.8409	2.9399	2.9434	23.6090	
	S	163.871	148.405	146.704	157.759	161.699	158.161	151.675	158.212	155.839	
81	T	3.0553	2.8500	2.9010	3.0649	3.1029	2.8450	2.8949	2.9257	23.6397	
	S	164.692	147.129	145.248	156.612	160.187	157.933	154.033	159.169	155.636	
82	T	3.0489	2.7898	2.8512	3.0415	3.0926	2.8013	2.9876	2.9729	23.5858	
	S	165.037	150.304	147.785	157.816	160.721	160.396	149.254	156.642	155.992	
83	T	3.0833	2.8618	2.8563	3.0569	3.1017	2.7949	2.9354	2.9416	23.6319	
	S	163.196	146.523	147.521	157.021	160.249	160.764	151.908	158.309	155.688	
84	T	3.0679	2.8290	2.8345	3.0291	3.0487	2.9751	3.1454	3.0445	23.9742	
	S	164.015	148.221	148.655	158.462	163.035	151.026	141.766	152.958	153.465	
85	T	3.1188	2.9867	2.9521	3.1147	3.1316	2.8310	2.9429	2.9578	24.0356	
	S	161.339	140.395	142.734	154.108	158.719	158.714	151.521	157.442	153.073	
86	T	3.0593	2.8140	2.8357	3.0312	3.0829	2.8132	2.9363	2.9459	23.5185	
	S	164.476	149.011	148.592	158.353	161.227	159.718	151.861	158.078	156.439	
87	T	3.0600	2.7892	2.8415	3.0282	3.0831	2.8043	2.9618	2.9592	23.5273	
	S	164.439	150.336	148.289	158.510	161.216	160.225	150.554	157.367	156.380	
88	T	3.0646	2.7994	2.8172	3.0157	3.0681	2.8196	2.9867	2.9708	23.5421	
	S	164.192	149.789	149.568	159.167	162.004	159.355	149.299	156.753	156.282	
89	T	3.0759	2.8057	2.8187	3.0113	3.0627	2.8139	3.0402	3.0104	23.6388	
	S	163.589	149.452	149.489	159.399	162.290	159.678	146.671	154.691	155.642	
90	T	3.0878	2.8926	2.9208	3.0755	3.1036	2.8784	2.9931	2.9881	23.9399	
	S	162.958	144.962	144.263	156.072	160.151	156.100	148.979	155.845	153.685	
91	T	3.6962	3.9709	4.7751							
	S	136.135	105.598	88.242							

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 55 - Urrutia, Santiago (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	5.5537	4.1999	4.2065	5.2120	5.4621	5.1589	4.1720	3.3977	37.3628	31.8148
	S	90.603	99.840	100.170	92.095	90.999	87.096	106.882	137.058	98.472	86.731
2	T	3.3667	2.9570	2.9590	3.1293	3.1270	2.8885	2.9203	2.9274	24.2752	
	S	149.459	141.805	142.401	153.389	158.953	155.554	152.693	159.077	151.562	
3	T	3.0788	2.7433	2.7335	2.9773	3.0547	2.8082	2.8655	2.9016	23.1629	
	S	163.435	152.852	154.148	161.219	162.715	160.002	155.613	160.491	158.840	
4	T	3.0606	2.7031	2.6987	2.9511	3.0288	2.7818	2.8478	2.8875	22.9594	
	S	164.407	155.125	156.136	162.651	164.106	161.521	156.581	161.275	160.248	
5	T	3.0439	2.6854	2.7026	2.9594	3.0521	2.7944	2.8360	2.8882	22.9620	
	S	165.309	156.147	155.910	162.195	162.854	160.792	157.232	161.236	160.230	
6	T	3.0558	2.6768	2.6865	2.9523	3.0430	2.7719	2.8157	2.8772	22.8792	
	S	164.665	156.649	156.845	162.585	163.341	162.098	158.366	161.852	160.810	
7	T	3.0557	2.6656	2.6762	2.9462	3.0316	2.7728	2.8025	2.8684	22.8190	
	S	164.670	157.307	157.448	162.921	163.955	162.045	159.112	162.349	161.234	
8	T	3.0471	2.6693	2.6867	2.9484	3.0428	2.7987	2.8193	2.8815	22.8938	
	S	165.135	157.089	156.833	162.800	163.351	160.545	158.163	161.611	160.707	
9	T	3.0511	2.7049	2.7090	2.9676	3.0542	2.8103	2.8207	2.8794	22.9972	
	S	164.918	155.022	155.542	161.746	162.742	159.883	158.085	161.729	159.985	
10	T	3.0492	2.6845	2.6956	2.9641	3.0461	2.8016	2.8317	2.8852	22.9580	
	S	165.021	156.200	156.315	161.937	163.174	160.379	157.471	161.404	160.258	
11	T	3.0648	2.6979	2.7088	2.9869	3.0638	2.8098	2.8368	2.8950	23.0638	
	S	164.181	155.424	155.554	160.701	162.232	159.911	157.188	160.857	159.523	
12	T	3.0564	2.6913	2.7064	2.9751	3.0575	2.7879	2.8147	2.8780	22.9673	
	S	164.632	155.805	155.692	161.339	162.566	161.167	158.422	161.807	160.193	
13	T	3.0559	2.7000	2.7095	2.9671	3.0546	2.8289	2.8237	2.8845	23.0242	
	S	164.659	155.303	155.513	161.774	162.720	158.831	157.917	161.443	159.797	
14	T	3.0626	2.6976	2.7160	2.9598	3.0433	2.7811	2.8211	2.8839	22.9654	
	S	164.299	155.441	155.141	162.173	163.325	161.561	158.063	161.476	160.206	
15	T	3.0588	2.6925	2.6997	2.9566	3.0344	2.7668	2.8294	2.8877	22.9259	
	S	164.503	155.736	156.078	162.348	163.804	162.396	157.599	161.264	160.482	
16	T	3.0653	2.6863	2.7082	2.9651	3.0349	2.7771	2.8144	2.8729	22.9242	
	S	164.154	156.095	155.588	161.883	163.777	161.794	158.439	162.095	160.494	
17	T	3.0443	2.6916	2.7212	2.9768	3.0445	2.7861	2.8217	2.8803	22.9665	
	S	165.287	155.788	154.845	161.247	163.260	161.271	158.029	161.678	160.199	
18	T	3.0503	2.7064	2.7271	2.9779	3.0469	2.7952	2.8423	2.8933	23.0394	
	S	164.962	154.936	154.510	161.187	163.132	160.746	156.884	160.952	159.692	
19	T	3.0512	2.6945	2.7210	2.9803	3.0435	2.7847	2.8463	2.8970	23.0185	
	S	164.913	155.620	154.856	161.057	163.314	161.352	156.663	160.746	159.837	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 55 - Urrutia, Santiago (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0542	2.7208	2.7223	2.9700	3.0408	2.7900	2.8246	2.8862	23.0089	
	S	164.751	154.116	154.782	161.616	163.459	161.046	157.867	161.348	159.903	
21	T	3.0563	2.7242	2.7367	2.9710	3.0418	2.7971	2.8302	2.8886	23.0459	
	S	164.638	153.923	153.968	161.561	163.405	160.637	157.554	161.214	159.647	
22	T	3.0642	2.7241	2.7181	2.9634	3.0423	2.7718	2.8547	2.8937	23.0323	
	S	164.213	153.929	155.021	161.976	163.378	162.103	156.202	160.929	159.741	
23	T	3.0699	2.7161	2.7122	2.9671	3.0385	2.7666	2.8124	2.8832	22.9660	
	S	163.908	154.382	155.359	161.774	163.583	162.408	158.551	161.515	160.202	
24	T	3.0659	2.7093	2.7291	2.9768	3.0416	2.7510	2.8064	2.8765	22.9566	
	S	164.122	154.770	154.397	161.247	163.416	163.329	158.890	161.892	160.268	
25	T	3.0600	2.7019	2.7118	2.9690	3.0410	2.7799	2.8165	2.8831	22.9632	
	S	164.439	155.194	155.382	161.670	163.448	161.631	158.321	161.521	160.222	
26	T	3.0639	2.6935	2.7013	2.9590	3.0328	2.7481	2.8542	2.8962	22.9490	
	S	164.229	155.678	155.986	162.217	163.890	163.501	156.229	160.790	160.321	
27	T	3.0708	2.7719	2.7941	3.0042	3.0563	2.7818	2.8334	2.8929	23.2054	
	S	163.860	151.275	150.805	159.776	162.630	161.521	157.376	160.974	158.549	
28	T	3.0708	2.7520	2.7438	2.9909	3.0569	2.7731	2.8466	2.8957	23.1298	
	S	163.860	152.369	153.569	160.486	162.598	162.027	156.647	160.818	159.068	
29	T	3.0816	2.7611	2.7588	3.0008	3.0573	2.8300	2.8520	2.8990	23.2406	
	S	163.286	151.866	152.734	159.957	162.577	158.770	156.350	160.635	158.309	
30	T	3.0734	2.7309	2.7416	2.9865	3.0388	2.7932	2.8576	2.8956	23.1176	
	S	163.722	153.546	153.693	160.723	163.566	160.861	156.044	160.824	159.151	
31	T	3.0698	2.7811	2.8071	3.0104	3.0434	2.7973	2.8728	2.9068	23.2887	
	S	163.914	150.774	150.106	159.447	163.319	160.626	155.218	160.204	157.982	
32	T	3.0690	2.7663	2.8766	3.0987	3.0872	2.8175	2.9008	2.9250	23.5411	
	S	163.957	151.581	146.480	154.903	161.002	159.474	153.720	159.207	156.288	
33	T	3.0906	2.7678	2.7602	2.9898	3.0374	2.7843	2.8542	2.8993	23.1836	
	S	162.811	151.499	152.657	160.545	163.642	161.376	156.229	160.619	158.698	
34	T	3.0807	2.7595	2.7554	2.9836	3.0358	2.7825	2.8790	3.8334	24.1099	
	S	163.334	151.954	152.923	160.879	163.728	161.480	154.884	121.480	152.601	
35	T	4.0556	3.7421	3.6581	3.9054	3.9755	4.3417	5.2018	6.7195	35.5997	
	S	124.071	112.054	115.186	122.906	125.027	103.489	85.722	69.303	103.349	
36	T	5.9221	4.2048	3.9890	4.0772	4.2552	4.6286	7.1496	7.8359	42.0624	
	S	84.967	99.724	105.631	117.728	116.809	97.074	62.369	59.429	87.470	
37	T	7.0231	6.4632	6.4361	7.0906	7.2821	6.3776	6.7964	6.1941	53.6632	
	S	71.647	64.878	65.469	67.695	68.256	70.453	65.610	75.181	68.561	
38	T	6.8518	6.2964	6.2483	6.9374	6.9571	5.8120	6.5327	6.6636	52.2993	
	S	73.438	66.596	67.437	69.190	71.444	77.309	68.258	69.884	70.349	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 55 - Urrutia, Santiago (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	6.2270	6.0799	5.5670	6.3253	6.0291	4.5608	3.3089	3.1021	41.2001	
	S	80.807	68.968	75.690	75.886	82.441	98.517	134.761	150.118	89.301	
40	T	3.1570	3.0848	2.9334	3.0796	3.0861	2.8849	2.9628	2.9589	24.1475	
	S	159.386	135.930	143.643	155.864	161.059	155.748	150.503	157.383	152.364	
41	T	3.1148	2.8183	2.7765	3.0083	3.0452	2.8464	2.8881	2.9104	23.4080	
	S	161.546	148.784	151.761	159.558	163.223	157.855	154.396	160.006	157.177	
42	T	3.0814	2.8140	2.7895	3.0070	3.0488	2.7842	2.9241	2.9247	23.3737	
	S	163.297	149.011	151.053	159.627	163.030	161.381	152.495	159.224	157.408	
43	T	3.0849	2.8148	2.7842	3.0091	3.0523	2.8065	2.8595	2.8970	23.3083	
	S	163.111	148.969	151.341	159.516	162.843	160.099	155.940	160.746	157.849	
44	T	3.0742	2.7932	2.7753	2.9938	3.0408	2.8155	2.8686	2.8966	23.2580	
	S	163.679	150.121	151.826	160.331	163.459	159.587	155.445	160.768	158.191	
45	T	3.0793	2.8168	2.7876	2.9874	3.0356	2.8178	2.8914	2.8996	23.3155	
	S	163.408	148.863	151.156	160.674	163.739	159.457	154.219	160.602	157.801	
46	T	3.1021	2.8642	2.8114	3.0053	3.0521	2.8432	2.8959	2.9109	23.4851	
	S	162.207	146.400	149.877	159.717	162.854	158.033	153.980	159.978	156.661	
47	T	3.0755	2.7651	2.7543	2.9802	3.0449	2.8211	2.8970	2.9140	23.2521	
	S	163.610	151.647	152.984	161.063	163.239	159.271	153.921	159.808	158.231	
48	T	3.1133	2.8341	2.7948	2.9932	3.0541	2.8483	2.8860	2.9108	23.4346	
	S	161.624	147.955	150.767	160.363	162.747	157.750	154.508	159.984	156.999	
49	T	3.0771	2.8389	2.8281	3.0068	3.0554	2.8404	2.8906	2.9083	23.4456	
	S	163.525	147.704	148.992	159.638	162.678	158.188	154.262	160.122	156.925	
50	T	3.0943	2.8634	2.8143	3.0127	3.0658	2.8179	2.8859	2.9084	23.4627	
	S	162.616	146.441	149.722	159.325	162.126	159.451	154.513	160.116	156.811	
51	T	3.1014	2.8050	2.7817	2.9950	3.0599	2.8311	2.8841	2.9064	23.3646	
	S	162.244	149.490	151.477	160.267	162.438	158.708	154.610	160.226	157.469	
52	T	3.0946	2.7779	2.7561	2.9792	3.0490	2.8504	2.8726	2.9113	23.2911	
	S	162.600	150.948	152.884	161.117	163.019	157.633	155.229	159.957	157.966	
53	T	3.0859	2.8943	2.8319	3.0144	3.0743	2.8192	2.8478	2.8958	23.4636	
	S	163.059	144.877	148.792	159.235	161.678	159.378	156.581	160.813	156.805	
54	T	3.0828	2.7570	2.7518	2.9626	3.0533	2.9159	2.9410	2.9349	23.3993	
	S	163.223	152.092	153.123	162.019	162.790	154.092	151.619	158.670	157.235	
55	T	3.1050	2.8771	2.8206	3.0157	3.0673	2.8171	2.8665	2.9027	23.4720	
	S	162.056	145.743	149.388	159.167	162.047	159.497	155.559	160.430	156.748	
56	T	3.0867	2.8665	2.8122	3.0083	3.0653	2.8456	2.8951	2.9161	23.4958	
	S	163.016	146.282	149.834	159.558	162.152	157.899	154.022	159.693	156.590	
57	T	3.0910	2.8615	2.8124	3.0195	3.0671	2.8502	2.9076	2.9232	23.5325	
	S	162.790	146.538	149.824	158.966	162.057	157.644	153.360	159.305	156.345	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 55 - Urrutia, Santiago (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.1038	2.8711	2.8169	3.0204	3.0609	2.8255	2.8974	2.9160	23.5120	
	S	162.118	146.048	149.584	158.919	162.385	159.023	153.900	159.699	156.482	
59	T	3.1032	2.8052	2.7664	2.9991	3.0430	2.8006	2.8865	2.9102	23.3142	
	S	162.150	149.479	152.315	160.048	163.341	160.436	154.481	160.017	157.809	
60	T	3.0983	2.8719	2.8047	3.0211	3.0526	2.8052	2.8909	2.9166	23.4613	
	S	162.406	146.007	150.235	158.882	162.827	160.173	154.246	159.666	156.820	
61	T	3.1043	2.8047	2.7710	2.9962	3.0353	2.8231	2.9343	2.9396	23.4085	
	S	162.092	149.506	152.062	160.203	163.755	159.158	151.965	158.417	157.174	
62	T	3.1062	2.8001	2.7635	2.9942	3.0326	2.8055	2.8732	2.9063	23.2816	
	S	161.993	149.751	152.475	160.310	163.901	160.156	155.196	160.232	158.030	
63	T	3.1054	2.8052	2.7692	2.9882	3.0266	2.8194	2.9176	2.9231	23.3547	
	S	162.035	149.479	152.161	160.631	164.226	159.367	152.835	159.311	157.536	
64	T	3.0860	2.7969	2.7840	2.9906	3.0417	2.8234	2.8999	2.9146	23.3371	
	S	163.053	149.922	151.352	160.502	163.410	159.141	153.767	159.775	157.655	
65	T	3.0920	2.7638	2.7550	2.9713	3.0271	2.7981	2.8882	2.9058	23.2013	
	S	162.737	151.718	152.945	161.545	164.199	160.580	154.390	160.259	158.577	
66	T	3.0824	2.7968	2.8001	2.9911	3.0407	2.8014	2.8666	2.8980	23.2771	
	S	163.244	149.928	150.482	160.476	163.464	160.391	155.554	160.691	158.061	
67	T	3.0780	2.7321	2.7426	2.9605	3.0232	2.8017	2.8995	2.9149	23.1525	
	S	163.477	153.478	153.637	162.134	164.410	160.373	153.789	159.759	158.912	
68	T	3.0629	2.7253	2.7579	2.9738	3.0318	2.7816	2.8492	2.8934	23.0759	
	S	164.283	153.861	152.784	161.409	163.944	161.532	156.504	160.946	159.439	
69	T	3.0703	2.7352	2.7674	2.9706	3.0184	2.8281	2.9330	2.9298	23.2528	
	S	163.887	153.304	152.260	161.583	164.672	158.876	152.032	158.946	158.226	
70	T	3.0807	2.7944	2.8059	2.9925	3.0291	2.7802	2.8850	2.9067	23.2745	
	S	163.334	150.057	150.171	160.401	164.090	161.614	154.562	160.210	158.079	
71	T	3.0785	2.8129	2.8001	2.9906	3.0341	2.8227	2.9418	2.9416	23.4223	
	S	163.451	149.070	150.482	160.502	163.820	159.180	151.577	158.309	157.081	
72	T	3.1005	2.7734	2.7497	2.9677	3.0226	2.8225	2.8988	2.9118	23.2470	
	S	162.291	151.193	153.240	161.741	164.443	159.192	153.826	159.929	158.266	
73	T	3.0802	2.8041	2.8038	2.9924	3.0276	2.8268	2.8952	2.9162	23.3463	
	S	163.360	149.538	150.283	160.406	164.171	158.949	154.017	159.688	157.592	
74	T	3.0876	2.8088	2.8094	2.9900	3.0267	2.7901	2.8754	2.9055	23.2935	
	S	162.969	149.287	149.983	160.535	164.220	161.040	155.078	160.276	157.950	
75	T	3.0780	2.8041	2.8017	2.9825	3.0284	2.7990	2.8935	2.9082	23.2954	
	S	163.477	149.538	150.396	160.938	164.128	160.528	154.108	160.127	157.937	
76	T	3.0918	2.8296	2.8114	2.9904	3.0367	2.8198	2.9012	2.9116	23.3925	
	S	162.747	148.190	149.877	160.513	163.679	159.344	153.699	159.940	157.281	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 55 - Urrutia, Santiago (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0847	2.7515	2.7475	2.9701	3.0372	2.8251	2.8996	2.9135	23.2292	
	S	163.122	152.396	153.363	161.610	163.653	159.045	153.783	159.836	158.387	
78	T	3.0950	2.8480	2.8425	3.0253	3.0571	2.8011	2.8805	2.9080	23.4575	
	S	162.579	147.233	148.237	158.662	162.587	160.408	154.803	160.138	156.845	
79	T	3.0876	2.7869	2.7785	2.9921	3.0364	2.8397	2.9374	2.9283	23.3869	
	S	162.969	150.460	151.651	160.422	163.696	158.227	151.804	159.028	157.319	
80	T	3.0855	2.8215	2.8392	3.0215	3.0589	2.8045	2.8559	2.8943	23.3813	
	S	163.080	148.615	148.409	158.861	162.492	160.213	156.136	160.896	157.357	
81	T	3.0761	2.8042	2.8223	3.0068	3.0617	2.8302	2.9095	2.9177	23.4285	
	S	163.578	149.532	149.298	159.638	162.343	158.758	153.260	159.606	157.040	
82	T	3.0868	2.8408	2.8548	3.0354	3.0764	2.8543	2.9371	2.9361	23.6217	
	S	163.011	147.606	147.598	158.134	161.567	157.418	151.820	158.605	155.755	
83	T	3.0987	2.8396	2.8095	3.0080	3.0713	2.8549	2.9281	2.9359	23.5460	
	S	162.385	147.668	149.978	159.574	161.836	157.385	152.287	158.616	156.256	
84	T	3.0911	2.8505	2.8354	3.0210	3.0753	2.8234	2.9247	2.9340	23.5554	
	S	162.784	147.103	148.608	158.887	161.625	159.141	152.464	158.719	156.193	
85	T	3.1055	2.8726	2.8417	3.0354	3.0768	2.8354	2.9392	2.9435	23.6501	
	S	162.030	145.972	148.279	158.134	161.546	158.467	151.711	158.207	155.568	
86	T	3.1118	2.8200	2.7804	2.9985	3.0660	2.8617	2.9374	2.9451	23.5209	
	S	161.701	148.694	151.548	160.080	162.115	157.011	151.804	158.121	156.423	
87	T	3.1041	2.8630	2.8367	3.0333	3.0670	2.8499	2.9408	2.9358	23.6306	
	S	162.103	146.461	148.540	158.243	162.062	157.661	151.629	158.622	155.696	
88	T	3.0989	2.8340	2.7936	2.9932	3.0440	2.8830	2.9313	2.9187	23.4967	
	S	162.375	147.960	150.832	160.363	163.287	155.851	152.120	159.551	156.584	
89	T	3.1249	2.8258	2.7777	2.9484	3.0016	2.9082	3.0474	3.0253	23.6593	
	S	161.024	148.389	151.695	162.800	165.594	154.500	146.325	153.929	155.508	
90	T	3.1513	2.8507	2.8470	2.9924	3.0479	2.9460	2.9892	2.9817	23.8062	
	S	159.675	147.093	148.003	160.406	163.078	152.518	149.174	156.180	154.548	
91	T	3.8842	4.3773	4.8980	4.9526						
	S	129.546	95.794	86.028	96.919						

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 7 - Enerson, RC

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
1	T	5.5329	4.4606	3.9955	4.8908	5.3488	5.1777	3.9413	3.3091	36.6567	31.3256
	S	90.944	94.005	105.460	98.143	92.927	86.779	113.138	140.728	100.369	88.085
2	T	3.3528	3.0195	2.8584	3.0547	3.0866	2.8315	2.8810	2.9005	23.9850	
	S	150.078	138.870	147.412	157.134	161.033	158.686	154.776	160.552	153.396	
3	T	3.0649	2.7307	2.7318	2.9900	3.0635	2.7649	2.8091	2.8919	23.0468	
	S	164.176	153.557	154.244	160.535	162.248	162.508	158.738	161.030	159.640	
4	T	3.0369	2.6621	2.7117	2.9637	3.0368	2.7648	2.7836	2.8611	22.8207	
	S	165.690	157.514	155.387	161.959	163.674	162.514	160.192	162.763	161.222	
5	T	3.0209	2.6065	2.6867	2.9474	3.0322	2.7670	2.7739	2.8620	22.6966	
	S	166.567	160.874	156.833	162.855	163.922	162.385	160.752	162.712	162.104	
6	T	3.0161	2.6205	2.6888	2.9420	3.0258	2.7500	2.7730	2.8630	22.6792	
	S	166.832	160.015	156.711	163.154	164.269	163.388	160.804	162.655	162.228	
7	T	3.0203	2.6597	2.7101	2.9572	3.0408	2.7619	2.7958	2.8715	22.8173	
	S	166.600	157.656	155.479	162.315	163.459	162.684	159.493	162.174	161.246	
8	T	3.0130	2.6751	2.7306	2.9761	3.0591	2.7673	2.7889	2.8747	22.8848	
	S	167.004	156.749	154.312	161.284	162.481	162.367	159.887	161.993	160.770	
9	T	3.0120	2.6410	2.7168	2.9736	3.0586	2.7732	2.7806	2.8729	22.8287	
	S	167.059	158.773	155.096	161.420	162.508	162.022	160.365	162.095	161.166	
10	T	3.0156	2.6813	2.7321	2.9798	3.0557	2.7625	2.8009	2.8763	22.9042	
	S	166.860	156.386	154.227	161.084	162.662	162.649	159.202	161.903	160.634	
11	T	3.0294	2.6334	2.6922	2.9743	3.0538	2.7594	2.7870	2.8714	22.8009	
	S	166.100	159.231	156.513	161.382	162.763	162.832	159.996	162.179	161.362	
12	T	3.0197	2.7160	2.7429	2.9869	3.0586	2.7697	2.8017	2.8846	22.9801	
	S	166.633	154.388	153.620	160.701	162.508	162.226	159.157	161.437	160.104	
13	T	3.0275	2.6721	2.7217	2.9706	3.0396	2.7532	2.8370	2.8877	22.9094	
	S	166.204	156.925	154.816	161.583	163.523	163.199	157.177	161.264	160.598	
14	T	3.0350	2.6689	2.7175	2.9591	3.0327	2.7567	2.8486	2.8997	22.9182	
	S	165.793	157.113	155.056	162.211	163.895	162.991	156.537	160.596	160.536	
15	T	3.0516	2.7391	2.7572	2.9826	3.0414	2.7545	2.8153	2.8866	23.0283	
	S	164.891	153.086	152.823	160.933	163.427	163.122	158.388	161.325	159.769	
16	T	3.0367	2.6863	2.7452	2.9903	3.0508	2.7708	2.8086	2.8687	22.9574	
	S	165.700	156.095	153.491	160.519	162.923	162.162	158.766	162.332	160.262	
17	T	3.0193	2.6770	2.7418	2.9965	3.0571	2.7652	2.8193	2.8897	22.9659	
	S	166.655	156.637	153.681	160.186	162.587	162.490	158.163	161.152	160.203	
18	T	3.0308	2.7261	2.7624	3.0038	3.0565	2.7556	2.8368	2.8879	23.0599	
	S	166.023	153.816	152.535	159.797	162.619	163.056	157.188	161.253	159.550	
19	T	3.0242	2.6787	2.7438	2.9887	3.0458	2.7676	2.8320	2.8870	22.9678	
	S	166.385	156.538	153.569	160.605	163.190	162.349	157.454	161.303	160.189	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 7 - Enerson, RC

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
20	T	3.0332	2.7434	2.7573	3.0090	3.0553	2.7579	2.8506	2.9035	23.1102	
	S	165.892	152.846	152.817	159.521	162.683	162.920	156.427	160.386	159.202	
21	T	3.0404	2.7079	2.7435	2.9874	3.0463	2.7617	2.8176	2.8824	22.9872	
	S	165.499	154.850	153.586	160.674	163.164	162.696	158.259	161.560	160.054	
22	T	3.0377	2.6722	2.7260	2.9705	3.0408	2.7574	2.8271	2.8847	22.9164	
	S	165.646	156.919	154.572	161.589	163.459	162.950	157.727	161.431	160.549	
23	T	3.0469	2.6894	2.7311	2.9779	3.0448	2.7688	2.8469	2.9066	23.0124	
	S	165.146	155.915	154.283	161.187	163.244	162.279	156.630	160.215	159.879	
24	T	3.0518	2.6949	2.7583	3.0086	3.0640	2.7780	2.8633	2.9064	23.1253	
	S	164.881	155.597	152.762	159.542	162.221	161.742	155.733	160.226	159.098	
25	T	3.0689	2.6876	2.7613	3.0020	3.0611	2.7638	2.8608	2.9005	23.1060	
	S	163.962	156.020	152.596	159.893	162.375	162.573	155.869	160.552	159.231	
26	T	3.0451	2.7279	2.7501	2.9965	3.0547	2.7710	2.8625	2.9004	23.1082	
	S	165.243	153.715	153.218	160.186	162.715	162.150	155.776	160.558	159.216	
27	T	3.0512	2.7378	2.7574	2.9930	3.0566	2.7765	2.8505	2.9015	23.1245	
	S	164.913	153.159	152.812	160.374	162.614	161.829	156.432	160.497	159.104	
28	T	3.0458	2.7450	2.7739	3.0194	3.0730	2.7767	2.8575	2.8971	23.1884	
	S	165.205	152.757	151.903	158.972	161.746	161.817	156.049	160.741	158.666	
29	T	3.0464	2.7176	2.7655	3.0109	3.0619	2.7726	2.8510	2.9050	23.1309	
	S	165.173	154.297	152.364	159.420	162.332	162.057	156.405	160.303	159.060	
30	T	3.0537	2.7461	2.8117	3.0413	3.0729	2.7784	2.8494	2.9046	23.2581	
	S	164.778	152.696	149.861	157.827	161.751	161.718	156.493	160.325	158.190	
31	T	3.0515	2.7499	2.8026	3.0310	3.0603	2.7609	2.8694	2.9102	23.2358	
	S	164.897	152.485	150.347	158.363	162.417	162.743	155.402	160.017	158.342	
32	T	3.0652	2.7543	2.7760	3.0054	3.0490	2.7904	2.8887	2.9277	23.2567	
	S	164.160	152.241	151.788	159.712	163.019	161.023	154.364	159.060	158.200	
33	T	3.0749	2.7482	2.7910	3.0153	3.0525	2.7979	2.9202	2.9537	23.3537	
	S	163.642	152.579	150.972	159.188	162.832	160.591	152.699	157.660	157.542	
34	T	3.0760	2.7529	2.7887	3.0150	3.0536	2.8010	3.0402	3.5316	24.0590	
	S	163.583	152.319	151.097	159.204	162.774	160.413	146.671	131.861	152.924	
35	T	3.8774	4.1595	3.7891	3.7944	4.1147	4.3155	5.4755	6.8525	36.3786	
	S	129.773	100.810	111.204	126.502	120.797	104.117	81.437	67.958	101.136	
36	T	5.8494	4.2491	3.9804	4.2375	4.5220	4.7071	7.0531	7.7518	42.3504	
	S	86.023	98.684	105.860	113.274	109.917	95.455	63.222	60.074	86.875	
37	T	7.1629	6.4458	6.4220	7.0829	7.1727	6.3490	6.4962	6.3992	53.5307	
	S	70.248	65.053	65.613	67.769	69.297	70.770	68.642	72.772	68.731	
38	T	6.9855	6.4319	6.1769	6.9456	6.9883	5.8113	6.4449	6.6288	52.4132	
	S	72.032	65.194	68.216	69.108	71.125	77.318	69.188	70.251	70.196	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 7 - Enerson, RC

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
39	T	6.5450	5.9228	5.7384	6.3058	6.1505	4.4619	3.3839	3.1659	41.6742	
	S	76.880	70.797	73.429	76.120	80.814	100.701	131.774	147.093	88.285	
40	T	3.1790	2.9876	2.8541	3.0610	3.1045	2.8481	2.9697	2.9608	23.9648	
	S	158.283	140.353	147.635	156.811	160.105	157.761	150.153	157.282	153.525	
41	T	3.0934	2.7542	2.7720	3.0204	3.0577	2.8016	2.9052	2.9317	23.3362	
	S	162.663	152.247	152.007	158.919	162.555	160.379	153.487	158.843	157.661	
42	T	3.0623	2.7277	2.7691	3.0124	3.0555	2.7705	2.9256	2.9485	23.2716	
	S	164.315	153.726	152.166	159.341	162.672	162.179	152.417	157.938	158.098	
43	T	3.0688	2.7387	2.7743	3.0174	3.0616	2.7781	2.9191	2.9446	23.3026	
	S	163.967	153.108	151.881	159.077	162.348	161.736	152.756	158.148	157.888	
44	T	3.0670	2.7257	2.7851	3.0188	3.0633	2.7769	2.8981	2.9291	23.2640	
	S	164.063	153.839	151.292	159.003	162.258	161.806	153.863	158.984	158.150	
45	T	3.0685	2.7704	2.7987	3.0192	3.0577	2.8047	2.9369	2.9534	23.4095	
	S	163.983	151.357	150.557	158.982	162.555	160.202	151.830	157.676	157.167	
46	T	3.0741	2.7403	2.7791	3.0100	3.0590	2.7709	2.8993	2.9353	23.2680	
	S	163.685	153.019	151.619	159.468	162.486	162.156	153.799	158.649	158.123	
47	T	3.0652	2.7419	2.7856	3.0129	3.0717	2.7954	2.9192	2.9509	23.3428	
	S	164.160	152.930	151.265	159.315	161.814	160.735	152.751	157.810	157.616	
48	T	3.0715	2.7710	2.8007	3.0205	3.0848	2.7989	2.9244	2.9500	23.4218	
	S	163.823	151.324	150.449	158.914	161.127	160.534	152.479	157.858	157.084	
49	T	3.0753	2.8034	2.8232	3.0355	3.0998	2.8009	2.9152	2.9549	23.5082	
	S	163.621	149.575	149.250	158.128	160.348	160.419	152.960	157.596	156.507	
50	T	3.0761	2.7212	2.7645	3.0044	3.0747	2.8572	2.9356	2.9548	23.3885	
	S	163.578	154.093	152.419	159.765	161.657	157.258	151.897	157.602	157.308	
51	T	3.0803	2.7163	2.7577	2.9988	3.0791	2.8113	2.9278	2.9559	23.3272	
	S	163.355	154.371	152.795	160.064	161.426	159.826	152.302	157.543	157.721	
52	T	3.0829	2.7781	2.7864	3.0172	3.0813	2.8018	2.9426	2.9691	23.4594	
	S	163.217	150.937	151.222	159.087	161.310	160.368	151.536	156.843	156.833	
53	T	3.0877	2.7465	2.7820	3.0114	3.0772	2.7808	2.9504	2.9644	23.4004	
	S	162.964	152.674	151.461	159.394	161.525	161.579	151.136	157.091	157.228	
54	T	3.0932	2.7989	2.7936	3.0230	3.0871	2.7813	2.9368	2.9518	23.4657	
	S	162.674	149.815	150.832	158.782	161.007	161.550	151.835	157.762	156.791	
55	T	3.0801	2.7302	2.7654	3.0086	3.0792	2.8054	2.9042	2.9420	23.3151	
	S	163.366	153.585	152.370	159.542	161.420	160.162	153.540	158.287	157.803	
56	T	3.0855	2.7467	2.7725	3.0028	3.0752	2.8254	2.9473	2.9617	23.4171	
	S	163.080	152.663	151.980	159.850	161.630	159.028	151.294	157.234	157.116	
57	T	3.0981	2.8022	2.8035	3.0364	3.0926	2.8179	2.9596	2.9669	23.5772	
	S	162.417	149.639	150.299	158.082	160.721	159.451	150.666	156.959	156.049	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 7 - Enerson, RC

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
58	T	3.0965	2.7721	2.8014	3.0450	3.0893	2.8118	2.8950	2.9489	23.4600	
	S	162.500	151.264	150.412	157.635	160.893	159.797	154.028	157.917	156.829	
59	T	3.0845	2.7469	2.7824	3.0225	3.0803	2.8054	2.9236	2.9546	23.4002	
	S	163.133	152.651	151.439	158.809	161.363	160.162	152.521	157.612	157.229	
60	T	3.0818	2.7417	2.7835	3.0239	3.0745	2.8012	2.9170	2.9521	23.3757	
	S	163.276	152.941	151.379	158.735	161.667	160.402	152.866	157.746	157.394	
61	T	3.0871	2.7653	2.7918	3.0309	3.0696	2.7862	2.8972	2.9428	23.3709	
	S	162.995	151.636	150.929	158.368	161.925	161.266	153.911	158.244	157.427	
62	T	3.0780	2.7655	2.8016	3.0332	3.0729	2.7809	2.9095	2.9535	23.3951	
	S	163.477	151.625	150.401	158.248	161.751	161.573	153.260	157.671	157.264	
63	T	3.0828	2.7630	2.8000	3.0295	3.0728	2.7891	2.9006	2.9471	23.3849	
	S	163.223	151.762	150.487	158.442	161.757	161.098	153.730	158.013	157.332	
64	T	3.0824	2.7308	2.7736	3.0116	3.0697	2.7722	2.8946	2.9479	23.2828	
	S	163.244	153.551	151.919	159.383	161.920	162.080	154.049	157.971	158.022	
65	T	3.0875	2.7440	2.7736	3.0114	3.0755	2.7875	2.8853	2.9404	23.3052	
	S	162.974	152.813	151.919	159.394	161.615	161.190	154.546	158.373	157.870	
66	T	3.0799	2.7214	2.7808	3.0082	3.0666	2.7672	2.8653	2.9194	23.2088	
	S	163.376	154.082	151.526	159.563	162.084	162.373	155.624	159.513	158.526	
67	T	3.0624	2.7306	2.7693	3.0032	3.0577	2.7571	2.8381	2.9030	23.1214	
	S	164.310	153.563	152.155	159.829	162.555	162.968	157.116	160.414	159.125	
68	T	3.0494	2.6885	2.7696	2.9907	3.0425	2.7643	2.8989	2.9468	23.1507	
	S	165.010	155.967	152.139	160.497	163.367	162.543	153.820	158.030	158.924	
69	T	3.0771	2.7387	2.7759	3.0008	3.0451	2.7829	2.8881	2.9360	23.2446	
	S	163.525	153.108	151.794	159.957	163.228	161.457	154.396	158.611	158.282	
70	T	3.0713	2.7130	2.7755	3.0021	3.0424	2.7838	2.8982	2.9459	23.2322	
	S	163.834	154.559	151.815	159.888	163.373	161.405	153.858	158.078	158.366	
71	T	3.0805	2.7340	2.7722	2.9967	3.0412	2.8048	2.9437	2.9744	23.3475	
	S	163.344	153.372	151.996	160.176	163.437	160.196	151.479	156.563	157.584	
72	T	3.1047	2.7425	2.7731	2.9939	3.0454	2.8084	2.9338	2.9726	23.3744	
	S	162.071	152.896	151.947	160.326	163.212	159.991	151.991	156.658	157.403	
73	T	3.0870	2.7223	2.7627	2.9906	3.0365	2.8065	2.8990	2.9407	23.2453	
	S	163.001	154.031	152.519	160.502	163.690	160.099	153.815	158.357	158.277	
74	T	3.0753	2.7439	2.7766	2.9891	3.0382	2.8071	2.9309	2.9603	23.3214	
	S	163.621	152.818	151.755	160.583	163.599	160.065	152.141	157.309	157.761	
75	T	3.0915	2.7572	2.7836	2.9978	3.0459	2.7806	2.9310	2.9663	23.3539	
	S	162.763	152.081	151.374	160.117	163.185	161.590	152.136	156.991	157.541	
76	T	3.0829	2.7521	2.7987	3.0126	3.0570	2.7963	2.8742	2.9279	23.3017	
	S	163.217	152.363	150.557	159.330	162.593	160.683	155.142	159.050	157.894	

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 7 - Enerson, RC

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF
77	T	3.0621	2.7028	2.7650	2.9979	3.0644	2.7869	2.9286	2.9604	23.2681	
	S	164.326	155.142	152.392	160.112	162.200	161.225	152.261	157.304	158.122	
78	T	3.0870	2.7522	2.8007	3.0349	3.0888	2.7988	2.9194	2.9503	23.4321	
	S	163.001	152.357	150.449	158.160	160.919	160.540	152.740	157.842	157.015	
79	T	3.0826	2.7753	2.8376	3.0533	3.0892	2.7979	2.9245	2.9609	23.5213	
	S	163.233	151.089	148.493	157.207	160.898	160.591	152.474	157.277	156.420	
80	T	3.0844	2.7166	2.7673	3.0047	3.0728	2.7893	2.9094	2.9586	23.3031	
	S	163.138	154.354	152.265	159.749	161.757	161.086	153.265	157.399	157.885	
81	T	3.0876	2.7330	2.7898	3.0220	3.0827	2.7973	2.9217	2.9588	23.3929	
	S	162.969	153.428	151.037	158.835	161.237	160.626	152.620	157.389	157.278	
82	T	3.0802	2.7439	2.7887	3.0184	3.0923	2.8243	2.9517	2.9833	23.4828	
	S	163.360	152.818	151.097	159.024	160.736	159.090	151.069	156.096	156.676	
83	T	3.1052	2.7961	2.8240	3.0436	3.1099	2.8436	2.9497	2.9756	23.6477	
	S	162.045	149.965	149.208	157.708	159.827	158.010	151.171	156.500	155.584	
84	T	3.0982	2.7565	2.7867	3.0350	3.0936	2.8535	2.9340	2.9652	23.5227	
	S	162.411	152.120	151.205	158.154	160.669	157.462	151.980	157.049	156.411	
85	T	3.0944	2.7715	2.8083	3.0442	3.0987	2.8097	2.9366	2.9740	23.5374	
	S	162.611	151.296	150.042	157.676	160.405	159.917	151.846	156.584	156.313	
86	T	3.0879	2.7773	2.8312	3.0476	3.0981	2.8492	2.9901	3.0032	23.6846	
	S	162.953	150.981	148.829	157.501	160.436	157.700	149.129	155.062	155.341	
87	T	3.1058	2.7856	2.8065	3.0337	3.0953	2.8372	2.9973	2.9947	23.6561	
	S	162.014	150.531	150.138	158.222	160.581	158.367	148.771	155.502	155.529	
88	T	3.1038	2.8213	2.8741	3.0567	3.1142	2.8377	2.9776	3.0071	23.7925	
	S	162.118	148.626	146.607	157.032	159.606	158.339	149.755	154.861	154.637	
89	T	3.1175	2.8335	2.8476	3.0325	3.1072	2.8890	2.9337	2.9233	23.6843	
	S	161.406	147.986	147.971	158.285	159.966	155.527	151.996	159.300	155.343	
90	T	3.0874	2.8561	2.8616	3.0531	3.0900	2.8344	2.9371	2.9373	23.6570	
	S	162.979	146.815	147.248	157.217	160.856	158.523	151.820	158.541	155.523	
91	T	3.6031	4.3577	5.0373	4.8715						
	S	139.653	96.225	83.649	98.532						

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 77 - Choi, Heamin (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	SF to PI
1	T	5.9408	5.0103	3.5554	3.9045	4.6184	4.3763	4.1869	3.4479	35.0405	35.8763	
	S	84.699	83.691	118.514	122.935	107.623	102.671	106.501	135.062	104.999	76.912	
2	T	3.4876	3.4463	2.9937	3.0712	3.0773	3.0482	3.0872	3.0063	25.2178		
	S	144.278	121.672	140.750	156.290	161.520	147.404	144.438	154.902	145.897		
3	T	3.1623	3.1601	2.8990	3.0298	3.1217	3.2859	3.1555	3.0977	24.9120		
	S	159.119	132.691	145.348	158.426	159.223	136.741	141.312	150.331	147.688		
4	T	3.2797	3.0064	2.8593	3.0002	3.1000	3.0407	2.9470	2.9403	24.1736		
	S	153.423	139.475	147.366	159.989	160.337	147.768	151.310	158.379	152.199		
5	T	3.1133	2.8769	2.8182	3.0031	3.0760	2.8769	2.9439	2.9385	23.6468		
	S	161.624	145.753	149.515	159.834	161.588	156.181	151.469	158.476	155.590		
6	T	3.1150	2.8146	2.8148	3.0278	3.0542	2.8222	2.9013	2.9210	23.4709		
	S	161.535	148.980	149.696	158.531	162.742	159.208	153.693	159.425	156.756		
7	T	3.0788	2.8449	2.8167	3.0173	3.0696	2.8390	2.8537	2.9003	23.4203		
	S	163.435	147.393	149.595	159.082	161.925	158.266	156.257	160.563	157.094		
8	T	3.0830	2.8705	2.8379	3.0529	3.1045	2.8460	2.8991	2.9285	23.6224		
	S	163.212	146.078	148.477	157.227	160.105	157.877	153.810	159.017	155.750		
9	T	3.0712	2.7868	2.8281	3.0430	3.0959	2.8087	2.8765	2.9158	23.4260		
	S	163.839	150.466	148.992	157.739	160.550	159.974	155.018	159.710	157.056		
10	T	3.0754	2.7653	2.7695	3.0333	3.0948	2.7791	2.8497	2.8984	23.2655		
	S	163.615	151.636	152.144	158.243	160.607	161.678	156.476	160.668	158.140		
11	T	3.0636	2.7438	2.7617	3.0191	3.0907	2.7834	2.8175	2.8912	23.1710		
	S	164.246	152.824	152.574	158.987	160.820	161.428	158.264	161.069	158.785		
12	T	3.0555	2.7817	2.7975	3.0215	3.0878	2.7839	2.8295	2.8910	23.2484		
	S	164.681	150.742	150.621	158.861	160.971	161.399	157.593	161.080	158.256		
13	T	3.0619	2.7480	2.7514	3.0132	3.0797	2.7584	2.7878	2.8748	23.0752		
	S	164.337	152.590	153.145	159.299	161.394	162.891	159.951	161.987	159.444		
14	T	3.0665	2.7796	2.7689	2.9996	3.0650	2.8232	2.8743	2.9296	23.3067		
	S	164.090	150.856	152.177	160.021	162.168	159.152	155.137	158.957	157.860		
15	T	3.0823	2.8411	2.8285	3.0453	3.0782	2.7838	2.8732	2.9087	23.4411		
	S	163.249	147.590	148.971	157.620	161.473	161.405	155.196	160.099	156.955		
16	T	3.0730	2.8073	2.7859	3.0385	3.0875	2.8147	2.8454	2.9035	23.3558		
	S	163.743	149.367	151.249	157.972	160.986	159.633	156.713	160.386	157.528		
17	T	3.0602	2.7427	2.7412	3.0012	3.0668	2.7806	2.8809	2.9140	23.1876		
	S	164.428	152.885	153.715	159.936	162.073	161.590	154.782	159.808	158.671		
18	T	3.0801	2.8019	2.7896	3.0098	3.0756	2.8080	2.8935	2.9335	23.3920		
	S	163.366	149.655	151.048	159.479	161.609	160.014	154.108	158.746	157.285		
19	T	3.0745	2.8659	2.8311	3.0339	3.0812	2.8456	2.9288	2.9514	23.6124		
	S	163.663	146.313	148.834	158.212	161.316	157.899	152.250	157.783	155.816		

Event: **Indy Lights Grand Prix of Phoenix**
Track: **Phoenix International Raceway**
Report: **Section Data Report**
Session: **Race**

Round 3
1.022 mile(s)
Indy Lights Series
April 2, 2016



Section Data for Car 77 - Choi, Heamin (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PO to SF	SF to PI
20	T	3.0832	2.8359	2.8226	3.0323	3.0869	2.8140	2.9212	2.9550	23.5511		
	S	163.201	147.861	149.282	158.295	161.018	159.672	152.646	157.591	156.222		
21	T	3.0914	2.8105	2.7937	3.0204	3.0827	2.8311	2.9173	2.9433	23.4904		
	S	162.769	149.197	150.826	158.919	161.237	158.708	152.850	158.217	156.626		
22	T	3.0844	2.7514	2.7596	3.0058	3.0614	2.7895	2.9015	2.9448	23.2984		
	S	163.138	152.402	152.690	159.691	162.359	161.075	153.683	158.137	157.916		
23	T	3.0856	2.7794	2.7837	3.0277	3.0727	2.7957	2.8882	2.9279	23.3609		
	S	163.074	150.866	151.368	158.536	161.762	160.718	154.390	159.050	157.494		
24	T	3.0929	2.8339	2.8221	3.0500	3.0870	2.8342	2.9772	2.9716	23.6689		
	S	162.690	147.965	149.309	157.377	161.012	158.534	149.775	156.711	155.444		
25	T	3.0977	2.7799	2.7855	3.0217	3.0809	2.8042	2.9392	2.9652	23.4743		
	S	162.437	150.839	151.270	158.851	161.331	160.230	151.711	157.049	156.733		
26	T	3.0970	2.8322	2.8549	3.0554	3.1041	2.8374	2.9056	2.9446	23.6312		
	S	162.474	148.054	147.593	157.098	160.125	158.356	153.466	158.148	155.692		
27	T	3.0971	2.7834	2.7786	3.0132	3.0918	2.8745	2.9057	2.9433	23.4876		
	S	162.469	150.650	151.646	159.299	160.762	156.312	153.461	158.217	156.644		
28	T	3.0847	2.7583	2.7558	3.0316	3.0954	2.8382	2.9465	2.9782	23.4887		
	S	163.122	152.021	152.901	158.332	160.576	158.311	151.336	156.363	156.637		
29	T	3.1037	2.8170	2.8147	3.0548	3.0963	2.8339	2.9784	2.9778	23.6766		
	S	162.123	148.853	149.701	157.129	160.529	158.551	149.715	156.384	155.394		
30	T	3.1190	2.8493	2.8400	3.0547	3.0945	2.8564	2.9447	2.9631	23.7217		
	S	161.328	147.165	148.367	157.134	160.622	157.302	151.428	157.160	155.098		
31	T	3.1097	2.8309	2.8313	3.0517	3.0914	2.8715	3.0252	3.0220	23.8337		
	S	161.811	148.122	148.823	157.289	160.783	156.475	147.399	154.097	154.370		
32	T	3.1544	2.9219	2.8897	3.0723	3.1046	2.8736	2.9930	2.9968	24.0063		
	S	159.518	143.509	145.816	156.234	160.100	156.361	148.984	155.393	153.260		
33	T	3.1119	2.8233	2.8334	3.0390	3.0884	2.8603	3.1273	63.4966	84.3802		
	S	161.696	148.521	148.713	157.946	160.939	157.088	142.586	7.334	43.603		
34	T	12.9016	10.2836	11.8225	15.2491					110.5499		92.6700
	S	39.002	40.775	35.641	31.477					33.281		33.874

Report Support Information

Section Legend	
Name	Length
SF to T1	0.139773 miles
T1 to T2	0.233523 miles
T1 to SS1	0.116477 miles
SS1 to T2	0.117045 miles
T2 to T3	0.271402 miles
T2 to BS	0.133333 miles
BS to T3	0.138068 miles
T3 to T4	0.248674 miles
T3 to SS2	0.124811 miles
SS2 to T4	0.123864 miles
T4 to SF	0.129356 miles
Lap	1.022000 miles
PI to PO	0.360037 miles
PO to SF	0.766477 miles
SF to PI	0.871970 miles
PO to T2	0.117045 miles
BS to PI	0.386742 miles
PO to PI	0.637121 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
T	Section Time Data
S	Section Speed Data

